

## HAZARDOUS WASTE INVENTORY FOR HOST

VAFB AND ITS TENANTS
FINAL REPORT

SCS ENGINEERS 4014 LONG BEACH BOULEVARD LONG BEACH, CALIFORNIA 90807

**APRIL 1982** 

Reproduced From Best Available Copy

Approved for public release; distribution unlimited.

PREPARED FOR
DEPARTMENT OF THE AIR FORCE
HQ SPACE DIVISION (DEV)
P.O. BOX 92960, WORLDWAY POSTAL CENTER
LOS ANGELES, CALIFORNIA 90009

20011011 166

mo2-01-0151

(17) DEC D.37. -(1) (1) RC. (1) YVV (13)-(1) SGX (1) Bob musmi (1) DPD6 (1)RMP (1) mmc PREFACE

This report was prepared by SCS Consulting Engineers, Inc., Long Beach, California 90807. This hazardous waste inventory for host base and tenant programs at Vandenberg Air Force Base (VAFB) was initiated by the U.S. Air Force to meet the requirements of the Resource Conservation and Recovery Act (RCRA) of 1976, as amended in 40 CFR 261 and 264, May 19, 1980, and the California Administrative Code, Title 22, Division 4. The report will be used by the System Program Officer (SPO) and VAFB to assure that hazardous waste disposal decisions are made in compliance with federal, state, and local statutes, and to assure that cost-effective options can be evaluated for basewide use by host base and tenant organizations. The tenants included in this report are Space Transportation System (STS), other Space Division (SD) operations, NASA, and BMO.

This work was accomplished between August 1981 and May 1982. Mr. John R. Edwards, Headquarters Space Division, was the Project Officer.

This report has been reviewed by the Office of Public Affairs (PA), and is releasable to the National Technical Information Service (NTIS). At the NTIS, it will be available to the general public, including foreign nations.

This report has been reviewed and is approved for publication.

JOHN R. EDWARDS

;

Environmental Protection Scientist

n R. Edward

R. C. WOOTEN, JR., Lt/Col, USAF, BSC STS Environmental Program Manager

RAPHAEL O. ROIG

JOAN D. PEARMAN, Colonel, USAF Chief, Environmental Planning Division Directorate of Civil Engineering

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)	
DEDORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
In COUT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
1. REPORT NUMBER	
SD-TR-82-37  4. TITLE (and Subtitle)  HAZARDOUS WASTE INVENTORY FOR HOST VAFB AND	5. TYPE OF REPORT & PERIOD COVERED Final Report for Period October 1981 - April 1982
ITS TENANTS	6. PERFORMING ORG. REPORT NUMBER 18121
	8. CONTRACT OR GRANT NUMBER(S)
7. AUTHOR(s)	F04701-81-C-0078, S/A P00002
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
SCS ENGINEERS	
4014 Long Beach Boulevard	
Long Beach, California 9080/	12. REPORT DATE
11. CONTROLLING OFFICE NAME AND ADDRESS	April 1982
SD/DEV SD/DEV	13. NUMBER OF PAGES
Los Angeles AFS, P.O. Box 92960, WWPC	189
Los Angeles, California 90009  14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report)
14. MONITORING ASSETS	Unclassified
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES Available in DTIC

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Civil Engineering

Space Division

Host Base

NASA

Environmental Planning

BMO

Hazardous Waste

Space Shuttle

Vandenberg Air Force Base

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)
This study inventories the types and quantities of wastes expected to be generated by host base operations at Vandenberg Air Force Base (VAFB), and presents a combined inventory for the VAFB host base and its tenants.

The host base inventory lists waste types; chemical constituents; baseline mass and volume generation rates per month, per year, and totals for the period 1981 through 1990; contingency mass and volume generation rates per contingency event; U.S. EPA and California hazardous waste numbers and hazardous properties; and California compatibility classes.

The highest quantities of waste generated by the host base in 1981 were produced by 4392 TRNSS/LGTM (78,200 kg; 172,400 lb), followed by 1369 AVS/DOC (77,800 kg; 171,400 lb), and Lockheed (20,100 kg; 44,300 lb). The lowest quantities of wastes in 1981 were generated by Federal Electric (4,500 kg; 10,000 lb), Fuels Lab & Det 41 (2,300 kg; 5,100 lb), 394 ICBMTMS (1,900 kg; 4,200 lb), Boeing (1,300 kg; 2,900 lb), and USAF Hospital (1,100 kg; 2,500 lb).

In 1990, the highest quantities of wastes are expected to be generated by 1369 AVS/DOC (155,500 kg; 342,800 lb), and 4392 TRNSS/LGTM (78,200 kg; 172,400 lb), followed by Lockheed (20,100 kg; 44,200 lb), Federal Electric (9,300 kg; 20,500 lb), and Fuels Lab & Det 41 (5,800 kg; 12,800 lb). The smallest quantities in 1990 are expected to be generated by 394 ICBMTMS (1,900 kg; 4,200 lb), Boeing (1,300 kg; 2,900 lb), and USAF Hospital (1,100 kg; 2,500 lb).

In 1981, 1369 AVS/DOC, 4392 TRNSS/LGTM, and Lockheed were the major sources of liquid wastes (44.1, 39.7, and 10.9 percent, respectively). Projections for 1990 indicate that 59.7 percent of the total baseline liquid wastes will be generated by 1369 AVS/DOC, 26.9 percent by 4392 TRNSS/LGTM, and 7.4 percent by Lockheed. The major host base generator of solid waste in 1981 was 4392 TRNSS/LGTM facility with 73.6 percent, followed by Federal Electric and Lockheed (13.0 and 7.8 percent respectively). In 1990, 4392 TRNSS/LGTM is expected to generate 64.7 percent of the total baseline solid hazardous wastes, followed by Federal Electric (23.5 percent), and Lockheed (6.9 percent).

A breakdown of wastes into hazardous and acutely hazardous categories shows that 6.3, 10.8, and 4.1 percent by weight of the wastes generated by Fuels Lab & Det 41, Boeing, and 1369 AVS/DOC, respectively, exhibit acutely hazardous properties; the remaining facilities do not generate wastes in this category.

The combined inventory for the VAFB host base and its tenants projects total waste quantities for 1981 through 1990 to be 204.5 million liters (54.0 million gallons) for liquids, and 384,000 kg (863,800 lb) for solids. Space Division's Space Transportation System (SD-STS) is expected to generate 177.6 million liters (46.9 million gallons) of liquids and 167,300 kg (376,300 lb) of solids over the 10-year period, while Titan, Atlas, and Component Cleaning Facility (SD-TAC) operations will produce 23.6 million liters (6.2 million gallons) of liquids and 2,700 kg (6,100 lb) of solids. Waste generated by the host base from 1981 through 1990 is anticipated to total 2.5 million liters (0.7 million gallons) of liquids and 201,100 kg (452,300 lb) of solids. Liquids from BMO and NASA total 0.7 million liters (0.2 million gallons) and 0.03 million liters (0.01 million gallons), respectively, while solids from BMO comprise 12,900 kg (29,100 lb). No solid hazardous wastes are anticipated from NASA.

Acutely hazardous waste generation from the VAFB host base and its tenants comprises between 0.2 and 0.4 percent of all liquid wastes annually; no acutely hazardous solid wastes are anticipated. Prior to 1985, the host base is the largest generator of acutely hazardous liquids, with percentages between 81 and 100 percent. In 1985, the host base contribution decreases to 25 percent, whereas SD-STS produces 71 percent. From 1986 through 1990, SD-STS generates 89 to 97 percent of all acutely hazardous waste, while the host base produces 3 to 10 percent.

### CONTENTS

Section		Page
Figures		iii vii
1	1. Introduction	3
2	Introduction	27
3	Federal and State Regulations for Hazardous Waste Generators	30
4	Methodology and Assumptions	39
5	VAFB Host Base Inventory	42
6	Summary of Hazardous Waste Generation for VAFB Host Base	82 82
7	Combined Inventory for VAFB Host Base and Tenants	.109

### CONTENTS (continued)

Secti	<u>Page</u>
8	Summary of Hazardous Waste Generation for Combined VAFB Host Base and Tenants
Refer	ences
Appen	<u>fices</u>
А	Hazardous Waste Generation by VAFB Host Base (Group I), Listed by EPA Hazardous Waste Number150
В	EPA Forms 8700-13 and 8700-13A
С	Hazardous Waste Inventory of Additional Host Base Facilities (Group II)157
D	Hazardous Waste Inventory of NASA Programs168
E	Summaries by Waste Category of Unit Quantities of Liquid and Solid Hazardous Wastes for VAFB Host Base and Tenants
Glossa	ry
	Category Codes187

### FIGURES

Number		Page
1	Baseline quantities of hazardous waste generated by VAFB host base for the years 1981 through 1990	6
2	Percent (by weight) of baseline hazardous waste generated by VAFB host base for the years 1981 through 1990	8
3	Physical state of hazardous waste generated by VAFB host base under baseline conditions	9
4	Percent (by weight) of baseline liquid hazardous waste generated by VAFB host base for the years 1981 and 1990	10
5	Percent (by weight) of baseline solid hazardous waste generated by VAFB host base for the years 1981 and 1990	11
. 6	Categories of baseline hazardous waste generated by VAFB host base in 1981 (given as percent by weight)	13
7	Categories of baseline hazardous waste generated by VAFB host base in 1990 (given as percent by weight)	14
8	Hazardous and acutely hazardous waste generated under baseline conditions by organization for VAFB host base (facilities not shown do not generate acutely hazardous waste)	15
9	Acutely hazardous waste generated by VAFB host base for the years 1981 and 1990	16
10	Baseline quantities of liquid hazardous waste generated by host base and each tenant at VAFB for the years 1981-1990	19
11	Baseline quantities of solid hazardous waste generated by host base and each tenant at VAFB for the years 1981-1990	20

## FIGURES (continued)

Number		<u>Page</u>
12	Percent (by volume) of baseline liquid hazardous waste generated by VAFB host base and tenants for the years 1981-1990	21
13	Percent (by weight) of baseline solid hazardous waste generated by VAFB host base and each tenant for the years 1981-1990	22
14	Percent (by volume) of major categories of liquid hazardous waste generated by VAFB host base and tenants for the years 1981-1990	23
15	Percent (by weight) of major categories of solid hazardous waste generated by VAFB host base and tenants for the years 1981-1990	24
16	Percent (by volume) of baseline acutely hazardous waste generated by VAFB host base and each tenant for the years 1981-1990	26
17	California hazardous waste manifest form	.34
18 ·	Baseline quantities of hazardous waste generated by VAFB host base for the years 1981 through 1990	87
19	Percent (by weight) of baseline hazardous waste generated by VAFB host base for the years 1981 and 1990	.88
20	Physical state of hazardous waste generated by VAFB host base under baseline conditions	.90
21	Percent (by weight) of baseline liquid hazardous waste generated by VAFB host base for the years 1981 and 1990	.91
22	Percent (by weight) of baseline solid hazardous waste generated by VAFB host base for the years 1981 and 1990	.92
23	Categories of baseline hazardous waste generated by Fuels Lab & Det 41 AFLC/MA (Buildings 7422, 9320, and 11248), given as percent by weight	.93

### FIGURES (continued)

Number		Page
24	Categories of baseline hazardous waste generated by Lockheed (Building 8310), given as percent by weight	95
25	Categories of baseline hazardous waste generated by Federal Electric Corporation (Building 9320), given as percent by weight	96
26	Categories of baseline hazardous waste generated by Boeing (Building 6523), given as percent by weight	97
27	Categories of baseline hazardous waste generated by 4392 TRNSS/LGTM (Buildings 7501, 10700, 10711, 10721, 10726A, and 10726B), given as percent by weight	99
28	Categories of baseline hazardous waste generated by 394 ICBMTMS (Building 6601 and Launch Facil-ity), given as percent by weight	100
29	Categories of baseline hazardous waste generated by 1369 AVS/DOC (Building 8314), given as percent by weight	102
30	Categories of baseline hazardous waste generated by USAF Hospital at VAFB (Building 13850), given as percent by weight	103
31	Categories of baseline hazardous waste generated by VAFB host base in 1981 (given as percent by weight)	104
32	Categories of baseline hazardous waste generated by VAFB host base in 1990 (given as percent by weight)	105
33	Hazardous and acutely hazardous waste generated under baseline conditions by organization for VAFB host base (facilities not shown do not generate acutely hazardous waste)	107
34	Acutely hazardous waste generated by VAFB host base for the years 1981 and 1990	108
35	Baseline quantities of liquid hazardous waste generated by host base and each tenant at VAFB for the years 1981 through 1990	130

### FIGURES (continued)

	<u>Page</u>	Number
	Baseline quantities of solid hazardous waste generated by host base and each tenant at VAFB for the years 1981 through 1990	36
	Percent (by volume) of baseline liquid hazardous waste generated by VAFB host base and tenants for the years 1981 through 1990	37
•	Percent (by weight) of baseline solid hazardous waste generated by VAFB host base and each tenant for the years 1981 through 1990	38
	Percent (by volume) of major categories of liquid hazardous waste generated by VAFB host base and tenants for the years 1981 through 1990141	39
	Percent (by weight) of major categories of solid hazardous waste generated by VAFB host base and tenants for the years 1981 through 1990143	40
	Percent (by volume) of baseline acutely hazardous waste generated by VAFB host base and each tenant for the years 1981 through 1990	41

### TABLES

Number		Page
1	Summary of Baseline Monthly Hazardous Waste Generation by Host Base Activities at VAFB, 1981-1990	5
2	Summary of Baseline Yearly Hazardous Waste Generation by Host Base Activities at VAFB, 1981-1990	6
3	Projected Increases in Baseline Hazardous Waste Generation by Organization for VAFB Host Base for the Years 1981-1990	7
4	Summary of Baseline Monthly Hazardous Waste Generation by VAFB Host Base and Tenants, 1981-1990	17
5	Summary of Baseline Yearly Hazardous Waste Generation by VAFB Host Base and Tenants, 1981-1990	17
6	Summary by Host Base and Each Tenant of Total Baseline Hazardous Waste Generation at VAFB for the Period 1981-1990	18
7	Factors Used to Project Baseline Hazardous Waste Generation for the Years 1981-1990	18
8	Hazardous Characteristics of Waste Generated by VAFB Host Base Organizations	43
9	Baseline Waste Generation by VAFB Host Base Organizations for the Years 1981 and 1990	51
10	Baseline Waste Generation for VAFB Host Base Organizations by Waste Category for the Years 1981 and 1990	59
11	Summary of Baseline Waste Generation for VAFB Host Base by Organization for the Years 1981-1990	73
12	Baseline Waste Generation by Waste Category for	78

### TABLES (continued)

Number		Page
13	Contingency Waste Generation by VAFB Host Base Organizations	81
14	Summary of Baseline Monthly Hazardous Waste Generation by Organization for VAFB Host Base, 1981-1990	83
15	Summary of Baseline Yearly Hazardous Waste Generation by Organization for VAFB Host Base, 1981-1990	84
16	Projected Increases in Baseline Hazardous Waste Generation by Organization for VAFB Host Base for the Years 1981-1990	85
17	Factors Used to Project Baseline Hazardous Waste Generation for the Years 1981-1990	.111
18	Summary by EPA Number of Baseline Liquid Hazardous Waste Generation for VAFB Host Base and Tenants, 1981-1990	112
19	Summary by EPA Number of Baseline Solid Hazardous Waste Generation for VAFB Host Base and Tenants, 1981-1990	116
20	Summary of Baseline Liquid Waste Generation for VAFB Host Base and Tenants by Waste Category for 1981-1990	117
21	Summary of Baseline Solid Waste Generation for VAFB Host Base and Tenants by Waste Category for 1981-1990	125
22	Baseline Hazardous Waste Liquids Generated Per Month by Host Base and Tenants at VAFB, 1981-1990	128
23	Baseline Hazardous Waste Liquids Generated Annually by Host Base and Tenants, 1981-1990	129
24	Baseline Hazardous Waste Solids Generated Per Month by Host Base and Tenants at VAFB, 1981-1990	132
25	Baseline Hazardous Waste Solids Generated Annually by Host Base and Tenants at VAFB, 1981-1990	133

## TABLES (continued)

Number	<u>Page</u>
26	Major Categories of Liquid Hazardous Waste Generated by VAFB Host Base and Tenants, 1981-1990139
27	Major Categories of Solid Hazardous Waste Generated by VAFB Host Base and Tenants, 1981-1990140
28	Summary of Baseline Hazardous and Acutely Hazardous Liquid Waste Generated by VAFB Host Base and Tenants for the Years 1981 Through 1990145
29	Summary of Baseline Acutely Hazardous Waste Generated by VAFB Host Base and Tenants for the Years 1981 Through 1990146
A-1	EPA.Description of Hazardous Waste by Host Base Organization152
C-1	Hazardous Characteristics of Wastes Generated by Additional VAFB Host Base Organizations158
C-2	Baseline and Contingency Waste Generation for Additional VAFB Host Base Organizations161
C-3	Annual Baseline Waste Generation for Additional VAFB Host Base Organizations by Waste Category165
D-1	Hazardous Characteristics of Wastes Generated by the NASA Program at VAFB
D - 2	Unit Generation of Hazardous Wastes from the Delta and TIROS/NOAA Launches Under the NASA Program at VAFB
D-3	Unit Generation of Hazardous Wastes from the Paint and Shop Facilities Under the NASA Program at VAFB
D-4	Baseline Unit Waste Generation for the NASA Program at VAFB by Waste Category172
D <b>-</b> 5	Baseline Waste Generation for Each NASA Facility at VAFB by Waste Category for 1982-1987173
D-6	Baseline Waste Generation for Combined NASA Facilities at VAFB by Waste Category for 1982-1987

### TABLES (continued)

Number	Page
E-1	Summary by Waste Category of Quantities Per Unit Time of Baseline Liquid Waste Generated by VAFB Host Base and Tenants177
E - 2	Summary by Waste Category of Quantities Per Unit Time of Baseline Solid Waste Generated by VAFB Host Base and Tenants

#### SECTION 1

#### EXECUTIVE SUMMARY

#### 1. INTRODUCTION

;

Vandenberg Air Force Base (VAFB) host and tenant organizations routinely generate hazardous wastes in the course of their normal operations. The objective of this report is to provide a detailed liquid and solid hazardous waste inventory for (1) host base facilities, and (2) host base programs combined with the following tenant operations:

- Space Division Space Transportation System (SD-STS). Space Division Titan, Atlas, and Component Cleaning Facility (SD-TAC).
- Ballistic Missiles Organization M-X Test Facilities
- National Aeronautics and Space Administration (NASA).

The VAFB host base facilities/organizations inventoried for this report include the following:

#### Group I:

- Fuels Lab (Det 41 AFLC/SFQLE) and Det 41, AFLC/MA -Buildings 7422, 11248, and 9320
- Lockheed Building 8310
- Federal Electric Corporation (ITT) Building 9320
- Boeing Building 6523
- Martin Marietta Corporation Building 8401
- 4392 TRNSS/LGTM Buildings 10726A, 10726B, 10721, 10710, 10700, and 7501
- 394 ICBMTMS Building 6601 and Launch Facility
- Bionetics Corporation Building 8430
- 1369 AVS/DOC Building 8314
- USAF Hospital Building 13850.

#### Group II:

- RCA Corporation, Astro Electronics Building 1768
- Stearns-Roger Building 1792
- AVCO Building 1555
- Martin Marietta Aerospace
- 394 Corrosion Control Facility Building 1930
- Agena Tank Farm Building 1180
- Civil Engineering Squadron.

Group I organizations/facilities represent those that were specified under the Scope of Work for this project. However, while conducting the inventory for Group I facilities, it became apparent that there are some additional facilities which generate substantial quantities of hazardous waste.

In view of the need to account for all hazardous waste generated by the host VAFB, these additional facilities (listed under Group II) were also inventoried (see Appendix C). Their hazardous wastes were subsequently incorporated with those generated by the Group I facilities into the combined inventory of the host VAFB and its tenants.

The inventory of the types and quantities of waste expected to be generated by the Group I host base operations is compiled for the years 1981 through 1990. This inventory provides information for:

- Types of wastes generated.
- Chemical constituents in each waste stream.
- Mass and/or volume of waste generated during scheduled ground operations (per month, per year, and totals for the period 1981 through 1990).
- Mass and/or volume of waste generated under contingency conditions (per contingency event).
- EPA and California hazardous waste numbers for each waste.
- EPA and California hazardous properties for each waste.

(

• California compatibility class for each waste.

The discussion of the host base inventory (Group I) focuses primarily on the years 1981 and 1990.

The hazardous waste inventory for combined host base and tenant organizations at VAFB is also compiled for the time span of 1981 through 1990. It incorporates changes in waste generation anticipated from the start of the M-X test program and the STS launches at VAFB. Information is provided for:

- Baseline volumes of liquid waste and weights of solid waste generated monthly and annually.
- Contributions of the host base and each tenant to liquid and solid waste generation.
- Total liquids and solids for each EPA hazardous waste number.

- Major categories of liquid and solid waste generated.
- Quantities of hazardous and acutely hazardous waste.
- Contributions of the host base and each tenant to acutely hazardous waste generation.

This inventory is analyzed for each year during the period 1981 to 1990.

### 2. FEDERAL AND STATE REGULATIONS FOR HAZARDOUS WASTE GENERATORS

The U.S. Environmental Protection Agency (EPA) has developed a nationwide program to regulate hazardous wastes from generation to final disposal, through directives in the Resource Conservation and Recovery Act (RCRA) of 1976 (PL 94-580). These regulations are not industry-specific; all industries, including Department of Defense (DOD) facilities, which generate, store, transport, treat, or dispose of hazardous wastes, are affected by RCRA, and must comply with the same set of rules. VAFB is considered a generator of hazardous waste, and, depending on its final waste management plan, may also be considered as a storage, treatment, and/or disposal facility.

Section 3006 of RCRA (40 CFR Part 123) provides for individual states to operate their own hazardous waste programs (HWP) in lieu of the federal program. Phase I interim authorization allows the state to administer an HWP corresponding to the portions of the federal program contained in 40 CFR Parts 261, 262, and 263, and the preliminary (interim status) standards of 40 CFR Phase II interim authorization will allow the state to Part 265. administer the permit program of 40 CFR Parts 122, 124, and 264. Final authorization will transfer all hazardous waste management responsibilities to the state. To receive interim authorization, a state program must be substantially equivalent to the federal program, at least as far as the minimum standards are concerned. The state can adapt or enforce more stringent or extensive requirements than those of RCRA, although these are not considered part of the federally approved program.

The State of California Department of Health Services (CDHS) and the State Water Resources Control Board (WRCB) have applied for Phase I interim authorization to administer a state HWP. EPA reviewed the application for Phase I interim authorization, and determined that the state program is substantially equivalent to the Phase I federal program as defined in 40 CFR Part 123. In accordance with Section 3006(c) of RCRA, California was granted interim authorization to operate an HWP in lieu of Phase I of the federal HWP (FR date 6/4/81). The practical effect of this decision is that generators, transporters, and owners and operators of hazardous waste management facilities in California will be subject to the State of California HWP in lieu of the federal HWP, and will not again be subject to Phase I of the federal program unless (1) the state fails to obtain final authorization

within 24 months after the effective date of the last component of Phase II, or (2) authorization is withdrawn for cause by EPA.

In order to comply with both EPA and California regulations, a California generator will have the following duties and obli-

- Identifying all hazardous wastes generated by the base and its tenants.
- Notifying EPA of hazardous activities within 90 days from the time that waste-generating activities commence.
- Obtaining an EPA generator's identification number.
- Preparing a Hazardous Waste Manifest (in California, the California Hazardous Waste Manifest must be used).
- Properly containerizing and labeling waste and placarding , transport vehicles.
- Reporting to CDHS:
  - Monthly (copies of manifest from the previous month)

(

(

- Annually (submittal of completed EPA Annual Report Forms 8700-13 and 8700-13a).

Other requirements for generators include obtaining special permits for each shipment of extremely or acutely hazardous waste, and a permit if waste is to be stored by the generator for more than 60 days.

It should be noted that the regulations on identification and listing of hazardous waste (40 CFR 261) have recently been amended. The interim final rule (FR 56582, November 17, 1981) revises the regulations to exempt certain mixtures of hazardous and nonhazardous wastes from the presumption of hazardousness as a nonhazardous solid waste and a listed hazardous waste will no any of the defined characteristics of hazardous wastes. Furtherals may be excluded based on the average weekly concentration. Sion based on the mixture principles through laboratory testing or other means.

A recent (June 1981) DOD publication, Consolidated Hazardous Material/Hazardous Waste Disposal Guidance, outlines the responsible agencies for hazardous waste management on the base. Briefly, this guidance states that:

 The Defense Logistics Agency (DLA) has been designated as the responsible agency within DOD for disposal of those hazardous materials regulated under RCRA.

- DLA has delegated operational responsibilities for this mission to the Defense Property Disposal Service (DPDS).
- The Defense Property Disposal Organization (DPDO) will take accountability for all of these wastes, and if proper facilities are available, will take physical custody.
- All wastes must be identified by National Stock Number (NSN), List Stock Number (LSN), or Federal Stock Class (FSC), and amount and type of contaminant.
- Wastes must be turned in to the DPDO in nonleaking, safeto-handle containers (Department of Transportation-specified containers for predetermined hazardous wastes), properly labeled.
- The base commander is responsible to insure compliance with all RCRA or California requirements for the base; the individual facility operational managers are accountable for conducting their activities in accordance with the regulations.

#### 3. SOURCES OF WASTE GENERATED BY VAFB HOST BASE PROGRAMS

Summaries of liquid and solid hazardous wastes routinely generated on a monthly and yearly basis by host base programs at VAFB during the period 1981 through 1990 are given in Tables 1 and 2, respectively. As shown in Table 2, total baseline waste generation from host base operations for this period is anticipated to be 2.4 million kg (5.2 million lb). Annual waste generation is expected to escalate from 187,300 kg (412,900 lb) in 1981 to 273,300 kg (602,500 lb) in 1990. Baseline waste generation for the years 1981 through 1990 is graphically presented in Figure 1.

TABLE 1. SUMMARY OF BASELINE MONTHLY HAZARDOUS WASTE GENERATION BY HOST BASE ACTIVITIES AT VAFB, 1981-1990

		Monthly Qua	antities
Year	Kilograms	<u>Pounds</u>	
	1981	15,600	34,400
	1982	15,600	34,400
	1983	15,600	34,500
	1984	15,700	34,500
	1985	22,500	49,600
	1986	22,500	49,700
	1987	22,600	49,800
	1988	22,600	49,900
	1989	22,700	50,100
	1990	22,700	50,210

TABLE 2. SUMMARY OF BASELINE YEARLY HAZARDOUS WASTE GENERATION BY HOST BASE ACTIVITIES AT VAFB, 1981-1990

	Annual Qu	ıantities
<u>Year</u>	Kilograms	Pounds
1981	187,300	412,900
1982	187,500	413,400
1983	187,700	413,900
1984	188,000	414,500
1985	269,800	594,700
1986	270,300	596,000
1987	271,000	597,400
1988	271,700	599,000
1989	272,400	600,700
1990	273,300	602,500
Total	2,379,000	5,244,900





Figure 1. Baseline quantities of hazardous waste generated by VAFB host base for the years 1981 through 1990.

The anticipated percent increases in waste generation by facility are shown on Table 3. Waste generation from USAF Hospital, Boeing, 394 ICBMTMS, Lockheed, and 4392 TRNSS/LGTM is expected to remain constant during the period 1981 through 1990. Fuels Lab & Det 41 and 1369 AVS/DOC exhibit a step function in their projected waste generation, with the increase occurring at the beginning of the STS program in 1985. Federal Electric is expected to continuously generate increased amounts of hazardous waste each year during the period 1981 through 1990 (Table 3).

TABLE 3. PROJECTED INCREASES IN BASELINE HAZARDOUS WASTE GENERATION BY ORGANIZATION FOR VAFB HOST BASE FOR THE YEARS 1981-1990



1

Expressed as percentage by weight, the 1369 AVS/DOC has generated 41.5 percent of the total waste in 1981; 4392 TRNSS/LGTM, 41.8 percent; Lockheed, 10.7 percent; and Federal Electric, Fuels Lab & Det 41, 394 ICBMTMS, Boeing, and USAF Hospital, 2.4, 1.2, 1.0, 0.7, and 0.6 percent, respectively (Figure 2). In 1990, 1369 AVS/DOC is projected to generate 56.9 percent of the total baseline waste; 4392 TRNSS/LGTM, 28.6 percent; Lockheed, 7.3 percent; and Federal Electric, Fuels Lab & Det 41, 394 ICBMTMS, Boeing, and USAF Hospital, 3.4, 2.1, 0.7, 0.5, and 0.4 percent, respectively.




Figure 2. Percent (by weight) of baseline hazardous waste generated by VAFB host base for the years 1981 through 1990.

Investigations into the physical state of the hazardous wastes generated during normal operations indicate that the majority of wastes at Lockheed, Federal Electric, Boeing, 4392 TRNSS/LGTM, 394 ICBMTMS, and USAF Hospital (Figures 3B, C, D, E, F, and H, respectively) are in a liquid state (95.7, 68.0, 65.6, 89.5, 91.1, and 99.9 percent, respectively). Fuels Lab & Det 41 (Figure 3A) and 1369 AVS/DOC (Figure 3G) generate liquid wastes only.




Figure 3. Physical state of hazardous waste generated by VAFB host base under baseline conditions.

In 1981, 1369 AVS/DOC, 4392 TRNSS/LGTM, and Lockheed were the major sources of liquid wastes (44.1, 39.7, and 10.9 percent, respectively), followed by Federal Electric (1.8 percent), Fuels Lab & Det 41 (1.3 percent), 394 ICBMTMS (1.0 percent), USAF Hospital (0.7 percent), and Boeing (0.5 percent) (Figure 4). Projections for 1990 indicate that 59.7 percent of the total baseline liquid wastes will be generated by 1369 AVS/DOC; 26.9 percent by 4392 TRNSS/LGTM; 7.4 percent by Lockheed; and the balance by Federal Electric, Fuels Lab & Det 41, 394 ICBMTMS, USAF Hospital, and Boeing (2.4, 2.2, 0.7, 0.4, and 0.3 percent, respectively) (Figure 4).




Figure 4. Percent (by weight) of baseline liquid hazardous waste generated by VAFB host base for the years 1981 and 1990.

The generators of solid waste are the 4392 TRNSS/LGTM, Federal Electric, Lockheed, Boeing, 394 ICBMTMS, and USAF Hospital (Figure 5). In 1981, the 4392 TRNSS/LGTM facility generated 73.6 percent of the total solid hazardous wastes, followed by Federal Electric and Lockheed (13.0 and 7.8 percent, respectively); Boeing, 394 ICBMTMS, and USAF Hospital generated only 4.1, 1.5, and 0.01 percent, respectively. In 1990, the 4392 TRNSS/LGTM is expected to generate 64.7 percent of the total baseline solid hazardous wastes, followed by Federal Electric (23.5 percent), and Lockheed (6.9 percent) (Figure 5). The balance of these wastes will be generated by Boeing (3.6 percent), 394 ICBMTMS (1.3 percent), and USAF Hospital (0.01 percent).




Figure 5. Percent (by weight) of baseline solid hazardous waste generated by VAFB host base for the years 1981 and 1990.

### 4. MAJOR TYPES OF WASTE GENERATED BY HOST BASE PROGRAMS

Basewide generation (percent by weight) of both major and minor hazardous waste categories for the years 1981 and 1990 is given in Figures 6 and 7, respectively. In both years, the wastes generated are associated with the following major categories:

- 1. Photographic developer
- Photographic chemicals, miscellaneous
- 3. Oils, used
- 4. Oil/water wastes
- 5. Battery wastes
- Solvents, mixed or unspecified

- 7. Photographic prehardener
- 8. Nitric acid
- 9. Hydrazine/water wastes
- 10. Rags, solvent/oily
- 11. Lube oils
- 12. Freon solvents
- 13. Chromium Wastewaters

Only the first four categories given above are listed in descending order according to quantities generated. In 1981, these four categories jointly contributed 62.7 percent of the total waste generated by the host base (Figure 6); in 1990, they are projected to constitute 66.9 percent (Figure 7).

The minor waste categories for the years 1981 and 1990 are as follows:

- 1. Dyna-brite wastes
- 2. Hydrofluoric acid
- 3. Aviation fuel
- 4. Isopropanol
- 5. Paint thinners
- 6. Methyl ethyl ketone
- 7. Chloroform
- 8. Trichloroethane
- 9. Dichloromethane
- 10. Acetone
- 11. RP-1
- 12. Hydrazine

- 13. Trichloroethylene
- 14. Methanol
- 15. Nitrogen tetroxide
- 16. Ethylenediamine
- 17. Sulfuric acid
- 18. Aerozine 50
- 19. Carbon tetrachloride

(

- 20. Containers
- 21. Petroleum ether
- 22. PCB solid wastes
- 23. Corrosive liquids, unspecified

The first four categories jointly contribute almost 40 percent of the basewide minor waste generation in the years 1981 and 1990.




Figure 6. Categories of baseline hazardous waste generated by VAFB host base in 1981 (given as percent by weight).




Figure 7. Categories of baseline hazardous waste generated by VAFB host base in 1990 (given as percent by weight).

## 5. HAZARDOUS AND ACUTELY HAZARDOUS WASTES GENERATED BY VAFB HOST BASE PROGRAMS

A breakdown of wastes into hazardous and acutely hazardous categories is shown in Figure 8. As shown, 6.3, 10.8, and 4.1 percent by weight of the wastes generated by Fuels Lab & Det 41, Boeing, and 1369 AVS/DOC, respectively, exhibit acutely hazardous properties; the remaining facilities do not generate wastes which are acutely hazardous.




Figure 8. Hazardous and acutely hazardous waste generated under baseline conditions by organization for VAFB host base (facilities not shown do not generate acutely hazardous waste).

Further investigations into annual generation of acutely hazardous wastes by the VAFB host base show that 1369 AVS/DOC generated 94.2 percent of these wastes in 1981, followed by Fuels Lab & Det 41 (4.3 percent), and Boeing (1.5 percent) (Figure 9). In 1990, 1369 AVS/DOC is projected to generate 93.9 percent of the acutely hazardous wastes, followed by Fuels Lab & Det 41 (5.4 percent), and Boeing (0.7 percent) (Figure 9).




Figure 9. Acutely hazardous waste generated by VAFB host base for the years 1981 and 1990.

## 6. SOURCES OF WASTE GENERATED BY COMBINED VAFB HOST BASE AND TENANTS

Summaries of liquid and solid baseline hazardous wastes generated on a monthly and yearly basis by host base operations and all tenants at VAFB combined during the period 1981 through 1990 are given in Tables 4 and 5. As shown in Table 5, total baseline liquid waste generation is anticipated to be 204.5 million liters (54.0 million gallons), ranging from 1.9 million liters (0.5 million gallons) in 1981 to 46.2 million liters (12.2 million gallons) in 1990. Total baseline solid waste generation is anticipated to be 0.4 million kg (0.9 million lb), ranging from 0.02 million kg (0.05 million lb) in 1981 to 0.06 million kg (0.14 million lb) in 1990 (Table 5).

TABLE 4. SUMMARY OF BASELINE MONTHLY HAZARDOUS WASTE GENERATION BY VAFB HOST BASE AND TENANTS, 1981-1990

Year	Liquid	Waste	Solid Waste			
	Liters	Gallons	Kilograms	Pounds		
1981	155,300	41,000	1,600	3,700		
1982	183,600	48,500	1,700	3,800		
1983	225,800	59,700	1,800	4,100		
1984	187,000	49,400	1,800	4,100		
1985	649,700	171,600	2,200	4,900		
1986	1,321,700	349,200	2,800	6,400		
1987	2,768,300	731,400	4,200	9,500		
1988	3,850,800	1,017,400	5,300	11,800		
1989	3,850,600	1,017,300	5,300	11,900		
1990	3,846,700	1,016,300	5,300	11,900		

TABLE 5. SUMMARY OF BASELINE YEARLY HAZARDOUS WASTE GENERATION BY VAFB HOST BASE AND TENANTS, 1981-1990

	Liquio	l Waste	Solid Waste			
Year	Liters	Gallons	Kilograms	Pounds		
1981	1,863,800	492,400	19,500	43,900		
1982	2,203,500	582,200	20,000	45,000		
1983	2,709,400	715,800	22,100	49,800		
1984	2,244,000	592,900	21,700	48,900		
1985	7,796,200	2,059,800	26,300	59,200		
1986	15,860,500	4,190,400	34,100	76,600		
1987	33,219,100	8,776,500	50,600	113,800		
1988	46,210,200	12,208,700	63,000	141,800		
1989	46,207,300	12,208,000	63,200	142,200		
1990	46,160,800	12,195,700	63,400	142,600		
Total	204,474,800	54,022,400	384,000	863,800		

Total baseline liquid and solid waste generation by each individual program at VAFB is shown in Table 6. The largest quantities of liquid wastes for the period 1981 through 1990 are generated by the SD-STS program, followed by SD-TAC and the host base. The smallest quantities of liquid wastes are generated by the BMO and NASA programs.

TABLE 6. SUMMARY BY HOST BASE AND EACH TENANT OF TOTAL BASELINE HAZARDOUS WASTE GENERATION AT VAFB FOR THE PERIOD 1981-1990

	Total Quantities, 1981-1990						
	Liqu	id	Solid				
Organization	Liters	Gallons	Kilograms	Pounds			
SD-STS SD-TAC Host Base BMO NASA	177,553,200 23,625,300 2,548,000 719,800 28,500	46,909,700 6,241,800 673,200 190,200 7,500	167,300 2,700 201,100 12,900 0	376,300 6,100 452,300 29,100			
Total	204,474,800	54,022,400	384,000	863,800			

The factors used to calculate yearly amounts for VAFB host base and tenant facilities are listed in Table 7. As shown, the STS, Titan, Atlas, Delta, and TIROS/NOAA launch activities are expected to be completely launch-dependent. Some M-X test activities will be launch-related, while others will be independent of launch. Yearly waste generation at the Component Cleaning Facility, Fuels Lab & Det 41, Federal Electric, and 1369 AVS/DOC are expected to increase with the start of STS launches. All other facilities are considered to generate waste at a constant rate regardless of launch activities.

1

TABLE 7. FACTORS USED TO PROJECT BASELINE HAZARDOUS WASTE GENERATION FOR THE YEARS 1981-1990

É

		Multiplicative Factor Used to Convert to Annual Quantities									
<u>Organization</u>	Time Unit Used for Data Input	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
Space Division - STS	STS Launch	ŋ	0	0	ŋ	1	3	7	Į n	10	10
Space Division - Atlas	Atlas Launch	0	2	2.	2	2	2	1	t	ø	0
Space Division - Titan	Titan Launch	0	2	5	2	4	0	0	'n	0	n
Space Division - Component Cleaning Facility	Year, 1982-84	1	1	ı	1	1.5	1.5	t.5	1.5	1.5	1.5
Host Base - Fuels Lab/Det 41	Year, 1982-84	1	1	1	1	2.5	2.5	2.5	2.5	2.5	2.5
Host Base - Federal Electric	Year, 1982	1	1.05	1.10	1.16	1.27	1.40	1.54	1.69	1.86	2.09
Host Base - 1369 AVS/NOC	Year, 1982-84	t	i	1	1	2	Z	2	2	z	2
Hos't Base - Other Organizations	Year	1	1	1	t	1	i	1	1	1	1
BMO - M-X Test Pad & Part of MMF	M-X Test Launch	n	0	4	4	4	1	12	12	12	6
BMO - Other M-X Test Facilities	Year	1	1	1	1	1	1	1	ı	1	1
NASA - Delta	Delta Launch	0	2	0	O	n	0	0	0	U	0
NASA - TEROS/NOAA	NOAA Launch	ŋ	1	ŧ	1	1	1	1	0	0	0
NASA - Shop & Paint Facilities	Year	o	. 1	t	1	ì	1	1	0	0	n

The major generators of solid waste are expected to be the SD-STS program and the VAFB host base, followed by BMO and SD-TAC operations. NASA programs are not expected to generate any solid waste. Baseline cumulative liquid and solid waste generation for the years 1981 through 1990 is depicted in Figures 10 and 11, respectively.




Figure 10. Baseline quantities of liquid hazardous waste generated by host base and each tenant at VAFB for the years 1981-1990.




Figure 11. Baseline quantities of solid hazardous waste generated by host base and each tenant at VAFB for the years 1981-1990.

The relative contributions of the host base and each tenant to total liquid hazardous waste generation at VAFB are depicted in Figure 12. For the period 1981 through 1984, SD-TAC is the largest generator of liquid hazardous waste, contributing 88 to 90 percent by volume. The host base will also produce a substantial portion during this period, with percentages ranging from 8 to 11 percent. NASA will generate 1 percent in 1982, and 0.04 to 0.05 percent in both 1983 and 1984, while BMO will produce 2 to 3 percent of the liquid waste annually during the period from 1983 to 1984.

Beginning in 1985, the percent contributions of other organizations to the total volumes of liquid hazardous waste will decline substantially, due to the large quantities of hazardous liquids generated by STS launches. SD-STS is expected to generate 56 percent in 1985, 82 percent in 1986, and 91 to 94 percent annually from 1987 through 1990 (Figure 12). The percentage of liquid waste generation by SD-TAC is expected to be 40 percent in 1985, 16 percent in 1986, 8 percent in 1987, and 5 percent annually from 1988 through 1990. Percentages contributed by the host base will decrease to 4 percent in 1985, 2 percent in 1986, and less than 1 percent annually from 1987 through 1990. Percentages for BMO range between 0.2 and 0.8 percent from 1985 through 1990, while NASA's contribution will decrease from 0.02 percent in 1985 to 0.004 percent in 1987.




Figure 12. Percent (by volume) of baseline liquid hazardous waste generated by VAFB host base and tenants for the years 1981-1990.

For solid waste categories, Figure 13 shows that the major generator of solid hazardous waste for the period 1981 through 1984 is the host base, producing 89 to 100 percent by weight of the total solids. BMO generates 7 percent annually during the years 1983 and 1984, while SD-TAC contributes 2 to 4 percent annually from 1982 through 1984.




Figure 13. Percent (by weight) of baseline solid hazardous waste generated by VAFB host base and each tenant for the years 1981-1990.

Again, beginning in 1985, STS launches will produce substantial quantities of solid waste, thus reducing the present contributions of the other organizations. SD-STS will generate 16 percent of the hazardous solids in 1985, 36 percent in 1986, 57 percent in 1987, and 64 to 65 percent annually from 1988 through 1990 (Figure 13). This reduces the host base's percentages to 76 percent in 1985, 59 percent in 1986, 40 percent in 1987, and 33 percent annually from 1988 through 1990. BMO's contribution is reduced from 6 percent in 1985 to 3 percent annually during the period from 1987 through 1990, while SD-TAC generates 3 percent in 1985, and then decreases to 0.1 to 0.3 percent annually from 1986 through 1988.

(

# 7. MAJOR TYPES OF WASTE GENERATED BY COMBINED VAFB HOST BASE AND TENANTS

The composition (by waste category) of the hazardous liquids generated by the VAFB host base and tenants combined is depicted in Figure 14. Prior to 1985, sodium hydroxide wastewaters constitute the largest liquid waste category, generating 51 to 74

percent of the total hazardous liquid waste. Deluge water, which shows no quantities for 1981, comprises 14 to 28 percent annually from 1982 through 1984. Chromium and cyanide wastewaters each generate 5 to 7 percent annually prior to 1985.




Figure 14. Percent (by volume) of major categories of liquid hazardous waste generated by VAFB host base and tenants for the years 1981-1990.

Smaller waste categories producing 1 to 2 percent of the hazardous liquids annually from 1981 through 1984 are the used oils, photographic developer, photographic chemicals, and oil/water wastes. Hydrazine/water wastes contribute 1 percent in 1982, while corrosive liquids and hydraulic fluids each generate 1 percent annually in 1983 and 1984.

With the start of STS launches at VAFB in 1985, the liquid wastes generated from STS operations will add substantially to the volume of hazardous liquids. Deluge water will become the major liquid waste category, constituting 57 percent in 1985, 73 percent in 1986, 81 percent in 1987, and 83 to 84 percent annually from 1988 through 1990 (Figure 14). Sodium hydroxide wastewaters decrease to 27 percent in 1985, 13 percent in 1986, 6 percent in 1987, and less than 5 percent per year from 1988 through 1990.

During the period from 1985 through 1990, two STS-specific waste categories, the SRB initial rinse water and the insulation wastewaters, each show percentages of between 2 and 5 percent (Figure 14). Chromium and cyanide wastewaters each decrease from 3 percent in 1985 to 1 percent in 1986, and contribute less than 1 percent in subsequent years. Similarly, percentages for each of the other waste categories considered to be major during the period prior to 1985 fall below 1 percent starting in 1985.

For hazardous solids, battery wastes constitute the largest solid waste category prior to 1985, comprising 53 to 60 percent of all hazardous solids (Figure 15). Solvent/oily rags are also a large waste category, with percentages ranging between 28 and 35 percent prior to 1985. Among the other major categories, sulfamic acid constitutes 10 to 11 percent of the total, while containers contribute between 0.7 and 0.8 percent.




Figure 15. Percent (by weight) of major categories of solid hazardous waste generated by VAFB host base and tenants for the years 1981-1990.

In 1985 and subsequent years, containers contribute a substantial portion of the total solid waste, constituting 11 percent in 1985, 25 percent in 1986, 38 percent in 1987, and 44

percent annually from 1988 through 1990 (Figure 15). Battery wastes total 45 percent in 1985, 35 percent in 1986, 24 percent in 1987, and 20 percent annually from 1988 through 1990. The STS-specific waste category of solid insulation wastes comprises 4.3 percent in 1985, and increases to 10 percent in 1986, 16 percent in 1987, and 18 percent annually from 1988 through 1990.

The relative percentage of sulfamic acid decreases from 1985 on, although its yearly quantity remains constant. Its wastes constitute 8 percent in 1985, 6 percent in 1986, 4 percent in 1987, and 3 percent annually from 1988 through 1990. Contaminated parts comprise the only other substantial solid waste category, contributing 0.7 to 1.0 percent annually from 1986 through 1990.

8. HAZARDOUS AND ACUTELY HAZARDOUS WASTES GENERATED BY COMBINED VAFB HOST BASE AND TENANTS

Analysis of the VAFB host base and tenant waste inventory shows that all acutely hazardous wastes expected are liquids. Figure 16, which depicts the percentages (by volume) of acutely hazardous waste generated, shows that the host base is the major generator of acutely hazardous liquids prior to 1985. For the period 1981 through 1984, it contributes between 71 and 100 percent, while SD-TAC generates 16 to 29 percent annually from 1982 through 1984 (Figure 16). NASA is expected to produce acutely hazardous waste in 1982 only, with quantities totalling 12 percent.

Beginning in 1985, SD-STS becomes the primary generator of acutely hazardous waste, contributing 71 percent in 1985, 89 percent in 1986, 95 percent in 1987, and 97 percent annually from 1988 through 1990 (Figure 16). Although host base quantities double in 1985, its percentages drop to 25 percent in that same year. These percentages decline to 10 percent in 1986, 5 percent in 1987, and 3 percent annually from 1988 through 1990. Acutely hazardous waste from SD-TAC totals 4 percent in 1985, 1 percent in 1986, and 0.1 percent annually in 1987 and 1988.




Figure 16. Percent (by volume) of baseline acutely hazardous waste generated by VAFB host base and each tenant for the years 1981-1990.

### SECTION 2

### INTRODUCTION

### 1. BACKGROUND

Vandenberg Air Force Base (VAFB) host and tenant organizations routinely generate hazardous wastes in the course of their normal operations. In anticipation of an increased waste load with the inauguration of space shuttle launches and landings at VAFB, one tenant, Space Division (SD), recently conducted a projected inventory of hazardous wastes for the shuttle and other SD operations at VAFB (1, 2, 3, 4). One facet of this study was an assessment of treatment and disposal options for these wastes. An analysis of these options showed that some treatment and storage on base is cost-effective. It was further suggested that similar hazardous wastes from other VAFB activities could conceivably be treated or stored in common facilities with SD wastes for a more cost-effective waste management program. Consequently, 1 STRAD decided that the host base and other tenants should conduct inventories similar to the SD inventories, so that common basewide treatment, storage, and disposal options could be considered.

The principal objective of this report is to provide a detailed liquid and solid hazardous waste inventory for the host base and tenant programs at VAFB (STS, other SD, M-X, and NASA). All inventories presented in this report are based on the hazardous waste definitions of the California Department of Health Services (Title 22, Division 4, Chapter 30, Articles 9 and 10) and the U.S. Environmental Protection Agency (EPA) Regulations for Identifying Hazardous Waste (40 CFR 261). The host base facilities/organizations inventoried for this report include the following VAFB host base organizations and buildings:

### • Group I:

- Fuels Lab (Det 41 AFLC/SFQLE) and Det 41, AFLC/MA Buildings 7422, 11248, and 9320
- Lockheed Building 8310
- Federal Electric Corporation (ITT) Building 9320
- Boeing Building 6523
- Martin Marietta Corporation Building 8401
- 4392 TRNSS/LGTM Buildings 10726A, 10726B, 10721, 10710, 10700, and 7501
- 394 ICBMTMS Building 6601 and Launch Facility

- Bionetics Corporation Building 8430
- 1369 AVS/DOC Building 8314
- USAF Hospital Building 13850.

### • Group II:

- RCA Corporation, Astro Electronics Building 1768
- Stearns-Roger Building 1792
- Avco Building 1555
- Martin Marietta Aerospace
- 394 Corrosion Control Facility Building 1930
- Agena Tank Farm Building 1180
- Civil Engineering Squadron.

Group I organizations/facilities represent those that were specified for this project under the Scope of Work. While conducting the inventory for Group I facilities, however, some additional facilities which generate hazardous wastes were identified. In view of the need to account for all hazardous wastes generated by the host VAFB, these additional facilities (listed under Group II) were also inventoried, and their hazardous wastes were subsequently incorporated into the comprehensive inventory of the host VAFB and its tenants.

### 2. REPORT ORGANIZATION

Consideration of the state and federal regulations governing generators of hazardous wastes is essential to this inventory. These regulations define what is hazardous, and specify the responsibilities of the generator in regard to these materials. Section 3 of this report provides references to the major provisions regulating hazardous wastes, and summarizes the principal responsibilities of VAFB generators. Copies of EPA report forms required for generators who ship hazardous wastes off site are presented in Appendix B.

In the past, comprehensive records of waste generation rates and characteristics have not been consistently maintained by all facilities. Consequently, a number of assumptions, estimations, and simplifications were needed to adequately address hazardous waste generation at VAFB. Section 4 details these assumptions, and describes the approach used to obtain the inventory data for both host base and tenant operations at VAFB.

Section 5 presents a detailed inventory of VAFB host base hazardous wastes generated by Group I organizations/facilities. A summary of hazardous waste generation by Group I facilities is provided in Section 6. Appendix A presents tables of summary hazardous waste generation for the host base, arranged by EPA hazardous waste number.

A combined inventory for VAFB host base and its tenants is given in Section 7. Section 8 provides a discussion and summary of the combined hazardous waste inventory presented in Section 7.

Appendices C and D provide detailed hazardous waste inventories of the additional host base facilities (Group II) and NASA programs, respectively. Appendix E presents summaries by waste category of the unit quantities of liquid and solid hazardous wastes which can be used to project annual amounts of wastes generated by the VAFB host base and each tenant.

### SECTION 3

FEDERAL AND STATE REGULATIONS FOR HAZARDOUS WASTE GENERATORS

### 1. INTRODUCTION

The U.S. EPA has developed a nationwide program to regulate hazardous wastes from generation to final disposal, through directives in the Resource Conservation and Recovery Act (RCRA) of 1976 (PL 94-580). These regulations are not industry-specific; all industries, including Department of Defense (DOD) facilities, which generate, store, transport, treat, or dispose of hazardous wastes, are affected by RCRA, and must comply with the same set of rules. VAFB is considered a generator of hazardous waste, and, depending on its final waste management plan, may also be considered as a storage, treatment, and/or disposal facility.

At the present time, California hazardous waste generators are regulated under both RCRA and California Title 22. The major provisions under RCRA for controlling hazardous wastes are:

- 40 CFR Part 260: Definitions used in other parts corresponding to Sections 3001 through 3004 RCRA rules, and general provisions applicable to these parts (FR date 5/19/80, Part II).
- 40 CFR Part 261: Section 3001: Identification and listing of hazardous waste (FR date 5/19/80, Part III).
- 40 CFR Part 262: Section 3002: Standards applicable to generators of hazardous waste, including manifest system, recordkeeping, and reporting (FR date 5/19/80, Part V).
- 40 CFR Part 263: Section 3003: Standards applicable to transporters of hazardous waste, including manifest system, recordkeeping, and reporting (FR date 5/19/80, Part VI).
- 40 CFR Part 264: Section 3004: Standards applicable to owners and operators of hazardous waste treatment, storage, and disposal facilities, including manifest system, recordkeeping, and reporting (FR date 5/19/80, Part VII).

- 40 CFR Part 265: Section 3004: Interim status standards applicable to owners and operators of hazardous waste treatment, storage, and disposal facilities (FR date 5/19/80, Part VII).
- ullet 40 CFR Part 267: Interim standards for owners and operators of new hazardous waste land disposal facilities (FR date 2/13/81).
- 40 CFR Parts 122 and 124: Section 3005: Permits for treatment, storage, and disposal of hazardous waste (FR date 5/19/80, Part X).
- 40 CFR Part 123: Section 3006: Guidelines for authorized state hazardous waste programs (FR date 5/19/80, Part X).
- Section 3010: Preliminary notification of hazardous waste activity (FR date 2/26/80).

Section 3006 of RCRA (40 CFR Part 123) provides for individual states to operate their own hazardous waste programs (HWP) in lieu of the federal program. Phase I interim authorization allows the state to administer an HWP corresponding to the portions of the federal program contained in 40 CFR Parts 261, 262, and 263, and the preliminary (interim status) standards of 40 CFR Part 265. Phase II interim authorization will allow the state to administer the permit program of 40 CFR Parts 122, 124, and 264. Final authorization will transfer all hazardous waste management responsibilities to the state. To receive interim authorization, a state program must be substantially equivalent to the federal program, at least as far as the minimum standards are concerned. The state can adapt or enforce more stringent or extensive requirements than those of RCRA, although these are not considered part of the federally approved program.

The State of California Department of Health Services (CDHS) and the State Water Resources Control Board (WRCB) have applied for Phase I interim authorization to administer a state HWP. reviewed the application for Phase I interim authorization, and determined that the state program is substantially equivalent to the Phase I federal program as defined in 40 CFR Part 123. accordance with Section 3006(c) of RCRA, California was granted interim authorization to operate an HWP in lieu of Phase I of the federal HWP (FR date 6/4/81). The practical effect of this decision is that generators, transporters, and owners and operators of hazardous waste management facilities in California will be subject to the State of California HWP in lieu of the federal HWP, and will not again be subject to Phase I of the federal program unless (1) the state fails to obtain final authorization within 24 months after the effective date of the last component of Phase II, or (2) authorization is withdrawn for cause by EPA.

### 2. RESPONSIBILITIES OF GENERATORS

In order to comply with both EPA and California regulations, a California generator will have the duties and obligations outlined below.

### a. Identifying Hazardous Wastes

It must first be determined if a waste meets the hazardous waste criteria as defined by RCRA (40 CFR 261) and/or the California Administrative Code (CAC), Title 22. Any solid waste (see glossary definition of a solid waste) is considered hazardous if it is flammable, corrosive, toxic, reactive, irritating, a strong sensitizer, or exhibits EP toxicity. The definitions of these hazardous characteristics are found in 40 CFR 261, Subpart C, and in CAC Title 22. Federal regulations also identify specific wastes considered to be acutely hazardous (40 CFR 261, Subpart D). Similar, but not identical, to the EPA listing are the extremely hazardous wastes identified in CAC Title 22. Eventually, the California rules will include all of EPA's listed wastes, and perhaps additional wastes which the state considers hazardous. For the present, all wastes listed by the State of California must be manifested. However, EPA annual reports require only EPA-listed wastes.

If a waste is unlisted, a generator may choose to test the suspected waste to determine whether or not it is hazardous, or may declare the waste to be hazardous without testing, based on a knowledge of its hazardous properties (45 FR 262.11). Test protocols are published in Test Methods for Evaluating Solid Waste, USEPA Office of Water and Waste Management, SW-846, 1980.

The regulations on identification and listing of hazardous waste (40 CFR 261) have recently been amended. The interim final rule (FR 56582, November 17, 1981) revises the regulations to exempt certain mixtures of hazardous and nonhazardous wastes from the presumption of hazardousness as presently defined in the regulations. For instance, a mixture of a nonhazardous solid waste and a listed hazardous waste will no longer be considered hazardous if the mixture does not exhibit any of the defined characteristics of hazardous wastes. Furthermore, mixtures of wastewater and certain solvents or toxic chemicals may be excluded based on the average weekly concentration. It is the responsibility of the generator to justify any exclusion based on the mixture principles through laboratory testing or other means.

### b. Small-Quantity Generator Exceptions

Under the EPA regulations, small waste generators (i.e., <1,000 kg/month hazardous waste; <1 kg/month acutely hazardous waste) are exempt from recordkeeping/manifest requirements (45 FR 261.5). California regulations are more stringent, allowing no exemptions. Even if the generator qualifies as a small generator under RCRA, no exemption would be allowed under California law.

However, California provides a variance for small quantities or low concentrations. Exact quantities and concentrations are not specified; insignificance as a potential hazard to human health, domestic livestock, or wildlife because of small quantity, low concentration, or physical or chemical characteristics is the criterion. EPA plans to amend the small generator exceptions over the next 2 to 5 years, possibly reducing the present limit for hazardous wastes from 1,000 to 100 kg/month. The limit for acutely hazardous waste is not expected to change.

### c. Notification of Hazardous Activities

Within 90 days from the time that operations at the SD facility commence, and before any waste can be transported, the generator will be required to notify the EPA Region IX Administrator and apply for an EPA identification number (45 FR, Part 262.12; 45 FR, Page 12746). If the generator also plans to own/operate facilities for treatment, storage, or disposal of hazardous waste, it may file a single form to cover all activities that occur on the base. There are stiff penalties for failing to notify EPA, including suspension of all operations.

### d. Transportation of Hazardous Waste

The generator has two options available if hazardous waste is to be transported off site. It may contract with a state-licensed commercial hauler, or transport waste itself, in which case it must obtain an EPA Transporter's Identification Number (45 FR 263.11) and a California Registered Hazardous Waste Hauler's Permit (CAC Title 22). In addition, it must comply with all applicable EPA (40 CFR 263.11 and 263.31) and Department of Transportation (DOT) (Hazardous Materials Transportation Act, 49 CFR Parts 171 through 179) regulations. A generator must insure that the hazardous waste is properly containerized and labeled, and that trucks are placarded in accordance with EPA (40 CFR Part 262.30) and DOT (49 CFR Parts 171 through 179) regulations controlling the transportation of hazardous materials.

### e. Hazardous Waste Manifest

Before shipping any hazardous wastes, a generator must prepare the California Hazardous Waste Manifest. Figure 17 presents the new California Hazardous Waste Manifest, which has been developed to insure that California hazardous waste generators, transporters, and facility operators will be in conformance with both the requirements of the new federal hazardous waste regulations adopted pursuant to RCRA, and the requirements of state law.

As has been the practice in the past, transporters are expected to print their own manifests. Each manifest will have a unique serial number, as described in Item 1 of "Instructions for Completing Manifest" (see Figure 17). The instructions will be printed on the backs of each manifest and manifest copy. These

	SRAMI				42.00	] [	MER UNITS			LABELED, AND ARE	19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MA DAM		weeks of Andrews was rather	LANDFILL LAND TREATMENT	STORAGE/IRANSFER
O NUMBER	ALIENMAIE ISD FACILITY APPROVED STATE ON FEDERAL PROGRAM!				NUMBER	OTHER			CANCINOGEN/MUTAGEN	CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED & LABELED, AND ARE A ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSFORMATION AND THE EPA.	CONTACT THE NATIONAL  SHARTON OF ABOUT 1800-424-8802.  SHARTON OF ABOUT 1800-424-8802.	FICK UP DATE		AGENTA HITE	SURFACE IMPOUNDMENT SURFACE IMPOUNDMENT INJECTION WELL	HECOVERY OR REUSE
	O ALTERN	EPA NO.	ADDRESS CHY STATE	PIIONE NO	CONTAINERS	- TANK TAUCK	() GENER			ESCHIBED. PANSFORTAT	100 C 17 AG1	Ø		AUTHORIZE	SURF!	
- N	NDE A AN AF				٦			MATERIAL	Stwsmzth	ASSIFIED. D	Schröden of Addum 210 Autol VIII.			SIGNATURE O	© .	1
SERVICES IENT SECTIO	OPERATE U				NUCLON NO		10	NONIAZARDOUS NATERIAL	neactive [	ROPERLY CL	10,500 e e 2			CERTAIN AND PAPERS		
OUS WAS OF HEALTH S MANAGEN HAMENTO.	) TSD FACILITY (AUTHORIZED TO OPERATE UNDER AN				0 N O I		TE PERMIT N	9		TIALS ARE P	0	JOB NO UNIT NO		Service Committees	MEASUMED!	IIY
CALIFORNIA HAZARDOUS WASTE MANTEST STATE DEPAITMENT OF HEALTH SERVICES HAZARDOUS MATEHIALS MANAGEMENT SECTION 741 FSTREET, SACHAMENTO, CA 95814	() DESIGNATED TSD FACILITY FAUTHORIZED	EPA NO.	ADDRESS CITY STATE	PHONE P.O.	U. B. DOLLAKAND CO. TO TO THE STATE OF THE S		O EX. HAZ. WASTE PERMIT NO.			BOVE NAMED MATER	ATIONAL 124 8802. ST-2003/11	JOB NO.		THE STORY OF AUTHORITED AGENT & 11111 STORY OF AUTHORITED AGENT & 111111 STORY OF AUTHORITED AGENT & 111111	TSD FACILITY IOPERATOR MUST COMPLETE!  © QUANTITY HE MEASURED  EPA NO FERMINES HET SET HERE HE MANIFEST AND SHIPMENT	(6) IF WASTE IS HELD FOR DELIVERY ELSEWHERE, SPECIFY THE DESIGNATED TSD FACILITY NAME
CALIF				OROEN	destructions		CONC. NANGE		11 AMMA 11	IFY THAT THE A	IN THE EVENT OF A SPILL CONTACT THE NATIONAL HESPONSE CENTER U.S. COAST GUAND 1-800-424-8802.		     	の語の事と、事を関いるの人	TWEEN MANIFES	SPECIFY THE DES
	OMPLE TE!				į		**************************************			IS IS TO CERT	A SPILL COF	OMPLETEI			I COMPLETE!	ELSEWHERE.
w E	IGENERATOR MUST COMPLET				G U. S. DOT PROPER SHIPPING NAME		ORV ENTS:		WASTE PROPERTIES "" PHYSICAL STATE SOLID SECTIONS.	GENERATOR CERTIFICATION: THIS IS TO	EVENT OF	TRANSPORTER   IMAULER MUST COMPLET		And the commence of the standard of the commence of	TSD FACILITY IOPERATOR MUST COMPL  NAME PANO	JA DELIVERY
SEE REVENSE SIDES FOR INSTRUCTIONS PLEASE TYPE OR PRINT CLEANLY. PRESS HARD	A IGENER			D 8Y	T PROPERS		WASTE CATEGORY_LIST COMPONENTS:		OPERTIES LSIATE HANDING IN	IR CERTIFIC	IN THE	RTER (MA		2 (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	LITY 10re	IE IS HELD FO
THUCTIONS FINIT CLE	GENERATOR	EPA NO	AUDITESS COLV STATE.	ONDER PLACED BY	O S DO	WASTE	O WASTE O	<b>↓</b>	O WASTE PROPERTIES O PHYSICAL STATE O PHYSICAL STATE	ENERATO		TRANSPO	ADDRESS COURS SINCE		TSD FACE	O IF WAST

Figure 17. California hazardous waste manifest form.

# INSTRUCTIONS FOR CUMPLETING MANIFEST

IYPE OR PIIINI CLEARLY. ILLEGIBLE OR INCOMPLETE MANIFESTS WILL BE NETURNED TO YOU BY THE STATE FOR CLARIFICATION.

### GENERATOR

Before billing and the minutest, a unique munifest social number shall be written or printed on the manufest. (Refer to 3 RAZISPORTER Hom & before)

Plands the camplete names, EPA I.D. mumbers, addresses, and telephone numbers of the generator and designated TSD lacidises. Paying at US DOI required information. Refer to 48 CFN 1/2 for autorities. If not applicable write "none" in frem 5. 11m 24

Points the mail suplicable undustral varies correpay member from the following this increase a worse but be described by more than one correspond, series the most specific fits to present and policies to contaming the behavior. Along the fits the place of the series of the most subject to contaminate the most to contaminate the most to contaminate the series of the most to contaminate the most to contaminate the most to contaminate the series of the most to contaminate the series of the most to contaminate the most to contaminate the series of the most to contaminate the series of the series of the most to contaminate the series of the se A WA

		21 PCC Ande	:	11 11	2	S Charter more	:	68 Botton proportion
							;	
- Transport		* *****	:	At Later start a Portion of	:		:	
		1			:		:	and the found tended
•		TAC	;					
	11 Carpun	***	;	43 Merbine tool resigned	:	I broken partition as of	1	Property and designing
	1	11.	1	Alexander and Alexander	:		:	will die photoge
	the Company of the Company of the						:	
	18 Contends onuts	22 Creating and name	i	144	3	_	•	and de lagaca comment
	Contract of the last of the la	2) Curather	1	6	:	Fresh motte	=	II Ions trainers sed-ma-1
			3	200	1		:	Property Shadge
			;				1	
	2 Chindre	2 margaret	1	1	:		:	The second second
	D. O	Me Bear Sector Sectors	:	Parent shared to	:	2 500	:	14 Transformer, PCB
	24 Bucchelies hadrens	No. of Lot, Spirit Spirits	3		:	Salvane, chipsington	•	If Woote mater transment shades
	Distract	11		Parties continues	:	Shord, hydron arbara		
10000	1							

indeas the proces, Klewiy, in agrassion which generated the waste (Examples , so cold cheming, middless colouring, cratter cheming, ODI production, all plature, proceed execut based tempora posterial professional property and the south of the southership of the professional posterior or supp

him §. Information must be previded in term § Do not term than the formation has a down constitution in the water and and water concentrations. (Examples: hydrochlair seal, hard ands, phenol. PCB, symme, DDI, solum hydrands). Provide the approximate searchisation of nonhazardous material.

time 1811. Check the expreption been to thow the hazardon properties and physical state of the wate. It is water that must then one hazardons property to g. twice and continued. These has properties. It the wate of pyteurnous being the pill must be reported in Item 11.

12-m 12 - Indees by checking the speculiate boars whether glaves, gogdes, or repission should be won by pensary handing the wate. Any special equipment, precautions as hazerds should dis a mased (Example: Suthat solution with generate sonic ges of mixed with soids).

II.M.]. Sept the manies, provide your tale and the date that the wate na sensured from that you located. The period is not also the chance and physical properties of the manies and the manies are the manies and the manies are the manies and the manies are the manies and the first and the period of the first and the first a

## TRANSPORTER

line | Annual the serial number of the mannist. The lett state days is had be your State hazaland water hunder. The last is days he serial number of ages is a serial to the complete number to serial the manner of your entitle serial to the complete number and the manner of your period to the complete number and the whole the way by you period (Example 11 you use manifest number 1990) 001000 on May 31, 1981, in stoold not be used on a manifest above 1, 1986.

Enter company name, EPA I.D mumber, asthess, and telephone number Hom 14

indicate the date and exact time the waste was semoved from the generator's facility Sugn the manifest upon receipt of the shipment. firm 15 Irm 16

The driver shelt carry a copy of the mandest in a location prescribed in 49CFA 177 B17(e)

# TSD FACILITY OPERATOR

Provide the TSD feckity name and EPA LO. member.

If the quartity of water in maximal or estimated at the TSD facility to g. weighers, under the quartity

If the wate is applied to the land tog , two face impoundments, Landful, injection welf, or land treatment areal, the State hazardona wester for must be sent to DOHS. Indicate the form Item Item 10m 19

. White in any discrepancial privates the musifish information provided by the generals in transmissional to the information was defined to the legal (Example). Of the charter of wests, container type, which speci, Some significant discrepancial are described in 40CFR 754.72.

. Cuct the basicis this methodist und to bands or dispose of the waste as the hazadous waste leading. If the waste as breated prior to, or mercad of, fand disposal units in the streat (samples: mentalessium, meneration, as desired. Hem 21.

11mm 22. If the water a hold at the TSD facility prior to eventual dependent facility for treatment, storage of disposal provide the harms of the designand than the second operator, that he cost a new meter mandest indeceding your facility as the generator of the waste prod describing all meter in the deponent. Computed copies of all original manifests according with the original waste phipments according to a the meter and described waster and described with the original waster bildments according to a the matter manifests.

The lackity operates that send a copy of the completed numbers to be bounded being on a monthly base as other miss copy of each and externed from transfer breakers, the final TSD lackity shall send a copy of each master manders to DOHS with cupies of all original manders to provide the final TSD lackity shall send a

Sign the menites, provide your title within the erganization and indicate the date that the plument was accepted at your lacking

Irm 23

Treater backers shall send only one set of expert to DOHS to takely the manifest pubmation requirements for generators and TSD facility appressions.

TSDF keeps (send photocopy to DO1S) To Transporter after signed by TSDF To Generator from TSDF Copy Number 1 farignal] Copy Number 2 Copy Number 3 Distribution of Marelett Copies:

Copy Number 4 General thrus the copies use only black Carbon inserts or black print Carbonless Transfer Paper.

(

(

(

(

ĺ

Figure 17 (continued).

instructions specify the requirements for using the manifest, for transferring waste, and for distributing manifest copies.

The new federal regulations, which became effective on November 19, 1980, require that certain information which was not previously required by California law now be provided on all hazardous waste manifests. This information includes the following:

- EPA identification number of the generator, transporter, and treatment, storage, and disposal (TSD) facilities.
- Hazardous materials descriptions as required by DOT in 49 CFR.
- Name, address, and EPA identification number of the TSD facility designated by the generator to receive the waste, and, if desired, an alternate facility.
- Generator's certification with the statement exactly as shown on the enclosed manifest.

After completing the manifest and transferring the waste to the transporter, a designated person representing the generator signs the certification on the original manifest and all copies (one for each person handling the waste). The transporter then signs and dates the manifest, and returns one copy to the generator. The generator retains it until a copy is received from the designated permitted facility following delivery of the waste. A generator is required to initiate a trace if it does not receive a copy of the manifest from the disposal facility within 35 days after the waste has been shipped. All contacts made while tracing a delinquent manifest should be well documented. If the manifest has not been received within 45 days after shipment, the generator must report the incident to CDHS. Supporting documentation may be required.

### f. Reporting Requirements for Generators

The generator will be required to send copies of all manifests from the previous month to CDHS, Hazardous Materials Management Branch, Sacramento, California. In addition, federal regulations require an annual report from generators who ship hazardous waste off site (45 FR 262, Subpart D). The annual report, comprised of EPA Forms 8700-13 and 8700-13a (Appendix B), is sent to CDHS in Sacramento. However, if a generator decides to treat, store, or dispose of wastes on base, it must submit an annual report covering those wastes in accordance with the provisions of 40 CFR Parts 264, 265, and 266, and 40 CFR Part 122. In addition to following these requirements, generators must comply with reporting requirements for TSD facilities, and should make provisions to hold all records, manifests, and reports for 3 years.

Manifest requirements are somewhat different for rail shipment or bulk shipment of hazardous wastes by water. The generator should consult the regulations if such means are used to transport wastes to permitted handling facilities (45 FR 263, Subpart B).

g. Disposal of Extremely Hazardous Waste by Generators

Some of the wastes generated by the SD (e.g., monomethyl hydrazine) are defined as extremely hazardous (CAC Sections 66064 and 66680 to 66685). No extremely hazardous waste shall be handled or disposed of in California without an Extremely Hazardous Waste Disposal Permit issued by the state. The generator must apply for this permit at least 15 days prior to the intended date of disposal. It can be expected that TSD facilities will require generators to make arrangements prior to shipment of these special wastes to their sites. Unexpected shipments will be returned at the generator's expense.

h. Storage Treatment and Disposal of Hazardous Wastes by Generators

(

If generators store hazardous wastes on site for more than 60 days (the 90-day limit set by EPA is preempted by California law), or treat or dispose of hazardous wastes on site, they must apply for and receive a Hazardous Waste Facility Permit, and comply with all applicable regulations (45 FR 264, Subpart A).

### 3. RESPONSIBILITIES OF BASE AGENCIES

A recent (June 1981) DOD publication, Consolidated Hazardous Material/Hazardous Waste Disposal Guidance, outlines the responsible agencies for hazardous waste management on the base. Briefly, this guidance states that:

- The Defense Logistics Agency (DLA) has been designated as the responsible agency within DOD for disposal of those hazardous materials regulated under RCRA.
- DLA has delegated operational responsibilities for this mission to the Defense Property Disposal Service (DPDS).
- The Defense Property Disposal Organization (DPDO) will take accountability for all of these wastes, and if proper facilities are available, will take physical custody.
- All wastes must be identifed by National Stock Number (NSN), List Stock Number (LSN), or Federal Stock Class (FSC), and amount and type of contaminant.
- Wastes must be turned in to the DPDO in nonleaking, safeto-handle containers (DOT-specified containers for predetermined hazardous wastes), properly labeled.

• The base commander is responsible to insure compliance with all RCRA or California requirements for the base; the individual facility operational managers are accountable for conducting their activities in accordance with the regulations.

### SECTION 4

### METHODOLOGY AND ASSUMPTIONS

In compiling the host base inventory for Group I facilities, SCS made as much use as possible of existing data. This consisted of site visits and interviews, and review of a series of system evaluation worksheets prepared in 1980. The site visits were intended to acquaint the SCS staff with the personnel, facilities, and operations involved in this inventory. A general overview of each facility's operations and waste production was obtained. The appropriate contractors were interviewed in person, by telephone, and by letter to determine specific details of the operational procedures and wastes produced (both quality and quantity). The system evaluation worksheets, which are part of a one-time comprehensive hazardous waste inventory prepared in response to RCRA regulations, were used to refine the information collected from the contractors and site personnel.

The Group II host base inventory, which appears in Appendix C, consists of those facilities identified during the original host base inventory as significant generators of hazardous waste. These facilities, which were not designated in the initial scope of work, were inventoried by telephone and by letter in order to include their waste generation in the combined host base and tenant inventory.

The NASA inventory, shown in Appendix D, was compiled from information provided by NASA (personal communication by B. W. Stevens to VAFB/DEV dated August 18, 1981). Operations at SLC2W, SLC2E, and Building 831 are included in this inventory.

Comprehensive, detailed records of waste generation and characteristics have not been consistently maintained by all facilities in the past. Consequently, some of the numbers presented herein are estimates prepared by the contractors working with these systems. This is particularly true of those wastes which heretofore have not been routinely collected and treated and/or disposed of as hazardous wastes, but which are considered hazardous under the RCRA regulations.

Some assumptions and simplifications were needed to identify and quantify some of the hazardous waste streams, as follows:

• There will be no reclamation or reuse of excess or waste products. This does not include those drums and other containers which are currently being triple-rinsed for reuse on the base.

- Where waste generation data were available as a range, the higher value in the range was taken for this inventory.
- All wastes identified as potentially hazardous are included, whether or not they are currently being handled as hazardous wastes.
- Wastes listed with contingency quantities only (no baseline numbers) are indicative of non-normal events which nonetheless are possible.
- In converting from volume to mass units (or vice versa) for mixtures of wastes with uncertain compositions, densities were estimated based on similar waste types of known densities or on densities of the predominant component of the mix.

(

(

 In those cases where waste quantities were unknown, inventory estimates were based on purchase records modified by use characteristics.

1

- According to the regulations, only those containers which have held acutely hazardous materials are themselves hazardous; however, all containers were included in the inventory except those empty containers that were routinely triple-rinsed.
- Industrial wastewaters occupy an ambiguous position visaa-vis the regulations, as there is some uncertainty regarding which act/regulation governs a given situation; for this inventory, all wastewaters containing hazardous materials were included, regardless of their disposition.
- Hazardous materials which are treated in-house for disposal (e.g., some wastewaters) or reuse (e.g., recoverable silver and mercury) are still considered hazardous until treated; furthermore, the subject facility is considered a treatment facility.
- Several of the host base facilities will be involved with the STS program when it becomes operational, at which time their work load and waste generation will increase; quantity data for 1985 through 1990 reflect estimates by facility personnel.

To evaluate waste generation for the VAFB host base and tenants combined, SCS incorporated inventories previously conducted for SD-STS (1, 2), SD-TAC (3, 4), BMO (5), Group II host base facilities (Appendix C), and NASA (Appendix D) into the Group I host base inventory. The following changes were made

from previous inventories to more accurately evaluate VAFB hazardous waste generation:

- The new launch schedule assumed for STS is 1 launch in 1985, 3 launches in 1986, 7 launches in 1987, and 10 launches per year for 1988 through 1990 (personal communication to SCS from Mr. John Edwards, April 1982).
- Atlas deluge water has been eliminated from the inventory, based on results of a chemical analysis which indicated that the water is not hazardous under RCRA regulations (3).
- Estimates of STS deluge water quantities have been revised upwards since the original STS inventory (1, 2), based on the results of the first launches at Cape Kennedy.
- Waste solids and liquids have been kept separate in the combined inventory, with solid quantities presented by weight and liquid quantities given by volume.

### SECTION 5

### VAFB HOST BASE INVENTORY

The operations of the host base facilities at VAFB produce significant volumes of hazardous materials. An inventory of these wastes is necessary to comply with EPA hazardous waste generator regulations and to assess alternative treatment/disposal options.

The intent of this inventory is to identify and quantify all potentially hazardous liquid and solid wastes routinely generated by VAFB host base facilities per year for the period 1981 through 1990. Baseline waste generation is representative of wastes produced routinely under normal conditions.

Table 8 is a list of the types and characteristics of the hazardous wastes generated by the host base facilities, arranged by organization. From left to right, this table shows:

- ORGANIZATION the organization and building generating the wastes; this inventory is building-specific, and any other buildings occupied by the same organization are not necessarily included.
- WASTE MATERIAL descriptions of the hazardous wastes. These wastes may be individual chemicals, excess commercial formulations, or mixed wastes. Items which have been slightly indented in the table represent the hazardous constituents of a mixed waste or commercial product.
- WASTE CAT waste category. This is a sorting tool for grouping wastes with similar characteristics (see Glossary).
- TRT CAT treatment category. This is a sorting tool for grouping wastes that can be treated by the same treatment processes. These treatment categories are not discussed in this report; for further information, the reader is invited to consult Volume 2 of either the STS or SD inventory.
- SOL OR LIQ solid or liquid; the physical state of the waste material.
- OPERATION a brief description, where appropriate, of the particular operation producing the waste material.

TABLE 8. HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY VAFB HOST BASE ORGANIZATIONS

. ;

ORCANIZATION (4. BLDG. NOS.)	1	,	SOL		HAZ, WASTE NO.	TE NO.	HAZ.PR	OPERIY	HAZ, PROPERIY <sup>O )</sup> CAL IFORNIA
WASTE MATERIAL	CAT(1) CAT(2) L10	CATC	110	ОРЕКАТІОН	ЕРА	CAL.	ЕРА	CAL.	CUMPRIBILITY
EUELS LAB & DET 41 AFLC/MA (7422,93	422,9320,11248>	48)							
ACETIC ACID	ЯВ	10	٦	ANALYTICAL REAGENTS	0000	8	ပ	Ŧ	6В
ACETONE	AC	ល	_	AMALYTICAL REAGENTS	U002	m	iΤ	1F	<b>4</b>
AEROZINE 50 Hydrazine Udmh	€	a	٠.	SAMPLE FOR ANALYSES	U133 U133 U098	376 376 285	R T	111	89 9
BENZEKE	ВЭ	ហ	_	ANALYTICAL REAGENTS	0019	101	. Li	1F	46
CARBON TETRACHLORIDE	93	រព	٦	ANALYTICAL REAGENTS	0211	179	-	_	46
CHLOROFORM	ž	ın	ب	ANALYTICAL REAGENTS	0044	194	-	<b>j</b>	4
CHRONIUM WASTEWATERS CHRONIC ACID	25	<b>c</b>	_	ANALYTICAL REAGENTS	U032 U032	198 198	EC	TCFS	6А
IRIDITE CLEANER CHROMIUN	3	æ	-1	SAMPLE FOR ANALYSES	0007 0007	204 204	w	TCFS	6А
AMMONIUM HYDROXIDE SOLUTION	Ş	9	_	ANALYTICAL REAGENTS	D002	34	ပ	10	<b>61</b>
ALKALINE CLEANER	CV	0	_	SAMPLE FOR ANALYSES	D005	HL <sup>(4)</sup>	ပ		₹
ALCOHOLIC PHOSPHORIC ACID	ςς	•	_	SAMPLE FOR ANALYSES	0000	591	၁	ပ	#B
DEVELOPER, PHOTOGRAPHIC SODIUM THIOCYANATE	DI	9	_	ANALYTICAL REAGENTS	불불	169		<b>-</b>	<del>1</del>
E THAMOL.	H	ľΩ	<u>.</u>	AHALYTICAL REAGENTS	0000	318	٠	ΤF	4
FREOM 113	F.R.	-	_	ANALYTICAL REAGENTS	F002	¥	-		44
FREOM 113	я.	-	ı	SAMPLE FOR AMALYSES	F 0 0 2	¥	_		44
JP-7 FUEL .	Ħ	m	_	SAMPLE FOR AMALYSES	0001	¥	÷		4 Ĥ
. JP-4 FUEL	F	m	_	SAMPLE FOR ANALYSES	0000	¥	···		4.
RJ-1 FUEL	3.	٣	_	SAMPLE FOR ANALYSES	0000	Ħ			4.6
FUEL, DIESEL, MO.2	¥	m	_	SAMPLE FOR ANALYSES	0001	<b>±</b>	ΙÌ		4 4
GASOL INE	၁၅	m		SANPLE FOR ANALYSES	0000	335	•=	u.	<b>4</b>
нурватие	Ξ	Q	_	SAMPLE FOR ANALYSES	U133	376	R	TIF	6B
HYDROCHLORIC ACID	로	0	٦	ANALYTICAL REAGENTS	D002	381	Û	10	18
HYDROCHLORIC ACID	ì	0		SAMPLE FOR ANALYSES	0003	381	ບ	10	16

(

HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY VAFB HOST BASE ORGANIZATIONS TABLE 8 (CONT.)

j

ORCHHIZATION (& BLDG. NOS.)		;	SOL		HAZ, WASTE NO.	E NO.	H42.PF	ROPERIY <sup>C</sup>	HAZ, PROPERIY (3) CAL IFORNIA
UASTE MATERIAL	CAT(1) CAT(2)LIQ	1R1 CA1 <sup>(2</sup>	70K	OPERAT10N	ЕРА	CAL,	ЕРА	CAL.	CUMPRILLITY
FUELS LAB & DET 41 AFLC/MA (7422,932)	9320,11248)	48 >							
ISOPROPAHOL	<b>1</b>	រភ	٦	ANALYTICAL REAGENTS	0000	396	•	41	44
1 50 Р В ОР В Р В В В В В В В В В В В В В В	2	10	ب	SAMPLE FOR ANALYSES	0000	396	·	16	4 4
LUBE OIL	LŢ	m	_	SAMPLE FOR AMALYSES	0001	ML(4)	***		<b>4</b> A
метнамоц	¥	m	_	ANALYTICAL REAGENTS	0154	481	T.	<b>4</b>	4 G
METHANOL IODINE SULFUR DIOXIDE PYRIDINE	Z E	က	_	KARL FISCHER REAGENT	U154 NL NL P075	481 KL. KL AL 642	H	Ħ.	44
METHANOL	Ē	ល	_	SAMPLE FOR ANALYSES	0154	481	<u></u>	#	4 H
NETHYLENE CHLORIDE	© E	m	_	ANALYTICAL REAGENTS	0800	262	<b>-</b> -	11	4 A
METHYL ISOBUTYL KETONE (MIBK)	Ð	n	_	ANALYTICAL REAGENTS	1910	爿	1.1		44
MOHOMETHYL HYDRAZINE	×	a	_	SAMPLE FOR ANALYSES	P 068	502	¥	1F	<b>6</b> B
HITRIC ACID	뿢	0	ب	ANALYTICAL REAGENTS	D002	540	ن	TCF	69
ІЯЕМА	분	0	_	SAMPLE FOR ANALYSES	D002	240	ပ	TCF	6A
NITROGEN TETROXIDE	¥	10	_	SAMPLE FOR AMALYSES	P 078	548	Ŧ	#	6.Α
PETROLEUN ETHER	d d	M	ب	AHALYTICAL REAGENTS	1000	579	-	1F	4
HYDROGEN PEROXIDE	RI	0 1	_	SAMPLE FOR AHALYSES	0001	385	æ	TCFP	6.8
RP-1 FUEL	R S	m	نہ	SAMPLE FOR ANALYSES	0001	¥			4 Œ
SODIUM HYDROXIDE SOLUTION	ร	0	_	ANALYTICAL REAGENTS	D 0 0 2	229	ن	10	Ā.
SULFURIC ACID	28	0	د	ANALYTICAL REAGENTS	0005	202	ن	10	18
TRICHLOROETHANE	Ξ	រហ	_	SAMPLE FOR ANALYSES	F002	243	<b>-</b>	11	4₽
. TRICHLOROETHYLENE	4	'n	ب	AHALYTICAL REAGENTS	F001	744	۳	11	4 4
TRICHLOROETHYLEHE	<b>T</b> P	S.	_	SAMPLE FOR ANALYSES	F001	744	Ţ	1F	4 G
нидп	an	α	_	SAMPLE FOR AMALYSES	8600	285	-	#	89
USO FUEL UDNH	g S	N	ب	SAMPLE FOR ANALYSES	860N 860N	285 285	-	1F	89

HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY VAFB HOST BASE ORGANIZATIONS

TABLE 8 (CONT.)

; }

ORGANIZATION (& BLDG, NOS.)	1	•	SOL		4	HAZ.WA	HAZ.WASTE NO.	HAZ.PI	ROPERTY <sup>(</sup>	HAZ. PROFERIY <sup>(3)</sup> CALIFORNIA
WASTE MATERIAL	CAT(1) CAT(2)LTO	CA	(2) L I	- 1	OPERATION	ЕРА	CAL.	ЕРА	CAL.	COMPATIBILITY CLASS
LOCKHEED (8310)										
BATTERY WASTES	98	10	_	FLIG	FLIGHT BATTERIES, KOH	0003	621	ပ	2	œ_
DICHLOROMETHANE	NO	ກ	_	PARTS	S CLEANING	0800		-	Ξ	89
FREON T.F.	Ä	-	٠	PARTS	S CLEANING	F002	NL(4)	<b>-</b>		<b>4</b>
HYDRAZINE	Ŧ	a	_	SAMPLE	LE ANALYSIS	U133	376	RT	TIF	<b>89</b>
HYDRAZINE	Ŧ	8	-1	OUT OF	OF SPEC FUEL	0133	376	R	TIF	68
HYDRAZIHE/WATER WASTES	НФ	8	_	DEIO	DEIONIZED WATER FLUSH	0133	376	RT	TIF	68
UDMH/WATER WASTES	ВH	8	7	SYST	SYSTEM FLUSH	8600	282	<b>-</b>	7.	69
ISOFROPANOL	1	8	1	SYST	SYSTEN FLUSH	1000	396	٠,4	47	44
LUBRICATING OILS	11	W.	_	MACH	MACHINERY/VEHICLE MAINTEHANCE	0000	(5)	·#	ts.	6B
METHANOL	ž	~	لي	SYST	SYSTEM FLUSH	U154	481		Ŧ	4 4
METHYL ETHYL KETONE	æ	TC.	ب	PART	PARTS CLEANING	F005	499	Ti	4	4.
IRFHA/WATER WASTES	¥	10	ب	DE 10	DEIONIZED WATER FLUSH	0000	540	ပ	ပ	6Α
ІВЕНА	¥	-	<b>ن</b> ـ	SAMPI	SAMPLE ANALYSIS	D002	540	TCR	TCF	6.6
IRFNA	묒	10	_	OUT OF	OF SPEC OXIDIZEŘ	D002	540	TCR	TCF	64
RAGS, SOLVENTZOILY	R E	<u>~</u>	Ø	PAIN	PAINTING CLEAM-UP	1000	Ħ	٠		68
SOLVENTS, UNSPECIFIED	SU	n	_	PAINT	T STRIPPING	D 0 0 1	ÄL	-		44
TRICHLOROETHAME	ĭ	n	_	PARTS	S CLEANING	F002	743	-	11	<b>6</b> B
прмн	σn	a	_	SAMPLE	LE AHALYSIS	9600	282	<b>-</b>	#	89
прин	gn	લ	ب	OUT	OF SPEC FUEL	8600	285	-	1.5	89
FEDERAL ELECTRIC CORPORATION - I	TT (9320)	~								
ACETONE	AC	N.	٠	PAINT	PAINT FACILITY	0.00	m	-==	4	4 a
IRIDITE RINSEURTERS CHROMIUM	<b>X</b>	œ	_	PAINT	PAINTING FACILITY	2009 5007	204	ш	TCFS	6А
DYNABRITE HYDROFLUORIC ACID	7.0	10	-1	PRINTED	TED CIRCUIT FACILITY	U134 U134	383 383	C1	ст	8
R66C CLEANER HYDROFLUORIC ACID PHOSPHORIC ACID	H	0	-1	AL UNI	ALUMINUM CLEANTUG	0002 U134 D002	383 383 591	10 ,	CT	1В, 6А

(

Ç

HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY VAFB HOST BASE ORGANIZATIONS

TABLE 8 (CONT.)

ORGANIZATION (& BLDG, NOS.)		!	SOL		HAZ, WASTE NO.	TE NO.	няг. Р	ROPERTY	HAZ. PROPERIY CALIFORNIA
WASTE MATERIAL	CAT(1) CAT(2)LIQ	CATS	100	OPERATION	ЕРА	CAL.	ЕРА	CAL	SSOTO
FEDERAL ELECTRIC CORPORATION - III & (CONT.)	(9320)								
METHYL ETHYL KETOHE	SE	Ю	_	PAINT FACILITY	F 005	499	ŗ.	TF	44
UASTE OILS	50	m		MACHINE SHOP	D001	(٤)	·Ħ	Ľ.	89
PAINT THIMMERS	PE	ស	۰ ـ	PRINTED CIRCUIT FACILITY	D001	H.(4.)			4
RAGS, SOLVENT/01LY	RE	13	ဟ	MACHINE SHOP	D001	품	٠, ٠		68
BOEING 565232						٠			
LIQUID AMMONIA	Ð	10	_	COPIER	0000	34	ပ	10	14
BATTERY WASTES Lead	BG	4	S	EXPEMDED USE	8000 8000	406 406	ш	-	
BATTERY ACID	BG	8	ب	DISCARDED BATTERIES	D002	202	ပ	CIT	81
FREON-CONT, AEROSOL CANS	CI	4	ഗ	CLEANING	£003	붚	œ		<b>6</b> B
CYAHIDE WASTEWATERS (TRACE)	3	0	_	PRINTING PROCESS	P 030	233	I	-	5A
NETHYL ETHYL KETONE	S	ល	_	CLEANING	0159	499	11	11	4.
CUTTING OIL	90	m		OIL CHANGE	D001	_	٠, هـ	Ľ	6B
MOTOR OIL	90	М	_	OIL CHANGE	0001		·-	ır.	89
PCBE	F	<del>-</del>	ဟ	SPILL CLEAN-UP	(9)*	909		11	4 H
ISOPRUPANDL-SOAKED COTTON PADS	R E	<u>.</u>	(O)	COPY NACHTHE CLEAHING	000	H	·#		89
SOLVENTS, MIXED	91)	ស	_	CLEANING	0000	Æ	Ţ	<u>_</u>	44
4392 TRHSS/LGIM <7501,10700,10711,10721,10726A1B)	0721,1	07266	(87						
BATTERY ACID	BG	œ	ب	DISCARDED BATTERIES	D002	7 05	ပ	CIT	18
BATTERIES Lead	96	4	ഗ	GROUND SUPPORT VEHICLES	0009 0009	406 406			
O1L/WATER	90	4		OIL SEPARATOR	K051	-1	۰	-	<b>89</b>
USED OILS	50	М	-1	VEHICLE NATHTENANCE	0001		-	u.	<b>6</b> B
RAGS, SOLVENTZOILY	RE	13	ഗ	CLEANING	D 0 0 1	뒾	٠		6B
SOLVEHTS (PAINT/LACQUER)	ns.	ស	٦	VEHICLE MAINTENANCE	D 0 0 1	ب		1.5	44
SOLVEHTS (SD2/STODDARD)	Su	ស	نـ	DEGREASTHG	1000		i.i	TIF	44

HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY VAFB HOST BASE ORGANIZATIONS

TABLE 8 (COMT.)

j

GREANIZATION (& BLDG. HOS.)	WASTE	SOL MASTE TRY OF	SOL		HAZ.WA	HAZ.WASTE NO.	HAZ, PR	OPERIY <sup>13</sup>	HAZ, PROPERIY (3) CAL IFORNIA
WASTE MATERIAL	CATC	) CA 152	110	OPERATION	ЕРА	CAL,	ЕРА	CAL.	COMPATIBILITY CLASS
394 ICBMINS (6601, Launch Facillty)									200
ACETONE .	Ð.	n	٦	DEGREASING	0002	m	-	1	4 G
SODIUM CHROMATE SOLN 2%	S	œ	_	FACILITY MAINTENANCE	2000	670	ш	108	н. 6
FREON 12 AEROSOL CANS	CT	7	S	FACILITY MAINTENANCE	D 0 03	H(4)	Ā		: <b>9</b>
FREOM 22 AEROSOL CANS	CT	4	တ	FACILITY MAINTENANCE	D003	불	ě		89
FREGH TF AEROSOL CANS	CT	<u> </u>	S	REFURBISHMENT	5003	¥	产		89
GRAPHITE LUBE AEROSOL CANS	CT	<del>-</del>	ဟ	MISSILE MAINTENANCE	0003	H	œ		E 9
WD-40 AEROSOL CANS	CT	<del>-</del>	ເທ	MISSILE MAINTENANCE	£003	불	α		. 89
CPC AERDSOL CANS	CI	4	ဟ	MISSILE MAINTENANCE	D 0 03	뒾	œ		89
CHROMATE PUTTY CANS	CT	4	S	MISSILE MAINTENANCE	붚	¥			89
LUBE OIL CANS	C1	<u> </u>	ဟ	MISSILE MAINTENANCE	쿺	Ħ			<b>6</b> 8
AHTI-SIEZE COMPOUND CANS	CT	4	တ	MISSILE MAINTENANCE	¥	爿			69
PETROLATUM CANS	CT	4	ဟ	MISSILE MAINTENANCE	¥	¥			89
MOLYCOAT LUBRICANT CANS	CT	<del>-</del>	တ	MISSILE MAINTENANCE	¥	Ħ			<b>89</b>
DRY CLEANING SOLVENT (PD-680)	٨	Ŋ	_	FACILITY MAINTENANCE	0001	¥			4
DRY CLEANING SOLVENT (PD-680)	2	ณ	_	PNEUDRAULICS	0000	HL	·=		4 4
DRY CLEANING SOLVENT (PD-680)	ρΛ	ın	_	REFURBISHMENT	0000	Ħ			4.
1 SOFR OP ANOL	<u>^</u>	ı,	_	FACILITY MAINTENANCE	5001	396	٠,٠	16	4 0
LUBRICATING OILS	ב	۳	۔	FACILITY MAINTENANCE	5661	(3)		IL.	89
LUBE OIL	=	m		MISSILE NAINTENANCE	000			ır.	68
METHYL ETHYL KETÖHE	W.	ស	<u>ن</u> ـ	FACILITY MAINTENANCE	0159	4 9	<u>_</u>	11	4
METHYL ETHYL KETONE	S.	ın		REFURBISHMENT	U159	499	Ţ	¥	4.0
PCB SOLID WASTES	Ā	4	w	FACILITY MAINTENANCE	9*	909		<b>=</b>	46
PETROLEUN ETHER	ď	m		MISSILE MAINTENANCE	0001	579		TF	46
RAGS, SOLVENTZOILY	RE	<u>.</u>	ن ن	PNEUDRAUL I CS	000	¥.			68
SULFURIC ACID	28	0-	_	FACILITY MAINTENANCE	D002	7.05	ر ن	21	81
70L VENE	13	ស	ر	DEGREASING	0220	738	_	TF.	46

(

•

C

(

HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY VAFB HOST BASE ORGANIZATIONS TABLE 8 (CONT.)

7

ORGANIZATION (& BLDG., NOS.) WASTE MATERIAL	SOL WASTE TRICE OR CATE CATE	TRT	30L 0R L 10	OPERATION	HAZ WASTE NO. EPA CAL.		OPERTY <sup>C</sup>	HAZ.PROPERTY <sup>(3)</sup> CALIFORNIA COMPATIBILITY EPA CAL, CLASS
394 ICBMIMS (6601, Leunch Facility) (CONT,)								
TRICHLOROETHYLENE	T P	ហ	ب	MISSILE MAINTENANCE	F001 744	-	TF.	4 ft
1369 AVSZDOC (8314)								
АСЕТОИЕ	9C	ın	ب	MOTION PICTURE PROCESSING	U002 3	1	1F	4A
CHLOROFORM	ç	ស	_	MOTION PICTURE PROCESSING	U044 194	Ţi	<b>j</b> -	44
DEVELOPER, PHOTOGRAPHIC SODIUM THIOCYANATE 0.14%	10	0	ب	MOTION PICTURE PROCESSING	NL <sup>(4)</sup> 691 NL 691		-	1A, 3A
COLOR DEVELOPER, PHOTOGRAPHIC	10	10	ب.	MOTION PICTURE PROCESSING	D002 NL	ပ		14,34
SOUND REDEVELOPER ETHYLENEDIAMINE 1.52	10	10	٠.	MOTION PICTURE PROCESSING	P053 327 P053 327	I	118	18,38
ETHYL.ENED IAMINE	EO	2	ب	MOTION PICTURE PROCESSING	P053 327	I	118	44
SOUND SULFIDING SOLUTION THIOUREA 4%	ፍ	0	٠.	MOTION PICTURE PROCESSING	U219 HL U219 NL	<b>-</b>		14,54
STABILIZER FORMALDEHYDE 2.2%	g æ	0	<u>-</u> ·	MOTION PICTURE PROCESSING	U122 350 U122 350	+-	<b>-</b> -	34,18
PREHARDENER PHOTOGRAPHIC FORMALDEHYDE 1.3% METHANOL 0.4%	P	0 1	٠,	MOTION PICTURE PROCESSING	U122 NL U122 350' U154 481	-	-	34, 18
RECOVERABLE SILVER SALTS	86	49	_	PHOTOGRAPHIC PROCESSES	D011 653	ندا	<b>j</b> -	36
USAF HOSPITAL <13850>								
CHL.OROF <b>orm</b>	S	ស	_	DENTAL LAB	U644 194	i T	-	46
DEVELOPER, PHOTOGRAPHIC SODIUM THIOCYANATE	19	1.0	_	X-RAY PROCESSING	NL 691 HL 691		-	14,34
FORNALDEHYDE	Ŧ	ហ	-4	WASTE PHARMACEUTICALS	U122 350	-	TFS	46
IGNITABLE WASTES, MISC.	10	ហ	ب	WASTE PHARMACEUTICALS	6001 L <sup>(5)</sup>	***	7	46
RECOVERABLE NERCURY	Ħ	^	ب	DENTAL LAB	0151 472	۰	-	
REACTIVE WASTES, MISC BENZOYL PEROXIDE	9.	רט	نـ	WASTE PHARMACEUTICALS	D003 L D003 168	α	<b>1</b> FP	4.0
RECOVERABLE SILVER	Sig	9	ø	DENTAL LAB	D011 653	ш	-	

# FOOTNOTES

- (1) See list of Waste Category Codes for definition of abbreviations.
- (2) For discussion of treatment categories, see Hazardous Waste Inventory and Disposal Assessment for the Space Shuttle Project, Vol. 11, or Hazardous Waste Inventory for SD Operations at Vandenberg AFB, Vol. 11.
  - (3) See Glossary for definitions of hazardous property abbreviations.
- (4) NL Not listed.
- (5) L Listed, but not assigned a specific number.
- (6) "\*" equals regulated under Code of Federal Regulations 40 CFR 761.

(

(

(

(

- HAZ WST NO. EPA/CAL EPA and California hazardous waste numbers. Both EPA and the State of California have issued lists of wastes that they consider to be hazardous. These are presented in 45 FR 33084-33133 (40 CFR 261) and CAC, Title 22, Division 4, Chapter 30, Article 9, respectively. Appendix A includes tables of waste quantities arranged by EPA number. The EPA numbers will be needed to complete all of the EPA hazardous waste notification, application, and reporting forms required of all hazardous waste generators under RCRA.
- HAZARDOUS PROPERTY EPA/CAL the hazardous properties of the wastes, according to EPA and California lists or definitions. This information is useful in determining waste compatibility and assessing treatment alternatives (see Glossary for definitions of hazard codes).
- CALIFORNIA COMPATIBILITY CLASS special precautions are needed when managing or treating chemically incompatible wastes. The CDHS developed a set of 12 groups to generally classify incompatible hazardous wastes (Laws, Regulations, and Guidelines for Hauling of Hazardous Waste, February 1975). These incompatibility groups are also listed in 45 FR 33257-33258.

Table 9 is a detailed listing of the quantities of wastes generated by these facilities. Wastes are listed alphabetically for each organization/building. Table 10 is a similar listing arranged by waste material, and shown by organization within each waste category. Table 9 gives total waste generation for each organization; Table 10 gives total quantities of each waste material generated by the host base. Mass and volume values in both tables are given in both metric and English units. Under the volume column (English units), liquid wastes are given in gallons, and solid waste in cubic feet. A missing number indicates insufficient information to quantify a particular waste.

Quantities are given for 2 years, 1981 and 1990. Quantities for 1981 are indicative of current waste generation rates. Values for 1990 show the expected increases after the STS has become operational at VAFB.

Table 11 presents the annual mass waste generation for each organization for the years 1981 to 1990. Totals for each waste material are presented within each organization. Table 12, which is a summary table of total waste material generation rates for the VAFB host base organizations combined, shows annual mass rates for the years 1981 to 1990.

Table 13 is a list of the contingency wastes generated by the VAFB host base facilities. Contingency wastes are those which will be generated only sporadically from unplanned events, such as aborts, spills, etc. Contingency values are expressed as estimated quantities per event. The only contingency wastes identified were out-of-spec hypergolic propellants.

BASELINE WASTE GEHERATION BY VAFB HOST BASE ORGANIZATIONS FOR THE YEARS 1981 AND 1990 TABLE 9.

		gno	QUANTITY PER YEAR,	EAR, 1981		OU	QUANTITY PER YEAR, 1990	YEAR, 1990	
ORGANIZATION ( BLOG, NOS, )	S01.	MASS		VOLUME		MASS		VOLUME	ME
WASTE MATERIAL	LIG	KILOGRAMS	POUNDS	LITERS CAL	L OR CF	KILOGRAMS	POUNDS	LITERS	GAL OR CF
FUELS LAB & DET 41 AFLC/MA (7422,9320,1		248>		i					
ACETIC ACID	ب	2.3	0 0	2.3	9.	5.7	12.5	ю. С.	.:
ACETONE	<u>۔</u>	72.3	159.4	8.06	24.0	180.3	398.5	227.1	60.0
AEROZINE 50 Hydrazine Udnh	<u>۔</u>	81.2	179.0	8.06	24.ů	203.0	447.5	227.1	60.0
ВЕИZЕИЕ	_	4.	6,	4.	-	1.0	9. 9.	ο.	M
CARBOH TETRACHLORIDE	1	6.17	158.6	45.4	12.0	179.8	396.5	113.6	30.0
CHLOROFORM	ي.	13.4	29.5	9.1	2.4	33.5	73.8	22.7	6.0
CHRONIUN WASTEWATERS CHROMIC ACID	4	9.1	20.0	9.1	4.	22.7	50.0	22.7	6.0
IRIDITE CLEANER CHROMIUM	_	8 8.	5.1	2.3	9.	5,8	12.8	 	- 10
AMMONIUM HYDROXIDE SOLUTION	_	36.3	80.1	36.3	9.6	9.06	200.3	8.06	24.0
ALKALINE CLEANER	_	2.3	5.1	2.3	9.	5.8	12.8	5.2	1.5
ALCOHOLIC PHOSPHORIC ACID	_	2.3	5.0	2.3	٠,	5.2	12.5	5.7	1.5
DEVELOPER, PHOTOGRAPHIC SODIUN THIOCYANATE	ب	22.7	50.1	22.7	. 6.0	56.8	125.3	56.8	15.0
ЕТНАНОС	ب	3.7	8 .	4. R.	1.2	9.3	20.5	4.1	3.0
FREON 113	_	129.0	284,4	9.06	24.0	322.5	711.0	227.1	60.0
FREON 113	_	129.0	284,4	8.06	24.0	322.5	711.û	227.1	60.0
JP-7 FUEL	ب	16.1	35.6	22.7	6.9	40.4	69.0	56.8	15.0
JP-4 FUEL	_	258.2	569.2	363.4	96.0	645.5	1423.0	908.4	240.0
RJ-1 FUEL	-4	64.5	142.3	8.06	24.0	161.4	355.8	227.1	60.0
FUEL, DIESEL, NO.2	_	20.7	45.7	22.7	6.0	51.8	114.3	56.8	15.0
GASOLINE		6.7	14.8	9.1	2.4	16.8	37.0	22.7	6.0
НҮРКАZIИЕ	-1	182.3	402.0	181.7	48.0	455.9	1005.0	454.2	120.0
HYDROCHLORIC ACID		22.7	50.1	22.7	6.0	56.8	125,3	56.8	13.0
						٦			(

ť

C

BASELINE WASTE GENERATION BY VAFB HOST BASE ORGANIZATIONS FOR THE YEARS 1981 AND 1990 TABLE 9 (CONT.)

QUANTITY PER YEAR, 1981

QUANTITY FER YEAR, 1990

	1	ſ		_				·																		
	GAL OR CF			?	45.0	6.0	96.0	15.0	9.6	6.0	15.0	6.0	3.0	30.0	30.0	60.0	60.0	9.0	150.0	24.0	30.0	75.0	3.0	75.0	15.0	
YOLUME	LITERS GA		r.	;	170.3	22.7	340.7	56.8	34.1	22.7	56.8	22.7	11.4	113.6	113.6	227.1	227.1	34.1	567.8	90.8	113.6	283.9	4.11	283.9	56.8	
	POUNDS		5	? · <u>v</u>	295.3	39.3	685.3	98.8	59.3	39,5	166,0	40.0	22.0	125.3	125.3	725.8	300,5	109.0	1027.5	200.3	460.5	829.3	36.5	913.8	0.86	
MASS	KILOGRAMS	ı	r u	· ·	133.9	17.8	310.8	44.8	26.9	17.9	75.3	18.1	10.0	56.8	56.8	329.2	136.3	49.4	466.1	90.8	2.08.9	376.1	16.6	414.5	44.5	
	GAL OR CF		Ì	e.	18.0	2.4	36.0	6.9	3.6	2.4	6.0	2.4	1.2	12.0	12.0	24.0	24.0	3.6	60.0	9.6	12.0	30.0	1.2	30.0	ē. ē	
YOLUME	LITERS GAL		r	٤.3	68.1	9.1	136.3	22.7	13.6	9.1	22.7	9.1	4. 73.	45.4	45.4	9.06	8'06	13.6	227.1	36.3	45.4	113.6	4.5	113.6	22.7	
	POUNDS		t	9.0	118.1	15.7	274.1	39.5	23.7	15.8	66.4	16.0	8.8	50.1	50.1	290.3	120.2	43.6	411.0	80.1	184.2	331.7	14.6	365.5	39.2	
MASS	KILOGRAMS	248)	!	۶.۶	53.6	7.1	124.3	6.71	\$0.8	7.2	30.1	7.3	4.0	22.7	22.7	131.7	54.5	19.8	186.4	36.3	83.6	150.5	9.9	165.8	17.8	
SOL	08 F 10	320,11		<u>ا</u>	_	نـ	_	ب	_	_			ب	_	_		۰	<b>ب</b> ـ	-4	يـ		ب	نـ		ن	
ORGANIZATION (* BLDG. 1105.)	UASTE MATERIAL	FUELS LAB & DET 41 AFLC/MA (7422,9320,112		HYDROCHLORIC ACID	J SOPROPANOL.	ISOPROPANOL	10 36 T	METHANOL	NETHANOL IODINE SULFUR DIOXIDE PYRIDINE	NETHANOL	METHYLENE CHLORIDE	METHYL ISOBUTYL KETONE (MIBK)	HOHOMETHYL HYDRAZINE	HITRIC ACID	IRFNA	NITROGEN TETROXIDE	PETROLEUM ETHER	HYDROGEN PEROXIDE	RP-1 FUEL	SODIUM HYDROXIDE SOLUTION	SULFURIC ACID	TRICHLOROETHANE	TRICHLOROETHYLENE	TRICHLOROETHYLENE	нып	

BASELINE WASTE GENERATION BY VAFB HOST BASE ORGANIZATIONS FOR THE YEARS 1981 AND 1990 TABLE 9 (CONT.)

		On	GUAHTITY PER YEAR, 1981	/EAR, 1981		(1)	QUANTITY PER YEAR. 1990	759E 1990	
OBCONIZATION CA BIDG NOS	5	2	4		ı				,
Orentzentton sa prout nost	90r 08	NHOS	9	YOLUME		MASS	S.	YOLUME	u.
WASTE NATERIAL	LIO	KILOGRAMS	POUNDS	LITERS	GAL OR CF	KILOGRAMS	POUNDS	LITERS	GAL OR CF
FUELS LAB & DET 41 BFLC/MA (7422,9320,		1248)							(
USO FUEL UDMH	-1	17.8	39.2	22.7	6.0	4 1.	98.0	56.8	15.0
TOTALS FOR FUELS LAB & DET 41 AFLC/MA (?	FLC/MA <74	422,9320,11248)							)
SOLIDS LIGUIDS TOTAL		2330,3	5137.4	2382.7	629.5	.0 5825.7 5825.7	12843.5 12843.5	5956.6	1573.8
LUCKHEED (8310).									
BATTERY WASTES	_1	3.8	8.3	3.8	0.	3.8	8.3	3.8	0:
DICHLOROMETHANE		592.7	1306.7	416.3	110.0	592.7	1306.7	416.3	110.0
FREON T.F.	_	1181.6	2605.0	832.7	220.0	1181.6	2605.0	832.7	220.0
HYDRAZINE		3.8	4.	3.8	1.0	3.8	8.	8.	1:0
HYDRAZINE	-4	<b>o</b> .	0.	0.	°.	0.	0.	0.	0.
HYDRAZINE/WATER WASTES	J	3646.8	8.6208	3648.7	964.0	3646.8	8.6208	3648.7	964.0
UDMHZWATER WASTES	ب	3628.7	8000.0	4651.8	1229.0	3628.7	8000,0	4651.8	1229.0
ISÖFRÖPANOL	<b>-</b> 4	654.4	1442.7	832.7	220.0	654.4	1442.7	832.7	220.0
LUBRICATING DILS	_	375.3	827.5	416.3	116.0	375.3	827.5	416.3	116.0
NETHANOL		328.8	724.9	416.3	110.0	328.8	724.9	416.3	110.0
METHYL ETHYL KETONE	_	9.699	1476.2	832.7	220.0	9.699	1476.2	832.7	220.0
IRFHA/WATER WASTES	-1	7593.1	16740.0	7570.0	2000.0	7593.1	16740.0	7570.0	2000.0
ІКЕНА	_	11.3	25.0	5.6	2.0	11.3	25.0	9.2	2.0
IRFNA	_1	0.	0.	0.	ŋ.	9.	91	0.	0.
RAGS, SOLVENTZOILY <sup>(1)</sup>	Ø	870.9	1920.0	3624.4	128.0	8.028	1920.0	3624.4	128.0
SOLVENTS, UNSPECIFIED	٠	208.7	460.0	208.2	55.0	208.7	460.0	208.2	55.0
TRICHLOROETHAHE	٠	299.4	650.0	2.08.2	33.0	299.4	660.0	208.2	55.0
прмн		2.9	6.5	3.3	0	2.9	6.5	3.8	 6: 
					)				

{

Ć,

(

BASELINE WASTE GENERATION BY VAFB HOST BASE ORGANIZATIONS FOR THE YEARS 1981 AND 1990 TABLE 9 (CONT.)

ì

		AL OR CF	°.	128.0 5298.0		0. 1	410.2	410.2	410.2	0.	266.6	225.6	437,5	437.5		=	5.7	12.0
AR, 1990	YOLUME	LITERS GAL	<b>9</b>	3624.4	1	0.	1552.6	1552,6	1552.6	0.	1009.2	853.9	12387.6	12387.6 6520.9		4.	161.4	45.4
QUANTITY PER YEAR		POUNDS	Ö.	42331.0 44251.0		0.	3421.1	3421.1	3421.1	0.	2001.4	1693.5	6563.2	6563.2 13958.1 20521.3		<sup>∞</sup> .	676.0	134.0
ฉับค	MASS	KILOGRAMS	0.	870.9 19200.9 20071.8		0.	1551.8	1551.8	1551.8	0.	8.706	768.2	2977.0	2977.0 6331.2 9308.2		₹.	306.6	83.5
	-	OR CF	g.	128.0 (5298.0		•	200.0	200.0	200.0	9.	130.0	110.0	213,3	213.3 840.0			5.2	12.0
EAR, 1981	VOLUME	LITERS GAL	<b>0</b>	3624,4 20052.9	<i>J</i>	0.	757.0	0.755	757.0	0.	492.0	416.3	6039.8	6039.8 3179.4		4.	161.4	45.4
QUANTITY PER YEAR,		POUNDS	e.	1920 B 42331.0 44251.0		0	1668.0	1668.0	1668.0	0.	975.8	825.7	3200.0	6805.5 10005.5		æ. (	676.0	184.0
any	MASS	KILOGRAMS	<b>e</b> .	870.9 19200.9 20071.8		٥.	756.6	756.6	9:922	0'	442.6	374.5	1451.5	ITT (9320) 1451,5 3086,9 4538,4		4.	306.6	93.5
	301	OR LIO	٦		- 111 (9320)	ب	١	٦	٦	۰		٦	ĸ	RORATION -		-1	ທ	<b>ن</b>
	ORGANIZATION (& BLDG. NOS.)	WASTE MATERIAL	<u>LOCKHEED (8310)</u> (CONT.) UDMH	TOTALS FOR LOCKHEED (8310) SOLIDS LIQUIDS TOTAL	FEDERAL ELECTRIC CORPORATION -	ACETONE	IRIDITE RINSEUATERS CHROHIUN	DYNABRITE Hydroflugric acid	R66C CLEANER HYDROFLUORIC ACID PHOSPHORIC ACID	METHYL ETHYL KETONE	WASTE DILS	PAINT THIMNERS	RAGS, SOLVENT/OILY <sup>(1)</sup>	TOTALS FOR FEDERAL ELECTRIC CORPORATION SOLIDS Liguids Total	BOE1HG (6523)	LIQUID AMMONIA	BATTERY WASTES LEAD	BATTERY ACID

BASELINE WASTE GENERATION BY VAFB NOST BASE ORGANIZATIONS FOR THE YEARS 1981 AND 1990 TABLE 9 (CONT.)

,	UME	GAL OR CF			13.0	15.0	0.05	1.05.0	14.7	1.0	6.0	退		1200.0	412.0	6006.0	7800.0	4.3	66.0	2400.0	416.3
YEAR, 1990	YOLUME	LITERS		1.84	49.2	56.8	340.6	397.4	416.2	28.3	22.7	654.1 912.6		4542.0	11666.2	22710.0	29523.0		249.8	9084.0	11788.0 66108.8
QUANTITY PER YEAR.	SS	POUNDS		0.01	108.0	100.0	677.0	783.1	220.5	90.0	42.7	936.5		17113.7	18006.0	50067.0	58676.9	65.0	473.9	28022.4	18065.0 154353.9 172418.9
Ö	MASS	KILOGRAMS		4. 3.	49.0	45.4	307.1	357.5	100.0	40.8	19.4	452.0 862.1 1314.1		7762.6	8164.6	22709,9	26615.3	29.5	215.0	12710.7	8194.1 70013.4 78207.5
ı	UME	GAL OR CF		1.7	13.0	15.0	90.0	105.0	14.7	1.0	9.0	23.1		1200.0	412.0	6000.0	7800.0	4. E.	99	2400.0	416.3
EAR, 1991	YOL UME	LITERS		48.1	49.2	56.8	340.6	397.4	416.2	28.3	22.7	654.1 912.6		4542.0	11666.2	22710.0	29523.0	121.8	249.8	9084.0	11788.0 66108.8
QUANTITY PER YEAR.	38	POUNDS		10.0	108.0	100.0	677.0	788.1	220.5	90.0	42.7	996.5 1900.6 2897.1		17113.7	18000.0	50067.0	58676.9	65.0	473.9	28022.4	072648B3.0 18065.0 154353,9 172418.9
8	MASS	KILOGRAMS		4.	49.0	45.4	307.1	357,5	100.0	40.8	19.4	452.0 862.1 1314.1	10726988)	7762.6	8164.6	22709.9	26615.3	29.5	215.0	12710.7	711,10721,10 8194.1 70013.4 78207.5
	SOL	LIG		Ø	لہ	-			Ø		ı		1	ب	တ	-4	ب	çs	_	٦	
	ORGANIZATION (4 BLDG, MOS.)	UASTE MATERIAL	BOEING (6523) (CONT.)	FREON-CONT, AEROSOL CANS <sup>(2)</sup>	CYAHIDE WASTEWATERS (TRACE)	METHYL ETHYL KETONE	CUTTING OIL	MOTOR OIL	PCBs <sup>(3)</sup>	ISOPROFAHOL-SOAKED COTTON PADS	SOLVENTS, MIXED	TOTALS FOR BOEING (6523) SOLIDS LIQUIDS TOTAL	4392 TRNSS/4GTM <7501,10700,10711,10721	BATTERY ACID	ВАТТЕRIES <sup>(5)</sup> LEAD	OIL/WATER	USED OILS	RAGS, SOLVENTZOILY	SOLVENTS (PAINT/LACQUER)	SOLVENTS (SD2/STODDARD)	TOTALS FÜR 4392 TRNSS/LGTM <7501,10700,10 SOLIOS LIGUIDS TOTAL

1

BASELINE WASTE GENERATION BY VAFB HOST BASE ORGANIZATIONS FOR THE YEARS 1981 AND 1990 TABLE 9 (COMT.)

GUANTITY PER YEAR, 1981

. •

QUANTITY PER YEAR, 1990

	OR CF		3.0	150.0	41.7	æ	ιċ	1.7	6.7	2.7	-	2.0	ø.	ς.	φ.	5.0	10.0	0.01	o: -	250.0	37.5	5.0	0.7	ιζ	5.0	E
VOLUME	LITERS GAL	r	4.	567.8	1186.8	22.7	14.2	48.1	189.7	26.5	2.8	26.6	5.2	5.7	22.7	18.9	37.8	37.8	3.8	946.3	141.9	18.9	26.5	14.2	18.9	36.8
	POUNDS		19.9	1251.0	250.0	2.0	3.0	10.0	40.0	16.0	ī.	15.0	0	0:1	5.0	37.5	75.0	75.0	6.6	1876.5	281.5	33.3	46.8	6.0	25.0	20.0
MASS	KILOGRAMS		9.0	567.4	113.4	2.3	4.	4.5	18.1	7.3	αį	6.8	īù	ē.	2.3	17.0	34.0	34.0	3.0	851.2	127.7	15.1	21.2	2.3	11.3	9.1
	GAL OR CF		3.0	150.0	41.7	æ	ĸ.	1.7	6.7	2.7	-	2.0	ल्बं	ų.	φ.	0. io	10.0	10.0	0	250.0	37.5	5.0	2.0	i.	5.0	<u> </u>
VOLUME	LITERS G		4.11	567.8	1130.8	22.7	14.2	48.1	189.7	76.5	2.8	56.6	5.7	5.7	22.7	18.9	37.8	37,8	3,8	946.3	141.9	6.81	26.5		6.81	
	POUNDS		19.9	1251.0	250.0	3.0	3.0	10.0	40.0	16.0	ī.	15.0	÷	0	5.0	37.5	75.0	75.0	9.6	1976.5	281.5	33.3	8.6	6 · 0	25.0	20.0
MASS	KILOGRANS		9.0	567.4	113.4	2.3	4.	4. N.	18.1	7.3	5.	6.8	ະບ	ŗ,	£.3	17.0	34.0	34.0	3.0	851.2	127.7	15.1	21.2	2.7	11.3	9.1
SOL			ب	د	υn	တ	o	တ	¢5	σ	ເກ	ဟ	ဟ	တ	ဟ	_	_	ب	_	!	۔		ب	S		S
ORGANIZATION (& BLDG, 1105.)		394 ICBMIMS (6601, Launch Facility)		SODIUM CHRONATE SOLN 2%	FREON 12 AEROSOL CANS <sup>(2)</sup>	FREON 22 AEROSOL CANS <sup>(2)</sup>	FREON TF AEROSOL CANS <sup>(2)</sup>	GRAPHITE LUBE AEROSOL CANS <sup>(2)</sup>	WD-40 AEROSOL CANS <sup>(2)</sup>	CPC AEROSOL CANS <sup>(2)</sup>	CHRONATE PUTTY CANS <sup>(6)</sup>	LUBE DIL CANS <sup>(6)</sup>	ANTI-SIEZE COMPOUND CANS <sup>(2)</sup>	PETROLATUM CANS <sup>(2)</sup>	NOLYCOAT LUBRICANT CAHS <sup>(2)</sup>	DRY CLEANING SOLVENT (PD-680)	DRY CLEANING SOLVENT (PD-680)	DRY CLEANING SOLVENT (PD-680)	ISOPROPAHOL	LUBRICATING OILS	LUBE 01L	METHYL ETHYL KETONF	NETHYL ETHYL KETONE	PCB 30L10 WASTES <sup>(7)</sup>	PETROLEUM ETHER	RAGS, SOLVEHT/OILY <sup>(1)</sup>

BASELINE WASTE GENERATION BY VAFB HOST BASE ORGANIZATIONS FOR THE YEARS 1981 AND 1990 TABLE 9 (CONT.)

j

ORGANIZATION (& BLDG, NOS.)  MASTE MATERIAL 394 ICRNTHS (660) Launch Faciliti)	50L 0R LIQ	MASS MASS	OUGNITTY PER YEAR, 1981 ASS VOL POUNDS LITERS	YEAR, 1981 YOLUNE LITERS GA	UNE GAL OR CF	GUA MASS KILOGRAMS	GUANTITY FER YEAR, Inss	YEAR, 1990 YOLUME LITERS GA	ME GAL OR CF
Launch Facility)									
SULFURIC ACID	ـ بـ	32,3	21.3	6.8	5.0	32.3	71.3	18.9	5.0
TRICHLORGETHYLENE	ے د	ري د. د	12.2	4. E	3.0	י מ	21.7	 	3.0
TOTALS FOR 394 ICBMTNS (6601, Launch Facil SOLIDS LIGUIDS TOTAL		1ty) 169.0 1738.7 1907.7	372.5 3833.3 4205.8	1676.3 1864.1	492.5	169.0 1738.7 1907.7	372.5 3833.3 4205.8	1676.3	59.2
1369 AV\$/DOC ( <b>9314)</b>								•	
		180.7	398.4	227.1	60.09	361.4	796.8	454.2	120.0
		334,5	737.4	227.1	6.09	669.0	1474.8	454.2	120.0
DEVELOPER, PHOTOGRAPHIC Sodium Thiocyanate 0.142	_	16834.1	37113.0	16843.3	4450.0	33668.2	74226.0	33686.5	8900.0
COLUR DEVELOPER, PHOTOGRÁPHIC	_	16361.0	36076.0	16370.1	4325.0	32722.0	72140.0	32740.3	8650.0
SOUND REDEVELOPER ETHYLENEDIAMINE 1.5%		3026.4	6672.0	3028.0	800.0	6052.7	13344.0	6056.0	1600.0
ETHYLENEDIAMINE	ب.	163.3	360.0	181.7	48.0	326.6	720.0	363.4	96.0
SOUND SULFIDING SOLUTION THIOUREA 4%	<u>۔</u>	•·			0.	<b>9</b>	9.	0.	9.
TABILIZER FORMÁL DEHYDE 2.2%	_	29506.9	65052.0	29523.0	7800.0	59013.9	130104.0	59046.0	15600.0
PREHARDENER PHOTOGRAPHIC Formaldehyde 1,3% Methanol 0,4%	4	11348.8	25020.0	11355.0	3000.0	22697.6	50040.0	22710.0	6 00 0 0 0
RECOVERABLE SILVER SALTS	Ļ		0.	0.	0.	0.	0.	0.	0.
TOTALS FOR 1369 AVS/DOC (8314) SOLIDS LIGUIDS TOTAL		.0 77755.77 77555.7	17142 <u>2.81</u> 171422.8	77755,3	20543.0	.0 155511.3 155511.3	342845.6 342845.6	155510.5	41086.0

(

(

BASELINE WASTE GENERATION BY VAFB HOST BASE ORGANIZATIONS FOR THE YEARS 1981 AND 1990 TABLE 9 (CONT.)

1990	VOLUME	RS GAL OR CF		3.8	.5 300.0	4.	3.8 1.0	0.	¥.	0.	302.5 5.0	1064.1
QUANTITY PER YEAR, 1		POUNDS LITERS		12.3	2502.0 1135.5	3.6	8.0	4.0	æ.	1.5	2532.2 2532.2	27918.7 574596.8 258071.5 602515.5
NUM	MASS	KILOGRAMS		. 5.6	1134.9	9.1	3.6	8.	4.	۲.	.7 1147,9 1148,6	12663.6 260631.3 273295.0 6
_	Œ	GAL UR CF		:	300.0	4.	:	·.		·	302.5	839.9 43812.6
(EAR, 1931	YOLUME	LITERS (		3,8	1135.5	5.5	3,8		4.		.0	23782.6 173400.7
QUANTITY PER YEAR, 1931	S	POUNDS		12.3	2502,0	3.6	8.0	4.0	89.	1.5	2530.7 2532.2	24555.5 388315.3 412870.8
00	MASS	KILOGRAMS		8. 8.	1134.9	1.6	3.6	<b>8</b> . – ,	₹.	۲.	.7 1147.9 1148.6	11138.1 176135.9 187274.0
	SOL	L 19		-	ب	_	٠.	<b>-</b>		Ø		IONS
	ORGANIZATION ( BLDG, NOS.)	WASTE MATERIAL	USAF HOSPITAL (13850)	CHLOROFORM	DEVELOPER, PHOTOGRAPHIC SODIUM THIOCYANATE	FORMALDEHYDE	IGNITABLE WASTES, MISC.	RECOVERABLE MERCURY	REACTIVE WASTES, MISC BENZOYL PEROXIDE	RECOVERABLE SILVER	TOTALS FOR USAF HOSPITAL (13850) SOLIDS LIGUIDS TOTAL	GRAND TOTAL, HOST VAFB ORGANIZATIONS SOLIDS LIGUIDS TOTAL

(1) Rays are assumed to have a density of 15  $1b/\mathrm{ft}^3$  (240 kg/m $^3$ ).

(2) Aerosol cans are assumed to have a density of 6  $1b/\mathrm{ft}^3$  (96 kg/m<sup>3</sup>).

(3) Solid PCB wastes (rggs, filters, parts, etc.) from spill cleanup are assumed to have a density of 15 lb/ft (240 kg/m³).

(4) Wet cotton pads are assumed to have a density of  $90 \, \mathrm{lb/ft}^3$  (1,440 kg/m $^3$ ).

(5) Each battery is assumed to weigh 50 lb (23 kg).

(6) Chrome putty cans are assumed to have a density of 7.5  $1b/\mathrm{ft}^3$  (120  $\mathrm{kg/m}^3$ ).

(7) PCB solid wastes (filters, gloyes, etc.) from maintenance work are assumed to have a density of 12 lb/ft  $^3$  (192 kg/m  $^3$ ).

TABLE 10. BASELINE WASTE GEHERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

j

		BASELINE QUANTITIES PER YEAR,	WANTITIES	S PER YEA	R, 1981	BASEL INE	QUANTITIES PER YEAR	PER YEAR	1990
	SOI.	MASS		VOLUME	NE.	MASS	63	VOLUE	ш
MASIE CAIEGORY ORGANIZATION (AND BUILDING NUMBERS)	OR LIG	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS FRS OR CF
AB - ACETIC ACID	_								
FORTS THE 4 DEL 41 HELD/MH (/4/4/9/3/6/11/4/8/			5.0	M (	9 (	5.7	12.3	N. 90	ان ا
FEDERAL FLECTRIC CORPORATION - 117 (9320)		÷.			•	0.6	o, c		0.
BOEING (6523)						9.5	•		•
4392 TRHSS/LGTM (7501,10700,10711,10721,10726A%B)									• œ
		0.	•	0.	0				
1369 AVS/DOC (8314)		٥.	٥.		0.	6	0.		0.
USAF HUSPITAL (13850)		0.	0.	0.	0 '	ů.	•	0.	<b>o</b> .
TOTAL AB FOR VAFB HOST BASE		2.3	3.0	2.3	ý.	5.2	12.5	5.7	1.5
AC - ACETONE	_								
FUELS LAB & DET 41 AFLC/MA (7422, 9320, 11248)		72.3	159.4	90'8	24.0	180.8	398.5	227.1	60.0
LUCKHEED (8310) FEBEDAL ELECTBIC COBBODATION - 111 /0330)		۰.	ė.		0.	0.	0.	0.	0
BOEING (6523)				9.6		•	9	•	••
4392 TRNSS/LGTM (7501,10700,10711,10721,10726A&B)							9 6	9	9.0
aunch Facility)		•	19.9				φ.	-	
1369 AVS/DOC (8314)		180.7	398.4	227.1	•	361.4	•	•	120.0
USAF HOSPITAL (13850)		0.	0.	0.	0.	0.	•	•	•
TOTAL AC FOR VAFB HOST BASE		262.0	577.7	329.3	87.0	551.2	1215.2	692.7	183.0
מים אווזניטטטיא ויא									
FIELS LAB & DET 41 AFI CANA (7400 9300 11048)	_	0	170	0			į		,
					;			757	
FEDERAL ELECTRIC CORPORATION - 1TT (9320)		0.	0.	0.		0.	0.	0.	
		0.	0.	0.	0		0		0.
1938 TRNSSZEGIR KISSI, LOZGOZIOZIO, LOZZI, LOZGERGI 194 TCRNING (6601, Launch Farilltu)		0.	0.	0.0	0.0	0.	•	•	
1369 AVS/DOC (8314)									
USAF HOSPITAL (13850)		0					20		
TOTAL AJ FOR VAFB HOST BASE		81.2	179.0	8'06	24.0	203.0	447.5	227.1	60.0
	ب	•	•	•	,				
LOCKHEED (8310)		9. 6			9.0	0.	e.	•	•
FEDERAL ELECTRIC CORPORATION - 1TT (9320)				9 0	0				
BOEING (6523)		4.	Θ.	7.	-:	4.	æ.	4.	-
4444 TENSSYLEIN (7501,10700,1071,10721,10726A8R) 394 TERMINS (4401 1 mosts Estilitus		ė.	•	0.	0.	0.	0.	•	o. '
1369 AVS/DOC (8314)		•			9.5	0 0	<b>.</b>	9 6	
USAF HOSPITAL (13850)			· •		0.				
TOTAL AU FOR VAFB HOST BASE		4.	æ	4.	-	4.	œ.	4	-

(.

(

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

		BASEL INE	BASELINE QUANTITIES PER YEAR,	S PER YEA	R, 1981	BASEL INE	QUANTITIE	BASELINE QUANTITIES PER YEAR.	1390
	SOL	MASS	8	YOLUME	ME	MASS	S	VOL.UI	<u>u</u>
WASTE CATEGORY ORGENIO BUILDING NUMBERS)	OR LIG	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS TERS OR CF
BG - BATIERY WASTES FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ب	•	0.	•	0.	0.	٥.	٥.	ē.
LOCKHEED (8310) EEGEDAL ELECTRIC CORPORATION - 111 (9320)		3,8	8,3	8° €	0.0	3,8	£0 €	ю <del>с</del>	-
		390.	860.	206	-	390	860.	- OI 1	17.7
4392 TRNSS/LGTN (7501,10700,10711,10721,10726AtB) 284 TCBMINS (4601.1 minch Farillity)		15927.2	35113,7	9	1612,0	15927.2	35113.	16209.2	1612.0
1369 AVS/DDC (8314)			•	•	0.	0	•	0.	
USAF HOSPITAL (13850)		0.	0.	ē.	0.	0.	•	0.	e.
TOTAL BG FOR VAFB HOST BASE		16321.1	35982.0	16418.8	1630.7	16321.1	35982,0	16418.8	1630.7
BJ - BEHZENE	ب								
FUELS LAB & DET 41 AFLC/MA (7422, 9320, 11248)		4.	o.	4.	<del>-</del> . °	0.5	พ	ي و	w. c
LUCKHEED (8310) FEDERAL ELECTRIC CORPORATION - 117 (9320)									
BOEING (6523)		0.	0.	o,	0.	0.	0.	0.	0.
4392 TRNSS/LGTM (7801,10700,10711,10721,107264RP)		0.0	9.0	0.0	0.0	0.0	• c	o c	<b>-</b> C
1369 AVS./DOC (8314)								0	
USAF HOSPITAL (13850)		0.	0.	0.	0.	0.	Θ.	0.	0.
TOTAL BJ FOR VAFB HOST BASE		4.	φ.	ą.	-	1.0	2.3	6.	i.
CD - CARBON TETRACHLORIDE FILE AND CARD STON 11948)		21.9	7.87	4 6	6	8 62.5	E 768	7 21	0.05
LOCKHEED (8310)									; -
FEDERAL ELECTRIC CORPORATION - ITT (9320)		0.0	0.5	0.5	••	0.0	· ·	<b>.</b> .	0.0
4392 TRISS/LGTN (7501,10700,10711,10721,10726AKB)			20.		•				? •
394 ICBNTMS (6601, Launch Facility)		•	0.	0.	٠.	0.		o. «	٥.
1369 HYS/DUC (8314) USAF HOSPITAL (13850)				•••					
TOTAL CD FOR VAFB HOST BASE		71.9	158.6	45.4	12.0	179.8	396.5	113.6	30.0
CK - CHLOROFORM FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ب	<u>13.4</u>	29 59	.6	2.4	33.5	73.8	22.7	6.0
LOCKHEED (8310)		0.	0.	0.	0.	0.	0.	0.	0.
FEDERAL ELECTRIC CORPORATION - 111 (9320)		0.0		•	•	o.	•	•	e.e
80EING (83237) 4392 TRNSS/LGTM (7501,10700,10711,10721,10726A&B)				? ?					
394 ICBMINS (660), Launch Facility)				·	٠,		٠,	•	٠,
1369 AYS/DUC (8314) USAF HOSPITAL (13850)		5,6	12.3	3.8	0 C	9'59 2'6	12.3	3,8	0.1
TOTAL CK FOR VAFB HOST BASE		353,4	779.2	240,0	63.4	7.08.0	1560.9	480.7	127.0

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

		BASELINE QUANTITIES PER YEAR,	VANTITIES	PER YEA	k, 1981	BASEL INE	QUANTITIES PER YEAR,	S PER YEA	8, 1990
UASTF CATEGORY	SOL	MASS		YOLUME	Æ	MASS	53	YOLUME	ME
ORGANIZATION (AND BUILDING NUMBERS)		KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
CN - CHROMIUM WASTEWRIERS FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ທ		25.1		3.0	28.5	62.8	28.4	8 2
FEDERAL ELECTRIC CORPORATION - 1TT (9320)		756.6	0. 1668.0	757.0	200.0	1851.8		1552.6	0.0
4392 TRHSS/LGTN (7501,10700,10711,10721,1072604B)		• •	•.•	••	• •	• •			:
394 ICHMINS (6601,Launch Facility) 1369 AYS/DOC (8314)		567.4		367.8	150.0	567,4	1251.0	567.8	150.0
USAF HOSPITAL (13850)								••	e e
TOTAL CH FOR VAFB HOST BASE		1335.4	2944,1	1336.1	353,0	2147.7	4734.8	2148.7	5.795
CI - CONTAINERS FUELS LAB & DET 41 AFLC/NA (7422,9320,11248)	_	· c	c	•	c	•	•		
							- •	· ·	<u> </u>
BOEING (6523)		. 4 . 0	0.0	48.1	. <b>-</b>	. 4 O R	10.0	48.1	. <b>.</b>
4592 IRRISS/LGTM (7501,10700,10711,10721,10726A&B) 394 ICBNIMS (6601.1 aught Facilleis)		0.	•	į	•	•			. 0
1369 AVS/DDC (8314)		7	346.5	1625.3	57.4	157.2	346.5	1625.3	57.4
USAF HOSPITAL (13850)		0	0	0				? • .	
TOTAL CT FOR VAFB HOST BASE		161.7	356.5	1673.5	59.1	161.7	356.5	1673.5	59.1
	ئــ								
FUELS LAB & DET 41 AFLC/MA (7422,9320,11248) Lockheed (8310)		40.9	90.2	40.9	10.8	102.3	225.5	102.2	27.0
FEDERAL ELECTRIC CORPORATION - ITT (9320) ROFING (4521)		· •	<u> </u>	2 0					• •
4392 TRHSS/LGTM (7501,10700,10711,10721,1072608B)			0.0	0.0	•	0.		0.	0.
						0 0	o c	9.0	o.
1369 AVS/DOC (8314):		0.	0.	•	0.	0			
CORP. T. C.		٥.	•.	0.	0.	0.	e .	0	0.
TOTAL CV FOR VAFB HOST BASE		40.9	90.2	40.9	10.8	102.3	225.5	102.2	27.0
CW - CYANIDE WASTEWATERS FUELS LAB & DET 41 AFLC/NA (7422,9320,11248)	ر	0.	0	٠	<b>G</b>	S		c	•
LOCKHEED (8310)		٥.	0.	0					
FEDERAL ELECTRIC CORPORATION - 117 (9320) BOGING (4893)		•	-	•	•	0			
4392 TRHSS/LGTM (7501,10200,10711,10721,1072603B)		49.0	108.0	6.0	13.0	49.0	108.0	49.2	13.0
Munch Facility)				<b>.</b> .	9 0	ē. 6	•	•	•
1369 AVS/DOC (8314)		0			0.				- 0
USHT 103711HL (13830)		ė.	0.	e.	0.	0.	0.	0	· •
TOTAL CW FOR VAFB HOST BASE		49.0	108.0	49.2	13.0	49.0	108.0	49.2	13.0

€.

•

C

Ċ

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

		BASEL INE	QUANTITIE	BASELINE QUANTITIES PER YEAR	8, 1981	•	BASELINE QUANTITIES PER YEAR,	S PER YEA	R, 1990
	SOL	MASS	S	V01.U	JE .	NASS	SS	YOLU	YOLUME
MASTE CATEGORY ORGANIZATION (AND BUILDING NUMBERS)	LIG	KILOGRAMS	POUNDS	LITERS	GALLONS TERS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
PI - DEVELOPER, PHOTOGRAPHIC FUELS LAB & DET 41 AFLC/MA (7422,9320,11248) LOCKHEED (8310) FEDERAL ELECTRIC CORPORATION - ITT (9320) BOEING (6523)	ب	22 7.00 0.00	50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7.22	9	8. 8. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	E	80 0 0 0 0	n 0 0 0 0
		36221.4 1134.9	79855.0 2502.0	36241.4	9575.0 300.0	72442.9	159710.0 2502.0	72482.8 1135.5	19150.0 300.0
TOTAL DI FOR VAFB HOST BASE		37379.0	82407.1	37399.6	9881.0	73634,5	162337.3	73675.0	19465.0
DN - DICHLOROMETHANE FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ب	0.068	0.	0.9	0.011	9.0	0.	416.3	0.0
FEDERAL ELECTRIC CORPORATION - 1TT (9320) BOEING (6523)			,		-	00.		. <b></b>	•
4392 TRHSS/LGTM (7501,10700,10711,10721,10726AtB) 394 ICBHTMS (6601,Launch Facility)	_	•••	0.0	•••	• • •		•••	. <b>.</b>	
1369 AVS/DOC (8314) USAF HOSPITAL (13850)		· ·	••	••	0.0.	0.0	••		0,0
TOTAL DH FOR VAFB HOST BASE		592.7	1306.7	416.3	110.0	592.7	1306.7	416.3	110.0
DV - DRY CLEANING SOLVENI FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ب	0.	0,	•	0.	0.	0.	0.	0.
LOCKHEED (8310) FEDERAL ELECTRIC CORPORATION - 11T (9320)		• • •		• • •	e.e.	0.00	• • •	• • •	
BDEING (6523) 4392 TRHSS/LGTH (7501,10700,10711,10721,10726A&B)	_	• •			• •			• •	
394 ICBMTHS (6601,Launch Facility) 1369 AVS/DGC (8314) USAF HOSPITAL (13850)		85.0 .0	87.5	94. 0.0.	25.0	85.0	187.5	94.6 0.0	25.0
TOTAL DV FOR VAFB HOST BASE		85.0	187.5	94.6	25.0	85.0	187.5	94.6	25.0
DY - DYNA-BRITE WASTES FULLS LAB & DET 4! AFLC/MA (7422,9320,11248)	ب	0.0	•	0.9	0.0	0.		•	•
FEDERAL (9320) FEDERAL CORPORATION - 117 (9320)		756.6	1668.0	757.0	200.0	1551.8	3421	1552.	5.0.0
4392 TRHSS/LGTN (7501,10700,10711,10721,10726AtB)	•							• •	20.
394 ICBMINS (6601,Launch Facility) 1369 AVS/DOC (8314) USAF HOSPITAL (13850)				9.9.9					
TOTAL DY FOR VAFB HOST BASE		756.6	1668.0	757.0	200.0	1521.8	3421.1	1552.6	410.2

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

		BASELINE	BASELINE QUANTITIES	S PER YEAR.	R. 1981	BASELINE	QUANTITIE	QUANTITIES PER YEAR.	R. 1990
LOSTE COTECOS	SOL	MASS	8	VOLU	YOLUME	MASS	Ø	1104	Ĺ
ORGANIZATION CAND BUILDING NUMBERS)	10 10 10	KILOGRAMS	POUNDS	LITERS	CALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS FRS OR CF
EH - ETHANOL FUELS LAB & DET 41 AFIC/MG (7429 9720 41248)	١								
•		3.7	8	4. No.		B. 6	20.5	4	3.0
FEDERAL ELECTRIC CORPORATION - ITT (9320)						0.5	ė	0,	0.
BUEING (6523)		•	0.	•					
394 JCBMTMS (6601.1 amonth Farititis)		e (	0	0		0.	0.	0.	0.
1369 AVS/DOC (8314)			0.0	•	9.6	•	•	0.	
USAF HOSPITAL (13850)		•		? •	? •				0.0
TOTAL EH FOR VAFB HOST BASE.		3.7	8,2	4. Ri	- 2	9.3	20.5	= 4.	3.0
EQ - ETHYLEWEDIAMINE FUELS I AR & DET 41 DELC MA (7300 0000)	ب	•							
•		<b>.</b>	o.	•	•	0.	6.	0.	0.
FEDERAL ELECTRIC CORPORATION - ITT (9320)				9				•	0.
		0.	•		? .		9.6	•	e.
352 IRMSS/LGIM (7501,10700,10711,10721,10726A&B) 394 ICBMIMS (6601.Laugh Facillei)		0.	0.	0.				? •.	
1369 AVS/DOC (8314)		D . 531	0.025		٠,	•	•	•	•
USAF HOSPITAL (13850)			0	<u>.</u> .	, , ,	326.6	720.0	363.4	96.0
TOTAL EO FOR VAFB HOST BASE		163.3	360,0	181.7	48.0	326.6	720.0	363.4	96.0
: :									
FUELS LAB & DET 41 OFF CAMO (2200 0000)	ب	,							
LOCKHEED (8310)		0.0	0.0	0.0	9.0	0.	0	0.	0.
FEDERAL ELECTRIC CORPORATION - ITT (9320)			? -		? .	9.0	0.0	0.5	ė.
4399 TRNSC/ICTM / JEG: +6700 +671+ +620+ +		۰.	0.	٥.	0.				
394 ICBMIMS (6601.1 aunch Farititus		o.	0	0.	0.	υ.	•	0	
1369 AVS/DOC (8314)					<u>.</u>	0	0.	•	0.
USAF HOSPITAL (13850)		9.1	3.6	- .s	? ₹.	9.4	9.6	 	ė.
TOTAL FJ FOR VAFB HOST BASE			r	,	•			)	•
		•	2	r.	₹.	9.1	3.6		4
FR - FREON SOLVENIS FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	_	ני פ	0 9 1	č	(				
. 1		, ω		832.7	220.0	645.0	1422.0	830.2	120.0
FENERAL ELECTRIC CORPURATION - ITT (9320) BOEING (6523)		0.	0.	•	•	,	0		,
4392 TRNSS/LGTH (7501,10700,10711,10721,10726A8B)		<b>-</b>	0.	o.		٠,		0.	0.
394 ICBMIMS (6601, Launch Facility)						<b>.</b> •		0.	
1369 AVS/DOC (8314)		0	• •				- c	• •	e •
USMF NUSFIIHL (1883U)		0.	0 '	0.	0.	0	0	. 0	. 0
TOTAL FR FOR VAFB HOST BASE		1439.6	3173.8	1014.4	268.0	1826.6	4027.0	1286.9	340.0

(

•

C

•

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR YAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

		BASELINE QUANTITIES PER YEAR,	NANTITIES	PER YEAR	1861	BASEL INE	QUANTITIES	S PER YEAR	1990
	SOL	MASS		YOUN	щ	MASS	(O	VOLUME	ħ
WASTE CATEGORY ORGANIZATION (AND BUILDING NUMBERS)	08 L 10	KILOGRAMS	POUMDS	LITERS	GALLONS Ters or cf	KILOGRA	POUNDS	LITERS	GALLONS OR CF
FW - FUEL, AVIATION FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)		338,9	747.1	476.9	126.0	847.	1867.8	F. 2611	718.0
		•	•	•	; -				•
FEDERAL ELECTRIC CORPORATION - ITT (9320)		•		0.	٠.	0.	0.	0.	0
00EIMG (6323) 4392 TRNSS/LGTM (7501,10700,10711,10721,10726A:B)		9.9	9 6			0.5	•	•	<del>.</del>
Munch Facility)			0						
1369 AYS/DOC (8314) USAF HOSPITAL (13850)		• •	è	0 0	0.0	00	0.5	•	9.9
TOTAL FUE DAS UNET BACE		0 000				1	•		٠.
		•		•	-	7.	0.000	5.3611	313.0
	ب								
FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)		20.7	45,7	22.7	6.0	51.8	114.3	36.8	15.0
EUCKHEED (03)0) FEDFRAL FLFCYRIC CARPARATION - 111 (932A)			-		-		•	- •	0.
BOEING (6523)								-	
4392 TRHSS/LGTM (7501,10700,10711,10721,10726AtB)		•	0		•				
munch Facility)		0.	0.	٥.	0.	0.	•	0.	0
1369 AVS/00C (8314)		0.	0.	0.	0.	0.	°.	• ·	0.
USAF HOSPITAL (13850)		<b>o</b> .	•	•	•	0.	•	0.	<del>0</del> .
TOTAL FX FOR VAFB HOST BASE		20.7	45.7	22.7	6.0	51.8	114.3	56.8	15.0
FUELS LAB & DET 41 AFLC/NA (7422,9320,11248)	_	5.7	14.8	-	4.0	9	27.0	7 66	9
LOCKHEED (8310)			•			• •	: -		
FEDERAL ELECTRIC CORPORATION - ITT (9320)		0.	0.		٥.	°.	0.	0.	0
		0.	0.	٥.	0.	0.	0.	٥.	°.
4392 TRNSS/LGTM <7501,10700,1071,10721,10726AtB)		0.	0.		0.	0.	0.	0.	0.
194 ICBNING (000), BUCKEN FACILITY (1974)		0.			٠.	o. "		0.	9.
USAF HOSPITAL (13850)				. °.				. c	
									•
TOTAL GC FOR VAFB HOST BASE		6.7	14.8		2.4	16.8	37.0	22.7	6.0
HII — HYDRAZINE	_		;		1	1			
FORTS THE W DET 41 HTTC/TH (1422,3520,11248)		182.3	402.0	7.181		455,9			120.0
FEDERAL ELECTRIC CORPORATION - 117 (9320)			•		•			-	•
		. •	0.		? ?				? ?
4392 TRNSS/LGTM (7501,10700,10711,10721,10726A&B)		0.	0.	0.	0.	0.		0.	٥.
394 ICBHINS (660), Launch Facility)		o.	•	0.	•	0.	•	0.	• •
USAF HOSPITAL (13850)				- 0	. ·		9.0	. ·	0.0.
TOTAL HN FOR VAFB HOST BASE		186.2	410.4	185,5	49.0	459.7	1013,4	458.0	121.0
						,			

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981-AND 1990

ž

	<b>a</b>	BASEL INE	QUANTITIES	PER YEAR	2 1981	BASEL, IME	QUANTITIES PER YEAR	S PER YEA	3, 1990
	301	MASS		YOLUNE		MASS	35	YOLU	YOLUME
ORGANIZATION (AND BUILDING NUMBERS)	LIG KI	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
HG - HYDRAZINE/WAIER WASIES FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	_	•	•	•	•	-	•		0.
FUCKHIED (8310) FEGINIC CORPORATION - ITT (9320) BACETLA (6433)		7275.5	16039.8	9300,5	2193.0	7275,5	16039.8	8300.5	2193.0
4392 11,10721,10706,10711,10721,1072648)		• •	0.0.	••	00	• •	• •	• •	e. o.
394 1CBNINS (660).Launch Facility) 1369 AVS/DOC (8314)		• •		• •	• •	0.0	•		
USAF HOSPITAL (13850)		0.	0	0	0		•		? • .
TOTAL HO FOR VAFB HOST BASE		7275.5	16039.8	8300.5	2193.0	7275.5	16039:8	8300,5	2193.0
HW - HYDROCHLORIC ACID FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	_	23.0		80 0		, v	137 0		u V
		1		)					
BOEING (6523)				. •		0 0	9.6	• •	•
4392 TRNSS/LGTM (7501,10700,10711,10721,10726A%B)		0	0						
1369 AVS/DOC (8314)		و د	0.	o, c		0.	•	0.	6.
USAF HOSPITAL (13850)					•				
TOTAL HU FOR VAFB HOST BASE		25.0	55.1	25.0	9.9	62.5	137.8	62,5	16.5
HX - HYPROFLUORIC ACID	ن.	•		,					
LOCKHEED (8310)		••	• •	• •	9 0	• •	<b>.</b> .	0.0	0 0
FEDERAL ELECTRIC CORPORATION - 1TT (9320) BOEING (6523)		756.6	1668.0	757.0	200.0	1551,8		1552.6	410.2
4392 TRHSS/LGIN (7501,10700,10711,10721,10726ARB)									? •.
334 ICBMINS (660), Launen Famility) 1369 AVS/DDC (8314)		•	ė	0, 0	۰.	0.	0.	0	0.
USAF HOSPITAL (13850)							• •		0.0
TOTAL HX FOR VAFB HOST BASE		756,6	1668.0	757.0	200.0	1551.8	3421.1	1552,6	410.2
ID - IGHITABLE WASTES, UNSPECIFIED FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	<u>۔</u>	9.	0.	0.	•	0	•	0	c.
LOCKHEED (8310) FEBFRAI FIECTBIC CORPORATION - 111 (6320)		o.		6.	0.	0.	•	0	
BOEING (6523)		• •	• •	ē. c		0.0		•	
4392 TRHSS/LGTM (7501,10700,10711,10721,10726ARB)			? • •				9 9		
1369 AVS/DOC (8314)			0.	ē	<u>.</u>	0.			
USAF HOSPITAL (13850)		9.6	8	9 O	. 0	M.60	. 8 	3.9	. <u>.</u>
TOTAL ID FOR VAFB HOST BASE		3.6	8.0	3.8	1.0	9.6	8.0	3.8	0.1

Ę

(

€

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

		BASEL INE	QUANTITIES	PER YEAR	1381	BASEL INE	QUANTITIES PER YEAR	PER YEAR	1890
	SOL	MASS		VOLUME	Ш	MASS	8	YOLUME	
WASTE CATEGORY ORGANIZATION (AND BUILDING NUMBERS)	_	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
1V = ISOPROPABOL	١		ŗ	١				•	•
FUELS LAB & DEJ 41 HFLC/MH (1444)9520,11248,		654.4	1442.7	832.7	220.0	6.04	1442.7	832.7	0.100
FEDERAL ELECTRIC CORPORATION - ITT (9320)		;							
		•	•	•	ė.	0.	•	• '	0.
4392 TRNSS/LGTM (7501,10700,1071),10721,10726A%B)		9.6	9.4	⊃ 0 ~	-	,	9.4	٥.	•
1369 AVS/DOC (8314)									
USAF HOSPITAL (13850)		0.	°.	٥.	0.	0.	0.	0.	0.
TOTAL IV FOR VAFB HOST BASE		718.1	1583.1	913.7	241.4	809.1	1783.8	1029.5	272.0
	-1								
FUELS LAB & DET 41 AFLC/NA (7422,9320,11248)		124.3	274.1		36.0	310.8	685.3	340.7	0.06
FEDERAL ELECTRIC CORPORATION - ITT (9320)		٠.							
		٥.	0.	°.		0'	0.	0.	0.
4392 TRHSS/LGTM <7501,10700,10711,10721,10726048)		0.000	0,88.0	0.880	0.00	0.828	0.08.0	0.	0.000
1349 DUSTING (8314)									
USAF HOSPITAL (13850)			0	6	0	0	0		0.
TOTAL LT FOR VAFB HOST BASE		1478.5	3259,6	1640.8	433,5	1665.0	3670.8	1845.2	487.5
	-								
FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ı	0.	0	0.	0.	0.	0.	0.	0.
LOCKHEED (8310)		0.		•	0.		0.	0.	0.
PEDERAL ELECTRIC CORPURATION - 111 (9520) DAETAC (4521)		÷ c							
4392 TRRSS/LGTM (7501,10700,10711,10721,10726A&B)			0.		. •				
		°.		0.	0.			0.	0 .
1369 AVS/DDC (8314) USAF HOSPITAL (13850)		9. 6.	. 4 6 0	o	• · ·	o e.	. 4	e -	9. <b></b> •
איסאים איסטון מיזאנו מסיז זיי ויאסיד		•	•	•	•	-	•	•	•
TOTAL AT FOR VALE AUST BHOE		• -	•	:	;	•	•	:	;
MH - NETHANOL FIFELS LAP & DET 41 AFLC/NA (7422, 9320, 11248)	ب	8.35.		4 ଜ	12.0	89.6	κ.	113.6	30.0
LOCKHEED (8310)		œ	4	ė		6	•		
FEDERAL ELECTRIC CORPORATION - ITT (9320) DOCING (6531)		•	e. e	0.	0.0	0.0	•		
4392 IRNSS/LGTM (7501,10700,1071),10721,10726A8B)									
		0.	0.	0.	0		0.	0.	
1369 AVS/DOC (8314) USAF HOSPITAL (13850)		•••	<b>.</b> c.	• •	••	e e	••	0.0.	0.0.
TOTAL MN FOR VAFB HOST BASE		364.6	8.03.9	461.8	122.0	418,4	922,4	529.9	140.0
			,	2	e i	3	-		,

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

ž

	BAS	EL INE	UANTITIES	BASELINE QUANTITIES PER YEAR,	7, 1981	BASEL INE	QUANTITIES	S PER YEAR,	1990
NOSTE COLECCES	SOL	MASS		YOLUME	fe fe	MASS	υ.	3811 100	<u>u</u>
ORGANIZATION (AND BUILDING HUMBERS)	OR LIG KILO	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS
MG - NETHYLENE CHLORIDE FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ب	30.1	66.4	7.66	4	, ,	3		¥ :
LOCKHEED (8310) FEDERAL FLECTRIC CORPORATION - 111 /0350)		•					99.	26.8	o e
BOEING (6523)		0.0	0.0	9.6	0.	0.	•	· •	20
4392 TRHSS/LGTM (7501,10700,10711,10721,107260&B)						9.0	0.5	<u>.</u>	o e
1369 AVS/DOC (8314)		•	0.	0.	0				
USAF HOSPITAL (13850)					0.0.	0 0	• •	0.0	
TOTAL MO FOR VAFB HOST BASE		30.1	66.4	22.7	6.0	75,3	166.0	26,8	15.0
MS - METHYL ETHYL KETONE (MEK) FUELS LAB & DET 41 AFIC/MA (7422 9220 11246)	_	•							
LOCKHEED (8310)	J	9.699	1476.2	832.7	220.0	0.	1476.2	0.0	0.
FEVERHE ELECTRIC CORPORATION - ITT (9320) BOEING (6523)		٠,				0.			0.0
4392 TRHSS/LGTH (7501,10700,10711,10721,10726AtB)		4.0.	100.0	56.8	15.0	45.4	100.0	56.8	15.0
			80.1	45.4	12.0	36,3	80.1	45.0	
USAF HOSPITAL (13850)		• •		ė.	0.	•	•	•	9.
TOTAL MOTION OF INTERPRETATION		-	€.	-	9.	0.	•	0.	0 '
TOTAL TO FUR VHTB MUST BASE	,-	751,3	1656.3	934.9	247.0	751.3	1656.3	934.9	247.0
NU - METHYL ISOBUTYL KETONE (MIBK)	ب								
FUELS LAB & DET 41 AFLC/MA (7422,9320,11248) LOCKHEED (8310)		m •	16.0	9.4	4.	18.1	40.0	22.7	6.0
FEDERAL ELECTRIC CORPORATION - ITT (9320)		•	? •		9.0	0.5		9.0	•
4392 TRNSS/LGTM < 2501,10200 10211 10201 10202		0.	0.	٥.	0		•		<b>-</b>
394 ICBMTMS (6601, Launch Facility)		•	•	0.	٠.	0	•		
1369 AVS/DOC (8314)		• •				٥.	0.	0.	0.
USAF HOSFITAL (13850)		0	0.					• •	? •
TOTAL MU FOR VAFB HOST BASE		7.3	16.0	9.1	2.4	18.1	40.0	22.7	6.0
UX - MONOMETHYL HYDRAZINE FUELS LAB & DET 41 AFLC/HA (7422,9320,11248)	_	<b>4</b>	o		•				
				n c		0.0	22.0	_ _ 4.	3.0
FEDERAL ELECTRIC CORPORATION - ITT (9320) ROFING (4521)			•		0	0.0	<b>e</b> c		<u> </u>
4392 TRNSS/LGTN (2501,10200,10211,10201,40226540)		0.		0.	0.	. 0			
Bunch Facility)		•	o.	<u>.</u>	0.	0.	0.	0.	0
1369 AVS/DDC (8314)		•				<b>3</b> C	0.0	•	0.0
0000 HILLION 1800		0.	٠.	0.		0.			
TOTAL MY FOR VAFB HOST BASE		Q.	8.8	4,0	5.1	10.0	22.0	11.4	3.0

(

C

C

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

		BASEL INE	QUANTITIES	S PER YEAR	3, 1981	BASEL INE	QUANTITIES	S PER YEAR	1990
	SOL	MASS	8	VOLUME	1E	MASS	S	VOLUME	ш
WASTE CATEGORY ORGANIZATION (AND BUILDING NUMBERS)	0R L.10	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
HE - HITRIC ACID FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ب	45.	100.	9.0	24.	513	250.	_	9
LOCKHEED (8310) FEDERAL ELECTRIC CORPORATION - ITT (9320)		7604.4	16765.0	7577.6	2002.0	7604.4	16765.0	7577.6	2002,0
BOEING (6523) 4392 TRNSS/LGTM (7501,10700,10711,10721,10726A&B)		• •	<u></u>	•••	• •	• •	••	• •	• •
394 ICBMTMS (6601, Launch Facility)		ė	•	•	•	.0.	ė,	0.	0.
1369 AYS/DUC (8314) USAF HOSPITAL (13850)								0.0.	
TOTAL NE FOR VAFB HOST BASE		7649.9	16865,2	7668.4	2026,0	7718.1	17015.5	7804.7	2062.0
HK - HITROGEN JETROXIDE FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	_	131.7	290.3	90.8	24.0	329.2	725,8	227.1	60.0
LOCKHEED (8310) FEDERAL FLECTRIC CORPORATION - ITT (9320)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
BOEING (6523)		0.	0.	0.	•	0.	•	0.	0
4392 TRHSS/LGTM <7501,10700,10711,10721,10726AtB)		ع د	e. c	<u>.</u>	ė.	••	ė.	ė.	•
1369 AVS/DDC (8314)		•			•			. •	
USAF HOSPITAL (13850)		0.	0.	0.	0.	0.	0.	0.	0.
TOTAL HK FOR VAFB HOST BASE		131.7	290.3	90.8	24.0	329.2	725.8	227.1	60.0
OD - OIL/WATER WASTES	ب	-		•	5		c	•	G
LOCKHEED (8310)				0.	. •				
FEDERAL ELECTRIC CORPORATION - ITT (9320)		ē.	0.0		•	0.0	•	•	0.
4392 TRHSS/LGTM (7501,10700,10711,10721,10726A&B)		22709.9	50067.0	22710.0	600009	22709,9	50067.0	22710.0	60000
394 ICBMIMS (6601, Launch Facility)		ė,	0.9	0.	o.	0.0	ė.	e.	0.9
USAF HOSFITAL (13850)			• •						
TOTAL OD FOR VAFB HOST BASE		22709.9	50067.0	22710.0	6000.0	22709.9	50067.0	22710.0	6000.0
OG - 01LS, USED FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)		0.	0.	•	0.	0.	٠	0.	•.
LOCKHEED (8310) FEDERAL FLECTRIC CORPORATION - 111 (9320)		442.6	975	492.0	0.051	0,	4.1000	0.	0.046
BOEING (6523)			1465.	- 10	900		1465.	738.1	195.0
4392 TRHSS/LGTM (7501,10700,10711,10721,10726A%B)		26615,3	_	29523.0	7800.0	26615,3	58676.	29523,0	7800.0
394 ICBMIMS (6601,Launch Facility) 1369 AVS/DOC (8314)				. c.	- 0		•		
USAF HOSPITAL (13850)		0.	•.	ů.	0.	0.	•	<b>0</b> .	Θ.
TOTAL OG FOR VAFB HOST BASE		27722.4	611117.8	30753.1	8125.0	28187.6	62143.4	31270.3	8261.6

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

ì

	BASELINE	INE QUANTITIES	IES PER YEAR	AR, 1981	BASELINE QUANTITIES	QUANTITI	ES PER YEAR,	IR, 1990
WASTE CATEGORY	SOL	MASS	YOL	VOLUME	MASS	S	100	u L
ORGANIZATION (AND BUILDING NUMBERS)	UR LIG KILOGRAMS	AMS POUNDS	S LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	=	GALLONS
PE - PAINT THINNERS	ဟ							3 46
FUELS LHB & DEI 41 AFLEZNA (7422,9320,11248) LOCKHEED (8310)			•	0.	•	0	•	o.
FEDERAL ELECTRIC CORPORATION - ITT (9320)	7.	٠,			•	•	•	
	ñ		416.		768.2	1693.5	853,	225.6
4392 TRHSS/LGTN (7501,10700,10711,10721,10726ARB)				•		9.0	•	0.
1349 OUR.NOC (6601, Launch Facility)			•				•	٥.
USAF HOSPITAL (13850)		٠.	•	•				0.0
		•	•	٥.	0.	0.	-	0.
TOTAL PE FOR VAFB HOST BASE	37,	4.5 825.	7 416.3	110.0	768.2	1693.5	853,9	225.6
PM - PCB SOLID WASTES								
FUELS LAB % DET 41 AFLC/NA (7422,9320,11248) LOCKHFFD (8310)		•	•	٠.	0.	•	•	c
FEDERAL ELECTRIC CORPORATION - ITT (9320)			0.	0.	0.	-		
BOEING (6523)	100	.0 220	918	0.7		٠,	•	•
4392 TRMSS/LGTM (7501,10700,10711,10721,10726A&B)		0	-	•	0	6.022	416.2	7.4.
1369 AVS/DOC (Raid)		9	_	, to	2.7	9	. 4.	
USAF HOSPITAL (13850)		0.0	0.	•	•	٠		6
		•	•	0.	0.	0.	0.	0.
IOTAL PH FOR VAFB HOST BASE	102	1.7 226.5	5 430.4	15.2	102.7	226.5	430.4	15.2
PP - PETROLEUM ETHER	_							
FUELS LAB & DET 41 AFLC/HA (7422,9320,11248)	7 40	100	ō	,	,			
LOCKHEED (8310)		0	0.00	) · •	136.3	300.5	227.1	60.0
FERENHI ELECTRIC CORPORATION - ITT (9320) BOEING (6523)		0.	•	0.				o e
4392 TRHSS/LGTM (7501,10700,10711,10721,1072688)		•	•	0.	0.	٠.	0	? •
394 ICBMTMS (6601, Launch Facility)	-	ָּ מי	•		٠	•	٠,	0.
1369 AVS/DOC (8314)	•		-	-	7.	25.0	18.9	5,0
USHF HUSFIIAL (13880)		. <u>-</u>						0.5
TOTAL PP FOR VAFB HOST BASE	7	0 171	•					· •
		· ·		43.0	147.6	325.5	246.0	65.0
PR - PHOTOGRAPHIC CHEMICALS, MISC.								
FUELS LMB & DE! 41 AFLC/MA (7422,9320,11248) LOCKHEED (8310)		٠	•	0.	0.	0.	C.	5
FEDERAL ELECTRIC CORPORATION - 111 (9320)			0,	0.	٥.	•	0.	
BOEING (6523)		•	•	o .	0.	•	٥.	0.
4392 TRHSS/LGTM (7501,10700,10711,10721,10726ARB)		•	•	•	0.	0.	0.	0.
394 ICBMIMS (6601, Launch Facility)		• •	•		-		•	0.
USAF HOSPITAL CIRRAL	29506	.9 65052	29523.	7800.0	59013.9 1	30104.0	59046.0	15600.0
		٠	0.	0.	0.			· -
LUIAL PR FOR VAFB HOST BASE	29506,9	.9 65052.0	29523.0	7800.0	59013.9 1	130104.0	59046.0	15600.0
								,

(

•

C

TABLE 10 (CONT.) BASELINE WASTE GENERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATECORY FOR THE YEARS 1981 AND 1990

		BASELINE	QUANTITIES	S PER YEAR	8, 1981	BASEL INE	QUANTITIE	QUANTITIES PER YEAR	3, 1990
	Sor	MASS	S	VOI.UME		MASS	88	YOLUME	Ų
WASIE CAIECURY ORGANIZATION (AND BUILDING NUMBERS)	LIG	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
PU - PREHARDENER, PHOTOGRAPHIC FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ဟ	•			0.	0,	0.	0.	0
LOCKHEED (8310)		0.	0	0	•	0.	0.	0.	0.
FEDERAL ELECTRIC CORPORATION - ITT (9320) BOEINC (4521)		0.0	0.0	•	0.0	۰.	0.	0.	0.
4392 TRHSS/LGTM (7501,10700,10711,10721,10726A&B)		? •						? <b>?</b>	· •
394 ICBMTMS (6601,Launch Facility) 1369 ovs/DDC (8314)		0,	0.0000	0.	0.0002	- 10			-
USAF HOSPITAL (13850)			9	2		0',	0.04000	0.01722	0.000
TOTAL PU FOR VAFB HOST BASE		11348,8	25020.0	11355.0	3000,0	22697,6	50040.0	22710.0	6000.0
RE - RAGS, SOLVENT/OILY	٦	•		,	,				
FUELS LHB & DE! 4! HFLC/TH (/422,9320,11248) LOCKHEED (8310)		870,9	٠.	3624.4	CV.	0. 870.9	192	3624.4	C
FEDERAL ELECTRIC CORPORATION - ITT (9320)		1451.5	0	6039.8	213.3	~	6563.	12387.6	437,5
BUEING (6523) 4392 TRMSS/LGTM (7501,10700,10711,10721,1072668B)		4. c	90.0	28.3	•	40,8	06	28.3	-
		- 6	; ;	36.8		. 6.	20.	36.8	- t
1369 AVS/DOC (8314)		0,	0.	0.	0.	0.	•	0.	0.
USAF HUSP11AL (13850)		·	<del>.</del>	0.	<u>.</u>	0	•	•	9.
TOTAL RE FOR VAFB HOST BASE		2401.8	5295,0	9851.1	347.9	3927.3	8658.2	16199.0	572.1
RI - REACTIVE WASTES, UNSPECIFIED	ب								
FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)		19.6	43,6	13.6	9.6	49.4	109.	34.1	
FEDERAL ELECTRIC CORPORATION - ITT (9320)		. o				•	- 0		9. 9.
		•	0.		0.	0.	•	0.	
4392 TRMSS/LGTM (7501,10700,10711,10721,10726AtB)		o.	•	0.	<u>.</u>	0.	•	0.	0.
334 405HH3 7067, February 7							•		
USAF HOSPITAL (13850)			· œ	. 4		) <del>'</del>	• -		
TOTAL RI FOR VAFB HOST BASE		20.1	4.4	14.0	3,7	49.8	109.8	34.4	ę.
RS - RP-1 FUELS LAB & DET 41 AFLC/NA (7422,9320,11248)	-1	186.4	411.0	227.1	60.0	466.1	1027	867.8	- -
		-	•		; •		•	•	
FEDERAL ELECTRIC CORPORATION - ITT (9320) ROEING (4523)		ė.	•	e e		0.	•		9.
4392 TRHSS/LGTM <7501,10700,10711,10721,10726AtB)							0.0	-	
nch Facility)			• •	9.	2 -			0.	
1369 AVS/DOC ( 8314 )   USAF HOSPITAL ( 13850 )		0.0.	0.0.	• •	0.0.	0.0.	0.0.	0.0.	0.0
TOTAL RS FOR VAFB HOST BASE		186,4	411.0	227.1	90.09	466.1	1027.5	567.8	150.0
			-	!	;		•	_	,

TABLE 10 (CONT.) BASELINE WASTE GEHERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

ż

		BASEL INE	QUANTITIES PER YEAR.	S PER YEA	R, 1981	BASEL INE	BASELINE QUANTITIES PER YEAR,	S PER YEA	R, 1990
WASTE CATEGORY	- 10s	MASS	8	YOUUME	Ψ	MASS	38	YOLUME	Z.
ORGANIZATION (AND BUILDING NUMBERS)		KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
	ں								
FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)		0.	0.	0.	•	0.	0.	°.	
FEDERAL ELECTRIC CORPORATION - 111 /9320)		0.	0.	0.	٥.	0.	0.	0,	
BOEING (6523)			0.0		9.	0.	0.	°.	0.
4392 TRNSS/LGTM (7501,10700,10711,10721,10726A&B)					-	0.0			0.
394 ICBMTMS (6601, Launch Facility)						9 6	-	•	0 0
1369 AVS/DDC (8314)		0.	•	0	0		•		2.0
		۲.	ان ان	-:			- 5		? ;
TOTAL SG FOR VAFB HOST BASE		۲.	7.5		\ 	۶.	5.5	-	7
						٠			•
SL - SODIUM HYPROXIDE WASTEWATERS									
FUELS LAB & DET 41 AFLC/NA (7422,9320,11248)		36.3	30.1	36,3	9.6	6.06	2.000	9	
LUCKHEED (8310)		٥.	•	0.	0	0	0.0		
ROFING (4552)		•	0.	0.	٥.	0.			•
4392 TRNSS/LOTM (2501 10200 10211 10201 10202		• ·	0	0.	0.		0.		0
394 ICBMIMS (6601.Launch Facilitie)		•			e.	0.	0.		0.
1369 AVS/DOC (8314)		•		0.	0.	0.	0.	٥.	0.
USAF HOSPITAL (13850)				9.6	0.	0.	0.	٥.	0.
		•	•		•	0.	o.	0.	0.
TOTAL SL FOR VAFB HOST BASE		36.3	1,08	36.3	9'6	90'8	200.3	8'06	24.0
SU - SOLVENIS, MINED OR UNSPEC.	_								
FUELD LHB & DEJ 41 AFLC/NA (7422,9320,11248)		•	0.	0.	0.	0.	0.	0	0
FEDERAL FLECTRIC CORPORATION - 111 (0220)		208.7	460.0	208.5	55,0	208.7	460.0	208.2	55,0
BOEING (6523)		•	0,1	0 1	0.	•	•	0.	•
4392 TRHSS/LGTM (7501, 10700, 10711, 10721, 10726018)		, 6	47.	22.	9	6	42.	25.	6.9
nch Facility)		9,62621	28446.3	9333,8	2466.0	12925.6	28496.3	-	2466.0
1369 AVS/DDC (8314)		-			٠.	0.	0.	٥.	٥.
USAF HOSPITAL (13850)					•	0.	0.	0.	0.
			-	•	•	₽.	0.	•	0.
IUIAL SU FOR VAFB HOST BASE		13153.7	28999.0	9564.7	2527.0	13153,7	28999,0	9564.7	2527.0
SZ _ SULFURIC ACID	_								
FUELS LAB & DET 41 AFLC/NA (7422,9320,11248)	ı	83,6	184.2	4. 4.	0.61	0 800	460	r	
LOCKHEED (8310)		•	•	, .		3		•	0 ° 0
PRETACL ELECTRIC CORPORATION - 1TT (9320)		0.	0.				20		9 6
•		0.	υ.	0.	0.	0.			
394 ICBMTMS (66.04 tours = 13.11) (10/21, 10/26, 10/26)		٠	•	0.	0.	0.	0	0	· -
1369 AVS/ADD (6214)		32.3	71.3	18.9	5.0	32,3	71.3	18,9	, N
USAF HOSPITAL (13850)		<b>.</b>	ō,	0.	0.	<del>ت</del> .	0.	0.	0.
		3	÷.	0.	0.	o.	•.	0.	0.
TOTAL SZ FOR VAFB HOST BASE		115.9	255.5	64.3	17.0	241.2	93.4	72 5	75.0
							•		5

(

(

•

(

TABLE 10 (CONT.) BASELINE WASTE GEHERATION FOR VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY FOR THE YEARS 1981 AND 1990

, •

	ā	BASEL INE OI	QUANTITIES	PER YEAR,	1881	BASEL INE (	QUANTITIES	PER YEAR	1990
	SOL	MASS	-	YOLUME		MASS	1	YOLUME	1
UMSTE_CATEGORY ORGANIZATION (AND BUILDING NUMBERS)	OR L I	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	CALLONS OR CF
TJ = TOLUENE FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)	ب	•	0.	0.	•	0.	0.	0.	0.
LOCKHEED (8310)		0.	0.		0.	0.	۰.	<u>.</u>	۰.
FEDERAL ELECTRIC CORPORATION - 1TT (9320) ROFING (4523)					• •	÷ ć.	. 0	- 0.	
4392 TRHSS/LGTM (7501,10700,10711,10721,10726A%B)			•	•	-		•	0.	0.
394 ICBMINS (6601, Launch Facility)		ø. 6	21.7	<del>-</del> -	m C	Ø.	21.7	4.6	о с м
1367 HVS/VOC (6314) USAF HOSPITAL (13850)							•	0	0
TOTAL TJ FOR VAFB HOST BASE		8.6	21.7	4.1	3.0	9.8	21.7	4.1	3,0
	-4								
FUELS LAB & DET 41 AFLC/MA (7422,9320,11248)		150.5	331.7	113.6	30.0	376.1	829.3	283.9	75.0
LUCKHEED (8310) FEDERAL ELECTRIC CORPORATION - ITT (9320)					; .	: :	- •	0.	; .
BOEING (6523)		٥.	°.	٥.	0.	0.	٥.	0.	
4392 TRNSS/LGTH (7501,10700,10711,10721,10726A%B)		•	e e	•	ė.	0.9	• •	•	
394 ICBM(MS (660),Launch Facility)		9.0							
USAF HOSPITAL (13850)		. •					0	0	0
TOTAL IN FOR VAFB HOST BASE		449.8	7.166	321.7	85.0	675.5	1489.3	492.0	130.0
TP - TRICHLOROETHYLENE	ب					į		l	
FUELS LAB & DET 4! AFLC/NA (7422,9320,11248)		172.4	380.1	6	8 8.2	431.0	5.056	2,52	
LOCKHEED (8310) FEDERAL ELECTRIC CORPORATION - ITT (9320)			• •	? ?			? •	΄.	
		0.	0.	0.	0'	0.	0.	0.	0.
4392 TRNSS/LGTM <7501,10700,10711,10721,10726A&B)		•	•	•	•	•	٠,	•	-
394 ICBMTMS (6601, Launch Facility)		n n	2:21	ກ ຕ	-	n e	7.7	n e	-
1369 HYS/DUC (8314) USAF HOSPITAL (13850)							? •		
TOTAL TP FOR VAFB HOST BASE		6'221	392.3	121.9	32.2	436.6	962,4	299,0	0.62
UD - UDMH CUNSYN DINETHYLHYDRAZINE)	_						196.0	113.6	30.0
LOCKHEED (8310)		Ň	6.5	m	; -	, ci	9	ייי	
FEDERAL ELECTRIC CORPORATION - ITT (9320)			•	e e	0 0	0.5	o	0.0	o c
BUEING (63237) 4392 TRNSS/LGTM (7501,10700,10711,10721,1072608B)								0.	
394 ICBMTMS (6601, Launch Facility)		0.	0.	0.	٠.	0.	•	0.	0.9
1369 AYS/DOC (8314) USAF HOSPITAL (13850)					• ·	• <del>•</del>		90	
TOTAL UD FOR VAFB HOST BASE		38,5	84.9	49.2	13.0	6.19	202.5	117.3	31.0

TABLE 11. SUMMARY OF BASELINE WASTE GENERATION FOR VAFB HOST BASE BY ORGANIZATION FOR THE YEARS 1981 - 1990

, }

ORGANIZATION (& BLDG, NUMBERS)										
WASTE CATEGORY	POUNDS	1982 POUNDS	1983 POUNDS	1984 POUNDS	1985 POUNDS	1986 Pounds	1987 POUNDS	1988 POUNDS	1989 POUNDS	1990 POUNDS
FUELS LAB & DET 41 AFLC/MA <7422,9320,	0,11248)									
AB - ACETIC ACID	0.0	ŭ.	ű. 0	a. o	12.5	12.5	12.3	12.5	12.5	12,3
AC - ACETONE	159.4	159,4	159.4	159.4	398.5	398.5	398.5	398,5	398.5	398,5
AJ - AEROZINE 50	179.0	179.0	179.0	0'621.	447.5	447.5	447,5	447.5	447,5	447.5
BJ - BENZEME	6,	6.	6.	6.	2.3	2.3	2.3	2.3	2.3	2.3
CD - CARBON TETRACHLORIDE	158.6	158.6	158.6	158.6	396.5	396.5	396,5	396.5	396.5	396.5
CK - CHLOROFORM	29.5	29.5	29.5	29.5	73.8	73.8	73.8	73.8	73.8	73.8
CH - CHROMIUM WASTEWATERS	25.1	25.1	25.1	25.1	62.8	62.8	62.8	62.8	62.8	62.8
CV - CORROSIVE LIQUIDS, UNSPECIFIED	90.2	90.2	90.2	90.2	225.5	225,5	225,5	225.5	225.5	225.5
DI - DEVELOPER, PHOTOGRAPHIC	50.1	50.1	50.1	30.1	125.3	125.3	125.3	125.3	125.3	125.3
ЕН - ЕТНАНОL	8.2	8.2	3.2	8.2	20.3	20.3	20.5	20.5	20.5	20,5
FR - FREON SOLVENTS	568,8	568,8	568,8	568,8	1422.0	1422.0	1422.0	1422.0	1422.0	1422.0
FW - FUEL, AVIATION	747.1	747.1	747.1	747.1	1867.8	1867.8	1867.8	1867.8	1867.8	1867.8
FX - FUEL, DIESEL	43.7	45.7	43.7	45.7	114.3	114.3	114.3	114.3	114.3	114.3
GC - GASOLINE	4.8	14.8	14.8	14.8	37.0	37.0	37.0	37.0	37.0	37.0
HM - HYDRAZINE	402.0	402.0	402.0	402.0	1005.0	1005.0	1005,0	1005.0	1005.0	1005.0
HW - HYDROCHLORIC ACID	55.1	55.1	55.1	55.1	137.8	137.8	137.8	137.8	137.8	137.8
IV - ISOPROPANOL	133,8	133.8	133.8	133,8	334.5	334.5	334.5	334.5	334.5	334.5
LT - LUBE OILS	274.1	274.1	274.1	274.1	685.3	685,3	685,3	685.3	685.3	685.3
MN - METHANOL	0.62	79.0	79.0	29.0	197.5	197.5	197.5	197,5	197.5	197.5
MG - METHYLENE CHLORIDE	4.99	66.4	66.4	66.4	166.0	166.0	166.0	166.0	166.0	166.0
NU - METHYL ISOBUTYL KETONE (NIBK)	16.0	16.0	16.0	16.0	40.0	40.0	40.0	40.0	40.0	40.0
HX - MONOMETHYL HYDRAZINE	8.8	8.8	8.	8.8	22.0	22.0	22.0	22.0	22.0	22.0
HE - NITRIC ACID	100.2	100.2	100.2	100.2	250.5	250.5	250,5	250.5	250.5	250.5
HK - HITROGEN TETROXIDE	290.3	290.3	290.3	290.3	725.8	725.8	725.8	725.8	725.9	725.8

(

€,

TABLE 11 (CONT.) SUMMARY OF BASELINE WASTE GENERATION FOR VAFB HOST BASE BY ORGANIZATION FOR THE YEARS 1981 - 1990

ORGANIZATION (& BLDG, NUMBERS) WASTE CATEGORY	1981 POUNDS	1982 POUNDS	1983 POUNDS	1984 POUNDS	1985 POUNDS	1986 POUNDS	1987 POUNDS	1988 POUNDS	1989 POUMDS	1990 Pounds
EUELS LAB & DET 41 AFLC/MG <7422,9320.	0.112482									
PP - PETROLEUM ETHER	120.2	120.2	120.2	120.2	300.5	300.5	300.5	300.5	300.5	300.5
RI - REACTIVE WASTES, UNSPECIFIED	43.6	43.6	43.6	43.6	109.0	109.0	109.0	109.0	109.0	109.0
RS - RP-1	411.0	411.0	411.0	411.0	1027.5	1027.5	1027.5	1027.5	1027.5	1027.5
SL - SODIUM HYDROXIDE WASTEWATERS	1.08	80.1	80.1	80.1	200,3	200.3	200.3	200.3	200,3	200.3
SZ - SULFURIC ACID	184.2	184,2	184.2	184.2	460.5	460.5	460.5	460.5	460.5	460.5
TH - TRICHLOROETHANE	331.7	331.7	331.7	331,7	829.3	829.3	829.3	829.3	829.3	829.3
TP - TRICHLOROETHYLENE	380.1	380.1	380.1	380.1	950.3	950.3	950.3	950.3	950.3	950.3
UD - UDMH (UHSYM DIMETHYLHYDRAZINE)	78.4	78.4	78.4	78.4	196.0	196.0	196.0	196.0	196.0	196.0
LOCKHEED (8310)										
BG - BATTERY WASTES	8.3	8.3	8.3	e .	8.3	8.3	8.3	8.3	8.3	8,3
DN - DICHLOROMETHANE	1306.7	1306.7	1306.7	1306.7	1306.7	1306.7	1306.7	1306.7	1306.7	1306.7
FR - FREON SOLVENTS	2605.0	2605.0	2605.0	2605.0	2605.0	2605.0	2605.0	2605.0	2605.0	2605.0
HM - HYDRAZINE	<b>8</b>	4.6	8.4	4	8.4	4.	9.4	4.8	8.4	8.4
HA - HYDRAZINE/WATER WASTES	16039.8	16039.8	16039.8	16039,8	16039.8	16039.8	16039.8	16039.8	16039.8	16039.8
IV - ISOFROPANOL	1442.7	1442.7	1442.7	1442.7	1442.7	1442.7	1442.7	1442.7	1442.7	1442.7
LT ~ LUBE OILS	827.5	827.5	827.5	827.5	827.5	827.5	827.5	827.5	827.5	827.5
MN - METHANOL	724.9	724.9	724.9	724.9	724.9	724.9	724.9	724.9	724.9	724.9
MS - METHYL ETHYL KETONE (MEK)	1476.2	1476.2	1476.2	1476.2	1476.2	1476.2	1476.2	1476.2	1476.2	1476.2
ME - NITRIC ACID	16765.0	16765.0	16765.0	16765.0	16765.0	16765.0	16765.0	16765.0	16765.0	16765.0
RE - RAGS, SOLVENT/OILY	1920.0	1920.0	1920.0	1920.0	1920.0	1920.0	1920.0	1920.0	1920.0	1920.0
SU - SOLVENTS, MIXED OR UNSPEC.	460.0	460.0	460.0	460.0	460.0	460.0	460.0	460.0	460.0	460.0
TN - TRICHLOROËTHANË	660.0	660,0	660.0	660.0	660.0	660.0	660.0	660.0	660.0	660.0
UD - UDMH (UNSYN DINETHYLHYDRAZIHE)	6.5	6.5	6.5	6,5	6.5	6.5	8,8	6.5	6,5	6.5

TABLE 11 (CONT.) SUMMARY OF BASELINE WASTE GENERATION FOR VAFB HOST BASE BY ORGANIZATION FOR THE YEARS 1981 - 1990

ORGANIZATION (* BLDG, NUMBERS) WASTE CATEGORY	1981 POUNDS	1982 POUNDS	1983 POUNDS	1984 POUNDS	1985 POUNDS	1986 POUNDS	1987 POUNDS	1988 Pounds	1989 Pounds	1990 POUNDS
EEDERAL ELECTRIC CORPORATION - 1TT (9320)	(9320)									
CN - CHRONIUM WASTEWATERS	1668.0	1751.4	1839.8	1931.5	2123.4	2336.9	2570.4	2827.3	3109.2	3421.1
DY - DYNA-BRITE WASTES	1668.0	1751.4	1839.8	1931,5	2123.4	2336.9	2570.4	2827.3	3109.2	3421.1
HX - HYDROFLUORIC ACID	1668.0	1751.4	1839.8	1931.5	2123.4	2336.9	2570.4	2827.3	3109.2	3421.1
0G - 01LS, USED	975.8	1024.6	1076.3	1130.0	1242.2	1367.1	1503.7	1654.0	1818.9	2001.4
PE - PAINT THINNERS	825.7	867,0	910.7	956.2	1021.1	1156.8	1272.4	1399.6	1539.1	1693.5
RE - RAGS, SOLVENTZOILY	3200.0	3360,0	3529.6	3705.6	4073.6	4483,2	4931.2	5424.0	5964.8	6563.2
BOEING (6523)										
AU - ANMONIA	æ	œ.	œ.	8.	ω.	80	8.	æ.	œ.	Φ.
BG - BATTERY WASTES	960,0	860.0	860.0	860.0	860.0	860.0	860.0	860.0	860.0	960.0
CT - CONTAINERS	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
CW - CYANIDE WASTEWATERS	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0	108.0
MS - METHYL ETHYL KETONE (MEK)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
0G - 01LS, USED	1465.1	1465.1	1465.1	1465.1	1465.1	1465,1	1465.1	1465.1	1465.1	1465.1
PM - PCB SOLID WASTES	220.5	220.5	220.5	220.5	220.5	220.5	220,5	220.5	220.5	220.5
RE - RAGS, SOLVENTZOILY	90.06	0.06	90.0	90.0	90'0	0.06	90.06	0.06	90.0	90.0
SU - SOLVENTS, MIXED OR UNSPEC.	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7
4392 IRHSS/LGIM <7501,10700,10711,10721	0721,10726A%B>	( <u>a</u> )								
BG - BATTERY WASTES	35113.7	35113.7	35113.7	35113.7	35113.7	35113.7	35113.7	35113.7	35113,7	35113,7
OD - OIL/WATER WASTES	50067.0	50067.0	50067.0	50067,0	50067.0	50067.0	50067.0	50067.0	50067.0	50067.0
0G - 01LS, USED	58676.9	58676.9	53676.9	58676.9	58676.9	6.92983	58676,9	58676.9	58676.9	58676.9
RE - RAGS, SOLVENT/OILY	63.0	63.0	65.0	63.0	63.0	65.0	65.0	63.0	63.0	63.0
SU - SOLVENTS, MIXED OR UNSPEC,	28496.3	28496.3	23496.3	28496.3	28496.3	28496.3	26496.3	28496.3	28496.3	28496.3

(

(

Ç

TABLE 11 (CONT.) SUMMARY OF BASELIHE WASTE GENERATION FOR VAFB HOST BASE BY ORGANIZATION FOR THE YEARS 1981 - 1990

ORGANIZATION (& BLDG. NUNRERS)	1981	1982	1383	1984	1985	1986	1987	1988	1989	1990
WASTE CATEGORY	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	РОИНОЯ	POUNDS	POUNDS	POUNDS	POUNDS
394 ICBNIHS (6601 Launch Facility)										
AC - ACETONE	19,9	6'61	19.9	19.9	19.9	6,91	6'61	19.9	19.9	19.9
CH - CHROMIUM WASTEWATERS	1251.0	1251.0	1251.0	1251.0	1251.0	1251.0	1251.0	1251,0	1251.0	1251.0
CT - CONTAINERS	346.5	346.5	346.5	346.5	346.5	346.5	346.5	346.5	346.5	346.5
DY - DRY CLEANING SOLVENT	187,5	187.5	187.5	187.5	187.5	187.5	187,5	187.5	187.5	187.5
IV - ISOPROPANOL	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.6	9.9
LT - LUBE 01LS	2158.0	2158.0	2158.0	2158.0	2158.0	2158.0	2158.0	2158.0	2158.0	2158.0
NS - NETHYL ETHYL KETONE (MEK)	86.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1
PN - PCB SOLID WASTES	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
PP - PETROLEUM ETHER	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
RE - RAGS, SOLVENT/OILY	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
SZ - SULFURIC ACID	71.3	71.3	71.3	71.3	71.3	21.3	71.3	71.3	71.3	71.3
TJ - TOLUEME	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7
TP - TRICHLOROETHYLENE	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2
1369 AVS/DOC (8314)										
AC - ACETONE	398.4	398,4	398.4	398,4	8.962	8'962	796.8	8.967	8.967	8.967
CK - CHLOROFORM	737.4	737.4	737.4	737.4	1474.8	1474.8	1474.8	1474.8	1474.8	1474.8
DI - DEVELOPER, PHOTOGRAPHIC	79855.0	79855,0	79855.0	79855.0	159710.0	159710.0	159710.0	159710.0	159710.0	159710.0
EO - ETHYLENEDIAMINE	360.0	360.0	360.0	360.0	720.0	720.0	720,0	720.0	720.0	720.0
PR - PHOTOGRAPHIC CHEMICALS, MISC.	65052.0	65052,0	65052.0	65052.0	130104.0	130104.0	130104.0	130104.0	130104.0	130104.0
PU - PREHARDENER, PHOTOGRAPHIC	25020.0	25020.0	25020.0	25020.0	50040.0	50040.0	50040.0	50040.0	50040.0	50040.0

TABLE 11 (CONT.) SUMMARY OF BASELINE WASTE GENERATION FUR VAFB HOST BASE BY ORGANIZATION FOR THE YEARS 1981 - 1990

, }

URGANIZATION (& BLDG, NUMBERS)										
WASTE CATEGORY	POUNDS	1982 POUNDS	1983 POUNDS	1984 POUNDS	1985 POUNDS	1986 POUNDS	1987 POUNDS	1988 POUNDS	1989 POUNDS	1990 POUNDS
USAF HOSPITAL (13850)		•								
CK - CHLOROFORM	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3
DI - DEVELOPER, PHOTOGRAPHIC	2502.0	2502.0	2502,0	2502.0	2502.0	2502.0	2502.0	2502.0	2502.0	2502,0
FJ - FORMALDEHYDE	3,6	3,6	3,6	3,6	3.6	3.6	3.6	3.6	3,6	3.6
ID - IGNITABLE WASTES, UNSPECIFIED	8.0	8.0	8.0	9.0	9.0	8.0	8.0	0.8	9.0	8.0
NF - MERCURY	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
RI - REACTIVE WASTES, UNSPECIFIED	60	8	æ	8.	æ.	φ.	8.	æ.	æ	œ.
SG - SILVER SALTS	p	n. -		r.		n,	ю -	<u>.</u>		10°

(

TABLE 12. BASELINE WASTE GENERATION BY WASTE CATEGORY FOR VAFB HOST BASE ORGANIZATIONS CONBINED

. *1* 

ORGANIZATION (& BLDG, HUMBERS)					!	;				
WASTE CATEGORY	POUNDS	POUNDS	POUNDS	POUNDS	POUMDS	1986 POUNDS	1987 POUNDS	1988 POUNDS	1989 POUNDS	1990 POUNDS
AB - ACETIC ACID	3,0	ű. 0	g.	3.0	12.5	12.5	12.5	12.5	12.5	12.5
AC - ACETONE	577.7	577.7	577.7	5.778	1215.2	1215.2	1215.2	1215.2	1215.2	1215.2
AJ - AEROZINE 50	179.0	179,0	179.0	179.0	447,5	447.5	447.5	447.5	447.5	447.5
AU - AMMONIA	œ.	6.	œ.	œ.	8.	æ	æ.	ά	æ	œ
BG - BATTERY WASTES	35982.0	35982,0	35982,0	35982.0	35982,0	35982.0	35982,0	35992,0	35982.0	35982.0
BJ - BENZENE	6.	6.	6.	6,	2.3	2.3	2.3	ς. Έ	2.3	2.3
CD - CARBON TETRACHLORIDE	158.6	158.6	158,6	158.6	396.5	396.5	396.5	396.5	396.5	396.5
CK - CHLOROFORM	779.2	779.2	779.2	779.2	1560.9	1560.9	1560,9	1560.9	1560.9	1360.9
CN - CHROMIUM WASTEWATERS	2944.1	3027.5	3115.9	3207.6	3437.1	3650.6	3884.1	4141.0	4422.9	4734.8
CT - CONTAINERS	356.5	356.5	356,5	356.5	356.5	356.5	356,5	356.5	356.5	356.5
CV - CORROSIVE LIQUIDS, UNSPECIFIED	90.5	90.2	90.2	90.2	225,5	225.5	225,5	225.5	225.5	225.5
CW - CYANIDE WASTEWATERS	108.0	108.0	109.0	108.0	108.0	108,0	108.0	108.0	108.0	108.0
DI - DEVELOPER, PHOTOGRAPHIC	82407.1	82407.1	82407.1	82407.1	162337.3	162337.3	162337,3	162337.3	162337.3	162337,3
DN - DICHLOROMETHANE	1306.7	1306.7	1306.7	1306.7	1306.7	1306.7	1306,7	1306.7	1306.7	1306.7
DV - DRY CLEANING SOLVENT	187.5	187.5	187,5	187.5	187.5	187.5	187.5	187.5	187.5	187.5
DY - DYHA-BRITE WASTES	1668.0	1751.4	1839.8	1931.5	2123.4	2336.9	2570.4	2827.3	3109.2	3421.1
ЕН – ЕТНАНОL	8.5	89.53	8 2	. 8.2	20.5	20.5	20.5	20.5	20.5	20,5
EO - ETHYLENEDIAMINE	360.0	360,0	360.0	360.0	720.0	720.0	720.0	720.0	720.0	720.0
FJ - FORMALDEHYDE	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3,6
FR - FREON SOLVEHTS	3173.8	3173,8	3173.8	3173,8	4027.0	4027.0	4027.0	4027.0	4027.0	4027.0
FW - FUEL, AVIATION	747.1	747.1	747.1	747.1	1857.8	1867.8	1367,8	1867,8	1867.8	1867.8
FX - FUEL, DIESEL	43.7	45.7	43.7	43.7	114.3	114.3	114.3	E. 4.	114.3	114.3
GC - GASOLINE	6.4	14.8	14.8	14.8	37.0	37.0	37.0	37.0	37.0	37.0
HM - HYDRAZINE	410.4	410.4	410.4	410.4	1013.4	1013.4	1013,4	1013.4	1013.4	1013.4
HQ - HYDRAZINEZWATER WASTES	16039.8	16039.8	16039,8	16039.8	16039.8	16039,8	16039.8	16039.8	16039.8	16039.8

TABLE 12 (CONT.) BASELINE WASTE GENERATION BY WASTE CATEGORY FOR VAFB HOST BASE ORGANIZATIONS CONBINED

, }

ORGANIZATION (& BLDG, NUMBERS) WASTE CATEGORY	1981 POUNDS	1982 Pounds	1983 POUIDS	1984 Pounds	1985 POUNDS	1986 Pounds	1987 POUNDS	1988 POUNDS	1989 POUNDS	1990 POUNDS
HW - HYDROCHLORIC ACID	ga. 1	33.1	55.1	55.1	137.8	137.8	137.8	137.8	137.8	137.8
HX - HYDROFLUORIC ACID	1668.0	1751.4	1839.8	1931.5	2123.4	2336.9	2570.4	2827.3	3109.2	3421.1
ID - IGNITABLE WASTES, UNSPECIFIED	8.0	8.0	8.0	8.0	8,0	8.0	8.0	8.0	8.0	8,0
IV - ISOPROPANOL	1383.1	1583.1	1583.1	1583.1	1783.8	1783.8	1783.8	1783.8	1783.8	1783.8
LT - LUBE OTLS	3259.6	3259.6	3259,6	3259,6	3670,8	3670.8	3670.8	3670.8	3670.8	3670.8
MF - MERCURY	4.0	4.0	4.0	4.0	4.0	4.0	4	4.0	₽.0	4.0
MN - METHANOL	803.9	803,9	803.9	803.9	922.4	922,4	922.4	922.4	922.4	922.4
NA - METHYLENE CHLORIDE	66.4	66.4	66.4	66.4	166.0	166.0	166.0	166.0	166.0	166.0
NS - NETHYL ETHYL KETONE <mek)< td=""><td>1656,3</td><td>1656,3</td><td>1656,3</td><td>1656.3</td><td>1656.3</td><td>1656.3</td><td>1656.3</td><td>1656.3</td><td>1656,3</td><td>1656.3</td></mek)<>	1656,3	1656,3	1656,3	1656.3	1656.3	1656.3	1656.3	1656.3	1656,3	1656.3
NU - METHYL 1808UTYL KETONE (MIBK)	16.0	16.0	16.0	16.0	40.0	40.0	40.0	40.0	40.0	40.0
MX - MOHOMETHYL HYDRAZINE	8'8	8.6	8,8	8.8	22.0	22.0	22.0	22.0	22.0	22.0
HE - HITRIC ACID	16865.2	16865.2	16965.2	16865.2	17015.5	17015,5	17015.5	17015.5	17015.5	17015.5
HK - HITROGEN TETROXIDE	290,3	290.3	290,3	290.3	725,8	725.8	725.9	725.8	725.8	725.8
OD - OIL/WATER WASTES	50067.0	50067.0	50067.0	50067.0	50067,0	50067.0	50067.0	50067.0	50067.0	50067.0
0G - 01LS, USED	61117.8	61166.6	61218.3	61272.0	61384.2	61509.1	61645.7	61796.0	61960.9	62143,4
PE - PAINT THINNERS	825.7	867.0	910.7	956.2	1051.1	1156.8	1272.4	1399.6	1539.1	1693.5
PM - PCB SOLID WASTES	226.5	226.5	226.5	226.5	226.5	226.5	226.5	226.5	226,5	226.5
PP - PETROLEUM ETHER	145.2	145.2	145,2	145.2	325.5	325,5	325,5	325.5	325,5	325.5
PR - PHOTOGRAPHIC CHEMICALS, MISC,	65052,0	65052.0	65052.0	65052,0	130104.0	130104.0	130104.0	130104.0	130104.0	130104.0
PU - PREWARDENER, PHOTOGRAPHIC	25020.0	25020.0	25020.0	25020.0	50040.0	50040.0	30040.0	50040.0	50040.0	50040.0
RE - RAGS, SOLVENT/OILY	5295.0	5455.0	5624,6	5800.6	6168.6	6578,2	7026,2	7519.0	8029.8	8658.2
RI - REACTIVE WASTES, UHSPECIFIED	4.4	44,4	4.4	4.4	109,8	109.8	109.8	109,8	109.8	109.8
RS - RP-1	411.0	411.0	411.0	411.0	1027.5	1027.5	1027.5	1027.5	1027.5	1027.5
SG - SILVER SALTS	5,1	1,5	1.5	5.5	5.1	1.5	1.5	1.5	1.5	7.5
SL - SODIUM HYDROXIDE WASTEWATERS	80.1	80.1	80.1	80.1	200.3	200.3	200.3	200.3	200.3	200.3

(

(

**(**^

ť

TABLE 12 (CONT.) BASELINE WASTE GENERATION BY WASTE CATEGORY FOR VAFB HOST BASE ORGANIZATIONS CONBINED

, *j* 

ORGANIZATION (& BLDG, NUMBERS)	1981				1985	1986	1987	1988	1989	1990
WASTE CATEGORY	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS	POUNDS
SU - SOLVEHTS, MIXED OR UNSPEC.	28999,0	28999,0	28999,0	28999,0 28999,0 28999,0	28999.0	28999.0	28999.0	28999.0	28999.0	28999.0
SZ - SULFURIC ACID	255.5	255,5	255,5	255.5	531.8	531.8	531.8	531.8	531.8	531.8
TJ - TOLUEME	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7	21.7
TH - TRICHLOROETHANE	991.7	991.7	5.166	991.7	1489.3	1489.3	1489.3	1489.3	1489.3	1489.3
TP - TRICHLOROETHYLENE	392,3	392.3	392.3	392.3	962.4	962.4	962.4	962.4	962.4	962.4
UD - UDMH (UNSYM DIMETHYLHYDRAZINE)	84.9	84.9	84.9	84.9	202.5	202.5	202.5	202.5	202.5	202.5

TABLE 13. CONTINGENCY WASTE GENERATION BY VAFB HOST BASE ORGANIZATIONS

			Quantity Pe	r Contingenc	y
	So 1	Mas	<u>s</u>	V	olume
Waste Material	or <u>Liq</u>	Kilograms	Pounds	Liters	Gal or CF
Lockheed (8310)					
Hydrazine	L	45.7	100.8	45.4	12.0
IRFNA	L	680.4	1,500.0	461.8	122.0
UDMH	L	680.4	1,500.0	2,959.9	782.0

<sup>\*</sup> Only Lockheed anticipates contingency waste generation.

#### SECTION 6

## SUMMARY OF HAZARDOUS WASTE GENERATION FOR VAFB HOST BASE

### 1. INTRODUCTION

The purpose of this section is to present an inventory of the types and quantities of waste expected to be generated by the host base facilities during the years 1981 through 1990. The inventory provides information for:

- Types of wastes generated.
- Chemical constituents in each waste stream.
- Mass and/or volume of waste generated during scheduled ground operations (per month, per year, and totals for the period 1981 through 1990).
- Mass and/or volume of waste generated under contingency conditions (per contingency event).
- EPA and California hazardous waste numbers for each waste.
- EPA and California hazardous properties for each waste.
- California compatibility class for each waste.

The discussion which follows will focus primarily on the years 1981 and 1990.

## 2. SOURCES OF WASTE

A summary of liquid and solid hazardous wastes generated during the years 1981 through 1990 by host base programs at VAFB is given in Tables 14 and 15. Projected increases in hazardous waste generation for each facility over the 10-year period are shown in Table 16. These projections are used to calculate monthly program quantities (reported in Table 14), and yearly and total program quantities (Table 15).

Table 14

SUMMARY OF BASELINE MONTHLY HAZARDOUS WASTE GENERATION BY ORGANIZATION FOR VAFB HOST BASE, 1981-1990

				K110	rams/Month	Kilograms/Month (Pounds/Month	<u>-</u>			
Organization	1981	1982	1983	1984	1985	1986	1987	1988	1989	0661
Fuels Lab	194.2 (428.1)	194.2 (428.1)	194.2 (428.1)	194.2 (428.1)	485.5 (1,070.3)	485.5 (1,070.3)	485.5 (1,070.3)	485.5 (1,070.3)	485.5 (1,070.3)	485.5 (1,070.3)
Lockheed	1,672.7 (3,687.6)	1,672.7 (3,687.6)	1,672.7 (3,687.6)	1,672.7 (3,687.6)	1,672.7 (3,687.6)	1,672.7 (3,687.6)	1,672.7 (3,687.6)	1,672.7 (3,687.6)	1,672.7 (3,687.6)	1,672.7 (3,687.6)
Federal Electric	378.2 (833.8)	397.1 (875.5)	417.2 (919.7)	438.0 (965.5)	481.5 (1,061.4)	529.9 (1,168.2)	582.8 (1,284.9)	641.1 (1,413.3)	705.2 (1,554.6)	(1,710.1)
Boeing	109.5 (241.4)	109.5 (241.4)	109.5 (241.4)	109.5 (241.4)	109.5	109.5 (241.4)	109.5 (241.4)	109.5 (241.4)	109.5 (241.4)	109.5 (241.4)
4392 TRNSS/LGTM	6,517.3 (14,368.2)	6,517.3 (14,368.2)	6,517.3 (14,368.2)	6,517.3 (14,368.2)	6,517.3 (14,368.2)	6,517.3 (14,368.2)	6,517.3 (14,368.2)	6,517.3 (14,368.2)	6,517.3 (14,368.2)	6,517.3 (14,368.2)
394 I CBMTMS	159.0 (350.5)	159.0 (350.5)	159.0 (350.5)	159.0 (350.5)	159.0 (350.5)	159.0 (350.5)	159.0 (350.5)	159.0 (350.5)	159.0 (350.5)	159.0 (350.5)
1369 AVS/DOC	6,479.6 (14,285.2)	6,479.6 (14,285.2)	6,479.6 (14,285.2)	6,479.6 (14,285.2)	12,959.3 (28,570.5)	12,959.3 (28,570.5)	12,959.3 (28,570.5)	12,959.3 (28,570.5)	12,959.3 (28,570.5)	12,959.3 (28,570.5)
USAF Hospital	95.7 (211.0)	95.7 (211.0)	95.7 (211.0)	95.7 (211.0)	95.7 (211.0)	95.7 (211.0)	95.7 (211.0)	95.7 (211.0)	95.7 (211.0)	95. <i>1</i> (211.0)
Total	15,606.2 (34,405.8)	15,625.1 (34,447.5)	15,645.2 (34,491.7)	15,666.0 (34,537.5)	22,480.5 (49,560.9)	22,528.9 (49,667.7)	22,581.8 (49,784.4)	22,640.1 (49,912.8)	22,704.2 (50,054.1)	22,774.7 (50,209.6)

Ç

€

Table 15

SUMMARY OF BASELINE YEARLY HAZARDOUS WASTE GENERATION BY ORGANIZATION FOR VAFB HOST BASE, 1981-1990

				¥	Kilograms/Year (Pounds/Year)	(Pounds/Year)					0.00
Organization	1961	1982	1983	1984	1985	1986	1987	1988	1989	1990	Total
Fuels Lab & Det 41	2,330.3 (5,137.4)	2,330.3 (5,137.4)	2,330.3 (5,137.4)	2,330.3 (5,137.4)	5,825.7 (12,843.5)	5,825.7 (12,843.5)	5,825.7 (12,843.5)	5,825.7 (12,843.5)	5,825.7 (12,843.5)	5,825.7 (12,843.5)	44,275.4 (97,610.6)
Lockheed	20,071.8 (44,251.0)	20,071.8 (44,251.0)	20,071.8 (44,251.0)	20,071.8 (44,251.0)	20,071.8 (44,251.0)	20,071.8 (44,251.0)	20,071.8 (44,251.0)	20,071.8 (44,251.0)	20,071.8 (44,251.0)	20,071.8 (44,251.0)	200,718.0 (422,510.0)
Federal Electric	4,538.4 (10,005.5)	4,765.3 (10,505.8)	5,005.9 (11,036.0)	5,255.5 (11,586.3)	5,777.4 (12,737.1)	6,358.3 (14,017.8)	6,993.7 (5,418.5)	7,692.6 (16,959.5)	8,462.1 (18,655.5)	9,308.2 (20,521.3)	64,157.4 (141,433.3)
Boeing	1,314.1 (2,897.1)	1,314.1 (2,897.1)	1,314.1 (2,897.1)	1,314.1 (2,897.1)	1,374.1 (2,897.1)	1,314.1 (2,897.1)	1,314.1 (2,897.1)	1,314.1 (2,897.1)	1,314.1 (2,897.1)	1,314.1 (2,897.1)	13,141.0 (28,971.0)
4392 TRNSS/LGTM	78,207.5 (172,418.9)	78,207.5 (172,418.9)	78,207.5 (172,418.9)	78,207.5 (172,418.9)	78,207.5 (172,418.9)	78,207.5 (172,418.9)	78,207.5 (172,418.9)	78,207.5 (172,418.9)	78,207.5 (172,418.9)	78,207.5 (172,418.9)	782,075.0 (1,724,185.0)
394 ICBHTMS	1,907.7 (4,205.8)	1,907.7 (4,205.8)	1,907.7 (4,205.8)	1,907.7 (4,205.8)	1,907.7 (4,205.8)	1,907.7 (4,205.8)	1,907.7 (4,205.8)	1,907.7 (4,205.8)	1,907.7 (4,205.8)	1,907.7 (4,205.8)	19,077.0 (42,058.0)
1369 AVS/DOC	77,755.7 (171,422.8)	77,755.7 (171,422.8)	77,755.7 (171,422.8)	77,755.7 (171,422.8)	155,511.3 (342,845.6)	155,511.3 (342,845.6)	155,511.3 (342,845.6)	155,511.3 (342,845.6)	155,511.3 (342,845.6)	155,511.3 (342,845.6)	1,244,090.6
USAF Hospital	1,148.6 (2,532.2)	1,148.6 (2,532.2)	1,148.6 (2,532.2)	1,148.6 (2,532.2)	1,148.6 (2,532.2)	1,148.6 (2,532.2)	1,148.6 (2,532.2)	1,148.6 (2,532.2)	1,148.6 (2,532.2)	1,148.6 (2,532.2)	11,486.0 (25,322.0)
Total	187,274.1 (412,870.7)	187,501.0 (413,371.0)	187,741.6 (413,901.2)	187,991.2 (414,451.5)	269,764.1 (594,731.2)	270,345.0 (596,011.9)	270,980.4 (597,412.6)	271,679.3 (598,953.6)	272,448.8 (600,649.6)	273,294.9 (602,515.4)	2,379,020.4 (5,244,864.7)

BY ORGANIZATION FOR IN BASELINE HAZARDOUS WASTE GENERATION VAFB HOST BASE FOR THE YEARS 1981-1990 Table 16 PROJECTED INCREASES

1

9,308.2 10% 1990 A A TOTAL BANK AND A STATE OF THE to the training of the second 8,462.1 10% 1989 THE PARTY OF THE PROPERTY OF THE PARTY OF TH 7,692.6 10% 1988 CONTRACTOR SOUTH STATE 6,993.7 10% 1987 Kilograms/Year - % Increase 6,358.3 10% 1986 i i 4 155,511.3 100% 5,825.7 5,777.4 10% 1985 i 1 5,255.5 5% 1984 į i 5,005.9 5% 1983 4,765.3 51 1982 2,330.3 1,907.7 1,148.6 4,538.4 1,314.1 20,071.8 78,207.5 77,755.7 1981 ¦ Organization 4392 TRNSS/LGTM Fuels Lab & Det 41 Federal Electric Lockheed USAF Hospital 394 ICBMTMS 1369 AVS/DOC Boeing

(

As shown in Table 15, total baseline waste generation at the host base facilities for the period 1981 through 1990 is anticipated to be 2.4 million kg (5.2 million lb). Annual waste generation is expected to escalate as follows:

1981 - 187,300 kg (412,900 lb).
1982 - 187,500 kg (413,400 lb).
1983 - 187,700 kg (413,900 lb).
1984 - 188,000 kg (414,500 lb).
1985 - 269,800 kg (594,700 lb).
1986 - 270,300 kg (596,000 lb).
1987 - 271,000 kg (597,400 lb).
1988 - 271,700 kg (599,000 lb).
1989 - 272,400 kg (600,600 lb).
1990 - 273,300 kg (602,500 lb).

Baseline waste generation for the years 1981 through 1990 is graphically presented in Figures 18 and 19.

The highest quantities of wastes in 1981 were generated by 4392 TRNSS/LGTM (78,200 kg; 172,400 lb), followed by 1369 AVS/DOC (77,800 kg; 171,400 lb), and Lockheed (20,100 kg; 44,300 lb). The lowest quantities of wastes in 1981 were generated by Federal Electric (4,500 kg; 10,000 lb), Fuels Lab & Det 41 (2,300 kg; 5,100 lb), 394 ICBMTMS (1,900 kg; 4,200 lb), Boeing (1,300 kg; 2,900 lb), and USAF Hospital (1,100 kg; 2,500 lb) (Figure 18).

In 1990, the highest quantities of wastes are expected to be generated by 1369 AVS/DOC (155,500 kg; 342,800 lb), and 4392 TRNSS/LGTM (78,200 kg; 172,400 lb), followed by Lockheed (20,100 kg; 44,200 lb), Federal Electric (9,300 kg; 20,500 lb), and Fuels Lab & Det 41 (5,800 kg; 12,800 lb) (Figure 18). The smallest quantities in 1990 are expected to be generated by 394 ICBMTMS (1,900 kg; 4,200 lb), Boeing (1,300 kg; 2,900 lb), and USAF Hospital (1,100 kg; 2,500 lb).

The anticipated percent increases in waste generation by facility are shown on Table 16. Waste generation from USAF Hospital, Boeing, 394 ICBMTMS, Lockheed, and 4392 TRNSS/LGTM is expected to remain constant during the period 1981 through 1990. Fuels Lab & Det 41 and 1369 AVS/DOC exhibit a step function in their projected waste generation, with the increase occurring at the beginning of the STS program in 1985. Federal Electric is expected to continuously generate increased amounts of hazardous waste each year during the period 1981 through 1990 (Table 16).

Expressed as percentage by weight, the 1369 AVS/DOC has generated 41.5 percent of the total waste in 1981; 4392 TRNSS/LGTM, 41.8 percent; Lockheed, 10.7 percent; and Federal Electric, Fuels Lab & Det 41, 394 ICBMTMS, Boeing, and USAF Hospital, 2.4, 1.2, 1.0, 0.7, and 0.6 percent, respectively (Figure 19). In 1990, 1369 AVS/DOC is projected to generate 56.9 percent of the total baseline waste; 4392 TRNSS/LGTM, 28.6 percent; Lockheed, 7.3 percent; and Federal Electric, Fuels Lab & Det 41, 394




Figure 18. Baseline quantities of hazardous waste generated by VAFB host base for the years 1981 through 1990.




Figure 19. Percent (by weight) of baseline hazardous waste generated by VAFB host base for the years 1981 and 1990.

ICBMTMS, Boeing, and USAF Hospital, 3.4, 2.1, 0.7, 0.5, and 0.4 percent, respectively.

Investigations into the physical state of the hazardous wastes generated during normal operations indicate that the majority of wastes at Lockheed, Federal Electric, Boeing, 4392 TRNSS/LGTM, 394 ICBMTMS, and USAF Hospital (Figures 20B, C, D, E, F, and H, respectively) are in a liquid state (95.7, 68.0, 65.6, 89.5, 91.1, and 99.9 percent, respectively). Fuels Lab & Det 41 (Figure 20A) and 1369 AVS/DOC (Figure 20G) generate liquid wastes only.

In 1981, 1369 AVS/DOC, 4392 TRNSS/LGTM, and Lockheed were the major sources of liquid wastes (44.1, 39.7, and 10.9 percent, respectively), followed by Federal Electric (1.8 percent), Fuels Lab & Det 41 (1.3 percent), 394 ICBMTMS (1.0 percent), USAF Hospital (0.7 percent), and Boeing (0.5 percent) (Figure 21). Projections for 1990 indicate that 59.7 percent of the total baseline liquid wastes will be generated by 1369 AVS/DOC; 26.9 percent by 4392 TRNSS/LGTM; 7.4 percent by Lockheed; and the balance by Federal Electric, Fuels Lab & Det 41, 394 ICBMTMS, USAF Hospital, and Boeing (2.4, 2.2, 0.7, 0.4, and 0.3 percent, respectively) (Figure 21).

The generators of solid waste are the 4392 TRNSS/LGTM, Federal Electric, Lockheed, Boeing, 394 ICBMTMS, and USAF Hospital (Figure 22). In 1981, the 4392 TRNSS/LGTM facility generated 73.6 percent of the total solid hazardous wastes, followed by Federal Electric and Lockheed (13.0 and 7.8 percent, respectively); Boeing, 394 ICBMTMS, and USAF Hospital generated only 4.1, 1.5, and 0.01 percent, respectively. In 1990, the 4392 TRNSS/LGTM is expected to generate 64.7 percent of the total baseline solid hazardous wastes, followed by Federal Electric (23.5 percent), and Lockheed (6.9 percent) (Figure 22). The balance of these wastes will be generated by Boeing (3.6 percent), 394 ICBMTMS (1.3 percent), and USAF Hospital (0.01 percent).

# 3. MAJOR TYPES OF WASTE

The Fuels Lab & Det 41 Facilities (Buildings 7422, 9320, and 11248) generate the following waste categories in the largest quantities (Figure 23):

- 1. Aviation fuel
- 2. Freon solvents
- 3. RP-1
- 4. Hydrazine
- 5. Trichloroethylene
- 6. Trichloroethane
- 7. Nitrogen Tetroxide
- 8. Lube oils
- 9. Sulfuric acid
- 10. Aerozine

- 11. Acetone
- 12. Carbon tetrachloride
- 13. Isopropanol
- 14. Petroleum ether
- 15. Nitric acid
- 16. Corrosive liquids, unspecified
- 17. Sodium hydroxide wastewaters
- 18. Methanol
- 19. UDMH




Figure 20. Physical state of hazardous waste generated by VAFB host base under baseline conditions.




Figure 21. Percent (by weight) of baseline-liquid hazardous waste generated by VAFB host base for the years 1981 and 1990.




Figure 22. Percent (by weight) of baseline solid hazardous waste generated by VAFB host base for the years 1981 and 1990.




Figure 23. Categories of baseline hazardous waste generated by Fuels Lab & Det 41 AFLC/MA (Buildings 7422, 9320, and 11248), given as percent by weight.

These wastes constitute 92.9 percent by weight of the total waste generation at Fuels Lab & Det 41. The remaining 7.1 percent consists of the following minor categories (Figure 23):

- 1. Methylene chloride
- 2. Hydrochloric acid
- 3. Photographic developer
- 4. Diesel fuel
- Reactive wastes unspecified
- 6. Chloroform
- 7. Chromium wastewaters

- 8. Methyl isobutyl ketone
- 9. Gasoline
- 10. Monomethyl hydrazine
- 11. Ethanol
- 12. Acetic acid
- 13. Benzene

Lockheed programs (Building 8310) generate the following major waste categories (Figure 24):

- 1. Nitric acid
- 2. Hydrazine/water wastes
- 3. Freon solvents
- 4. Rags, solvent/oily
- 5. Methyl ethyl ketone
- 6. Isopropanol
- 7. Dichloromethane
- 8. Lube oils
- 9. Methanol
- 10. Trichloroethane

The above wastes constitute 98.9 percent by weight of the total waste generation at this location. The first two categories jointly contribute 74.1 percent by weight of the total Lockheed-related major wastes generated. The remaining 1.1 percent is associated with the following minor categories (Figure 24):

- 1. Solvents, mixed or unspecified
- 2. Hydrazine
- 3. Battery wastes
- 4. UDMH

All wastes generated by Federal Electric programs (Building 9320) are associated with the following major categories (Figure 25):

- 1. Rags, solvent/oily
- 2. Chromium wastewaters
- 3. Dyna-brite wastes
- 4. Hydrofluoric acid
- 5. Oils, used
- 6. Paint thinners

The first four categories jointly contribute 82.1 percent by weight of the total hazardous waste generated at this facility.

Wastes generated by Boeing operations (Building 6523) can be grouped into both major and minor categories (Figure 26). The major categories constitute 98.2 percent by weight of the total wastes generated at this location, as follows:

- 1. Oils, used
- Battery wastes




Figure 24. Categories of baseline hazardous waste generated by Lockheed (Building 8310), given as percent by weight.

•




Figure 25. Categories of baseline hazardous waste generated by Federal Electric Corporation (Building 9320), given as percent by weight.




Figure 26. Categories of baseline hazardous waste generated by Boeing (Building 6523), given as percent by weight.

- 3. PCB solid wastes
- 4. Cyanide wastewaters
- 5. Methyl ethyl ketone
- 6. Rags, solvent/oily

The first two categories jointly contribute 80.3 percent of the total waste generation. The remaining 1.8 percent is contributed by the following minor waste categories (Figure 26):

- 1. Solvents, mixed or unspecified
- 2. Containers
- 3. Ammonia

The 4392 TRNSS/LGTM operations (Buildings 7501, 10700, 10711, 10721, 10721A, and 10721B) generate the following waste categories (Figure 27):

1. Oils, used

1

- 2. Oil/water wastes
- 3. Battery wastes
- 4. Solvents, mixed or unspecified
- 5. Rags, solvent/oily

The first four categories jointly contribute 99.96 percent by weight of the total waste generated.

The 394 ICBMTMS operations at Building 6601 and the launch facility generate both major and minor waste categories. The following major categories constitute 97.3 percent by weight of the total hazardous waste generation at these locations (Figure 28):

- 1. Lube oils
- Chromium wastewaters
- Containers
- 4. Dry-cleaning solvent
- 5. Methyl ethyl ketone
- 6. Sulfuric acid

The first two categories jointly contribute 81.0 percent by weight of the total waste generation. The following minor waste categories constitute 2.7 percent of the total hazardous waste generation at these locations (Figure 28):

- 1. Petroleum ether
- 2. Toluene
- Rags, solvent/oily
- 4. Acetone
- 5. Trichloroethylene
- 6. Isopropanol
- 7. PCB solid wastes

The first five waste categories jointly constitute 88.8 percent of the total minor wastes generated by the above programs.




Figure 27. Categories of baseline hazardous waste generated by 4392 TRNSS/LGTM (Buildings 7501, 10700, 10711, 10721, 10726A, and 10726B), given as percent by weight.




Figure 28. Categories of baseline hazardous waste generated by 394 ICBMTMS (Building 6601 and Launch Facility), given as percent by weight.

The 1369 AVS/DOC programs (Building 8314) generate only the following three major waste categories (Figure 29):

- Photographic developer
- 2. Photographic chemicals, miscellaneous
- 3. Photographic prehardener

These wastes constitute 46.6, 37.9, and 14.6 percent, respectively, of the total hazardous wastes generated at this location. The remaining 0.9 percent is contributed by the following minor categories (Figure 29):

- 1. Chloroform
- 2. Acetone
- 3. Ethylenediamine

These wastes constitute 0.4, 0.2, and 0.2 percent by weight, respectively, of the total 1369 AVS/DOC waste generation.

The USAF Hospital (Building 13850) generates only one major waste category, photographic developer, which constitutes 98.8 percent of the total waste generation at this location (Figure 30). The remaining 1.2 percent is associated with the following minor categories (Figure 30):

- 1. Chloroform
- 2. Ignitable wastes, unspecified
- 3. Mercury
- 4. Formaldehyde
- 5. Silver salts
- 6. Reactive wastes, unspecified

The first four categories jointly contribute 92.4 percent by weight of the total minor wastes generated by the USAF Hospital.

Basewide generation (percent by weight) of both major and minor hazardous waste categories for the years 1981 and 1990 is given in Figures 31 and 32, respectively. In both years, the wastes generated are associated with the following major categories:

- 1. Photographic developer
- Photographic chemicals, miscellaneous
- 3. Oils, used
- 4. Oil/water wastes
- 5. Battery wastes
- Solvents, mixed or unspecified

7. Photographic prehardener

•

(

- 8. Nitric acid
- 9. Hydrazine/water wastes
- 10. Rags, solvent/oily
- 10. Rags, solvent/oily
- 11. Lube oils
- 12. Freon solvents
- 13. Chromium wastewaters

Only the first four categories given above are listed in descending order according to quantities generated. In 1981, these four categories jointly contributed 62.7 percent of the total waste




Figure 29. Categories of baseline hazardous waste generated by 1369 AVS/DOC (Building 8314), given as percent by weight.




Figure 30. Categories of baseline hazardous waste generated by USAF Hospital at VAFB (Building 13850), given as percent by weight.




Figure 31. Categories of baseline hazardous waste generated by VAFB host base in 1981 (given as percent by weight).




Figure 32. Categories of baseline hazardous waste generated by VAFB host base in 1990 (given as percent by weight).

generated by the host base (Figure 31); in 1990, they are projected to constitute 66.9 percent (Figure 32).

The minor waste categories for the years 1981 and 1990 are as follows:

Trichloroethylene Dyna-brite wastes 13. 1. 14. Methanol Hydrofluoric acid 2. 15. Nitrogen tetroxide Aviation fuel 3. Ethylenediamine 16. 4. Isopropanol 17. Sulfuric acid Paint thinners 5. Aerozine 50 18. Methyl ethyl ketone 6. Carbon tetrachloride 19. Chloroform 7. 20. Containers Trichloroethane 8. Petroleum ether 21. Dichloromethane 9. 22. PCB solid wastes 10. Acetone Corrosive liquids, 23. RP-1 11. unspecified 12. Hydrazeine

The first four categories jointly contribute almost 40 percent of the basewide minor waste generation in the years 1981 and 1990.

# 4. HAZARDOUS AND ACUTELY HAZARDOUS WASTES

A breakdown of wastes into hazardous and acutely hazardous categories is shown in Figure 33. As shown, 6.3, 10.8, and 4.1 percent by weight of the wastes generated by Fuels Lab & Det 41, Boeing, and 1369 AVS/DOC, respectively, exhibit acutely hazardous properties; the remaining facilities do not generate wastes in this category.

Further investigations into annual generation of acutely hazardous wastes by the VAFB host base show that 1369 AVS/DOC generated 94.2 percent of these wastes in 1981, followed by Fuels Lab & Det 41 (4.3 percent), and Boeing (1.5 percent) (Figure 34). In 1990, 1369 AVS/DOC is projected to generate 93.9 percent of the acutely hazardous wastes, followed by Fuels Lab & Det 41 (5.4 percent), and Boeing (0.7 percent) (Figure 34).




Figure 33. Hazardous and acutely hazardous waste generated under baseline conditions by organization for VAFB host base (facilities not shown do not generate acutely hazardous waste).




Figure 34. Acutely hazardous waste generated by VAFB host base for the years 1981 and 1990.

## SECTION 7

# COMBINED INVENTORY FOR VAFB HOST BASE AND TENANTS

In view of the need to account for all hazardous wastes generated by the host base and its tenants at VAFB, the inventory of wastes generated by the host base, presented in the previous sections and in Appendix C of this report, is combined in this section with the inventories for SD-STS (1), SD-TAC (3), BMO (5), and NASA (Appendix D).

Table 17 is compiled to assist VAFB personnel in distinguishing between those host base and tenant programs that generate hazardous waste as a function of launch schedule, and those that generate waste on a yearly basis. Table 17 lists factors used to project baseline hazardous waste generated by different host base and tenant organizations for the years 1981 through 1990.

Among the organizations inventoried, the Component Cleaning Facility, Fuels Lab & Det 41, 1369 AVS/DOC, and Federal Electric anticipate an increase in annual waste generation with the start of STS launches at VAFB. Federal Electric, which anticipates an annual increase of 5 percent in waste generation prior to 1985, expects this rate to increase to 10 percent starting in 1985. The three other organizations expect a single step-function increase when STS becomes operational.

Tables 18 and 19 group VAFB hazardous wastes by EPA hazardous waste number for liquids and solids, respectively. Annual quantities of wastes generated during the period 1981 through 1990 are shown for the host base and each tenant, grouped as follows:

- SD-STS.
- SD-TAC.
- Host base.
- BMO.
- NASA.

Amounts are given in gallons for liquid wastes, and in pounds for solid wastes.

Tables 20 and 21 group the VAFB hazardous waste inventory by waste category for liquids and solids, respectively. Subtotals for the years 1981 through 1990 are given for the host base and each tenant under each waste category, along with totals for that

waste category. Grand totals for all waste categories combined are also shown for the host base and each tenant. For a summary of the quantities per unit time used to compile these tables, see Appendix E.

FACTORS USED TO PROJECT BASELINE HAZARDOUS WASTE GENERATION FOR THE YEARS 1981-1990 TABLE 17.

			Multiplicative Factor Used to Convert to Annual Quantities	cative	actor	sed to	Conver	t to An	nual Qu	antitie	S
Organization	Time Unit Used for Data Input	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
Space Division - STS	STS Launch	0	0	0	0	1	8	7	10	10	10
Space Division - Atlas	Atlas Launch	0	2	2	2	2	2		_	0	0
Space Division - Titan	Titan Launch	0	. 2	2	2	4	0	0	0	0	0
Space Division - Component Cleaning Facility	Year, 1982-84	-		1	-	1.5	1.5	1.5	1.5	1.5	1.5
Host Base - Fuels Lab/Det 41	Year, 1982-84	1	1	1	1	2.5	2.5	2.5	2.5	2.5	2.5
Host Base - Federal Electric	Year, 1982	-	1.05	1.10	1.16	1.27	1.40	1.54	1.69	1.86	2.05
Host Base - 1369 AVS/DOC	Year, 1982-84	1	1	1		2	2	2	2	2.	2
Host Base - Other Organizations	Year	1	1		-	-	-	-	-	-	
BMO - M-X Test Pad & Part of MMF	M-X Test Launch	0	0	4	4	4	7	12	12	12	9
BMO - Other M-X Test Facilities	Year	-	-	1	_	-	1	-	-	-	-
NASA - Delta	Delta taunch	0	2	0	0	0	0	0	0	0	0
NASA - TIROS/NOAA	NOAA Launch	0	1	,4	-	_		-	0	0	0
NASA - Shop & Paint Facilities	Year	0	-	-	-	-		_	0	0	0

SUMMARY BY EPA HUMBER OF BASELINE LIQUID HAZARDOUS WASTE GENERATION FOR YAFB HOST BASE AND TEHAHTS, 1981 - 1990 TABLE 18.

	and the same of th				CALL	GALLONS PER YEAR	AR			
ORGANIZATION	1981	1982	1983	1984	1985	1986	1987	1938	1989	1990
<u>D000</u> SPACE DIVISION - STS TOTAL - VAFB & TEMANTS	0.9	0.	00.	• •	370.0 370.0	1110.0	2590.0 2590.0	3700.0 3700.0	3700.0 3700.0	3700.0
<u>DOOL</u> SPACE DIVISION - STS SPACE DIVISION - TAC HOST BASE BMO - MX TEST FACS.	.0 .0 .14855.1	.0 1248.0 14867.1	2454.0 14879.7 8033.4	1248.0 14892.9	690.9 2052.0 15340.1	2072.7 444.0 15370.7	4836.3 222.0 15404.3	6909.0 222.0 15441.3	0.9	
HASA TOTAL - VAFB & TEMANTS	14855.1		261.0 25628.1	261.0		26256.8		8233.4 .0 30805.7	8233.4 .0 30624.4	8083.4 .0 30519.1
POUZ SPACE DIVISION - STS SPACE DIVISION - TAC HOST BASE BNO - NX TEST FACS. TOTAL - VAFB & TENANTS	365000,0 7973,7 0,0 372973,7	365202,0 7583,7 373185,7	365352,0 7994,2 8160,0 381506,2	365202,0 8005,2 8160,0 381367,2	1020456.6 547802.0 12448.8 8160.0	3061370.0 547602.0 12474.2 14280.0 3635726.0	7143196.0 547551.0 12502.3 24480.0	10204566.0 547551.0 12533.1 24480.0	10204566.0 547500.0 12567.0 24480.0	10204566.0 547500.0 12604.3 12240.0
<u>1003</u> Host Base Total - Vafb & Tenants	7.7	7.7	·		77	7.7	7.7	* *	7.7	77
<u>D007</u> SPACE DIVISION - STS HOST BASE TOTAL - VAFB & TENANTS	350.6 350.6	360.6 360.6	371.1	382.1 382.1	40.0 405.2 446.2	120.0 431.6 551.6	280.0 459.7 739.7	400.0 440.5 890.5	400.0 524.4 924.4	400.0 561.7 961.7
<u>Dúil</u> Host Base Tútal – Vafb & Temants	180.0 180.0	180.0 180.0	180.0 180.0	180.0 180.0	130.0 180.0	180.0	180.0 180.0	180.0	180.0	180.0 186.0
<u>0016</u> Host base Total - Vafb & Tenants	420.0 420.0	420.0	420.0	420.0 420.0	420.0 420.0	420.0 420.0	420.0 420.0	420.0	420.0 420.0	420.0 420.0
FOUL SPACE DIVISION - TAC HOST BASE TOTAL - VAFB & TEMANTS	330.0 32.2 362.2	330,0 32.2 362.2	330.0 32.2 362.2	330.0 32.2 362.2	495.0 79.0 574.0	495.0 79.0 574.0	495.0 79.0 574.0	495.0 79.0 574.0	495.0 79.0 574.0	495.0 79.0 574.0
E002 SPACE DIVISION - STS SPACE DIVISION - TAC HOST BASE BNO - MX TEST FACS, MASA TOTAL - VAFB & TENANTS	0. 6.68.0 0. 0. 6.68.0	.0 1210.0 668.0 .0 290.0 2168.0	1210.0 668.0 37.3 1915.3	.0 1210.0 668.0 37.3 37.3	1112.3 1210.0 785.0 37.3 31.44.6	3336.9 1210.0 785.0 37.3 5369.2	7786.1 605.0 785.0 37.3 9213.4	11123.0 605.0 785.0 37.3 12550.3	11123.0 .0 .785.0 37.3 .0	785.0 785.0 37.3 11945.3

ĺ

Ç

TABLE 18 (CONT.) SUMMARY BY EPA NUMBER OF BASELINE LIGUID HAZARDOUS WASTE GENERATION FOR VAFB HOST BASE AND TEMANTS, 1981 - 1990

					CALLU	GALLONS PER YEAR	R			
EPA NUMBER ORGANIZATION	1981	1982	1933	1984	1985	1986	1987	1988	1989	1990
E003	:				•	•	•		•	
HOST BASE	241.0	241.0	•		0.4	7 T	0.4	0.14	0.4	0.4
BMO - MX 1681 FHUS. TOTAL - VAFB & TENANTS	241.0	241.0	245.0	245.0	245.0	245.0	245.0	245.0	245.0	245.0
F 005	•	ć	ć	•	9	9	6	0 00 20	1 700 0	1 700 0
SPACE DIVISION - SIS	0.580	0.280	0.585	285.0	285.0	285.0	285.0	285.0	285.0	285.0
TOTAL - VAFB & TENANTS	285.0	285.0	285.0	285.0	415.0	675.0	1195.0	1585.0	1585.0	1585.0
E007	0 00525	0 00332	0 00532	36500.0	54750.0	54750.0	54750.0		54750.0	54750.0
JOTAL - VAFB & TENANTS	36500.0	36500,0	36500.0	36500.0	54750.0	54750.0	54750.0	54750,0	54750.0	54750.0
F009 SPACE DIVISION - TAC TOTAL - VAFB & TENANTS	36500,0 36500.0	36500.0 36500.0	36500.0 36500.0	36500.0 36500.0	54750.0 54750.0	54750.0 54750.0	54750.0 54750.0	54750.0 54750.0	54750,0 54750.0	54750.0 54750.0
F017 SPACE DIVISION - STS TOTAL - VAFB & TENANTS	0.0	0.0	0.0	0.0	13.5	40.5 40.5	94.5 94.5	135.0	135.0	135.0
F002 HOST BASE TOTAL - VAFB & TENANTS	12.0	12.0	12.0	12.0	12.0 12.0	12.0	12.0	12.0	12.0	12.0
<u>KOS1</u> HOST BASE TOTAL - VAFB & TENANTS	6000.0	6000.0	6000.0	6000.0	6000.0	6000.0	6000.0	6000.0	6000,0 6000,0	6000.0 6000.0
<u>P030</u> H0ST BASE T0TAL - YAFB & TENANTS	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0 13.0	13.0 13.0
<u>р 053</u> Host Base Total – Vafb & Tenahts	848.0 848.0	848.0 848.0	848.0 848.0	848, 0 848, 0	1696.0	1696.0 1696.0	1696.0 1696.0	1696,0 1696,0	1696.0 1696.0	1696.0 1696.0
PU68 SPACE DIVISION - STS	0.	•	0	0.	3341.4	10024.2	23389.8			33414.0
HUST BASE TOTAL - VAFB & TENANTS		C1 C1	44	. <u></u>	3.0 3344.4	3.0 10027.2	23332.8	33417.0	33417.0	33417.0
P078 HOST BASE TOTAL - VAFB & TEMANTS	39.0 39.0	39.0 39.0	39.0 39.0	39.0 39.0	75.0 75.0	75.0	0'52'0'52'	75.0	75.0	75.0 75.0
POSO SPACE DIVISION - STS SPACE DIVISION - TAC	ē. <b>.</b>	4.6 4.6	0. T	0. 4.6	419.3 9.2	1257.9	2935.1	4193.0	4193.0	4193.0
VAFB & TEN	<b>.</b> .	140. Ü 144.6	0. 11.	. 4 . 6	.0 428.5	1257.9	2935.1	4193.0	4193.0	4193.0

TABLE 18 (COHT.) SUMMARY BY EPA NUMBER OF BASELINE LIQUID HAZARDOUS WASTE GENERATION FOR YAFB HOST BASE AND TENANTS, 1981 - 1990

						GALLI	GALLONS PER YEAR	AR			
	EPA NUMBER ORGANIZATION	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
	<u>ujoor</u> Host base Total - Vafb & Tenants	87.0 87.0	87.0 87.0	87.0 87.0	87.0 87.0	183.0	183.0 183.0	183.0 183.0	183.0 183.0	183.0	183.0 183.0
benjne	U019 HOST BASE TOTAL - VAFB & TENANTS	7.7	7.7	77	7.7	йй	йü	બંબં	úú	ળંબં	ભાળ
Ca G.O.	<u>U032</u> HOST BASE TOTAL - VAFB & TEMANTS	0.0 4.4	01 01 4.4.	0 V 4 4	9 9 4 4	6.0	6.0	6.0	6.0	9 9 0 . 9	6.0 6.0
	U044 HOST BASE TOTAL - VAFB & TENANTS	63.4	63.4 63.4	63.4	63.4 63.4	127.0	127.0	127.0	127.0	127.0 127.0	127.0
	<u>U080</u> HOST BASE TOTAL - VAFB & TENANTS	116.0	116.0	116.0	116.0 116.0	125.0	125.0 125.0	125.0	125.0	125.0 125.0	125.0 125.0
114	U098 SPACE DIVISION - TAC HOST BASE TOTAL - VAFB & TENANTS	.0 1242.0 1242.0	12.2 1242.0 1254.2	30.5 1242.0 1272.5	12.2 1242.0 1254.2	24.4 1260.0 1284.4	.0 1260.0 1260.0	.0 1260.0 1260.0	.0 1260.0 1260.0	.0 1260.0 1260.0	,0 1260.0 1260.0
Formoldohyde TO	19122 16 HOST BASE TOTAL - VAFB & TEHANTS	10800.4	10800.4	10800.4	10800.4	21600.4	21600.4	21600.4 21600.4	21600.4 21600.4	21600.4 21600.4	21600.4 21600.4
Holayin	U133 SPACE DIVISION - STS SPACE DIVISION - TAC HOST BASE HASA TOTAL - VAFB & TENAHTS	. 0 1064.0	402.0 1064.0 5055.0 6521.0	1005.0 1064.0 55.0 2124.0	.0 402.0 1064.0 55.0	107.6 804.0 1172.0 55.0	322.8 .0 1172.0 55.0	753.2 .0 1172.0 55.0	1076.0 1172.0 2248.0	1076.0 0 1172.0 2248.0	1076.0 1172.0 2248.0
HF	U134 Hûst Base Tûtal Vafb & Tenants	200.0	210.0	220.5	231.5	254.7	280.1 280.1	308.2	339,0 339,0	372.9 372.9	410.2
th of	<u>uisi</u> Total - Vaf <b>b &amp;</b> Tenants	€.	<b>o</b> .	۰.	°.	€.	0.	0.	о.	0.	0.
methand	U154 SPACE DIVISION - TAC HOST BASE TOTAL - VAFB & TENANTS	.0 122.0 122.0	672.0 122.0 794.0	1630.0 122.0 1302.0	672.0 122.0 794.0	1344,0 140.0 1484.0	140.0 140.0	. 0 140. 0 140. 0	.0 140.0 140.0	. 0 140.0 140.0	140.0
MEK	U159 SPACE DIVISION - STS SPACE DIVISION - TAC HOST BASE TOTAL - VAFB & TENANTS	.0 .0 .27.0 .27.0	4.0 4.0 27.0 31.0	4.0 27.0 31.0	9, 4, 0 27, 0 31, 0	157.1 4.0 27.0 188.1	471.3 4.0 27.0 502.3	1099.7 2.0 27.0 1128.7	1521.0 2,0 27.0 1600.0	1571,0 .0 27,0 1598.0	1571.0 .0 .27.0 1598.0

ζ

TABLE 18 (CONT.) SUMMARY BY EPA HUMBER OF BASELINE LIGUID HAZARDOUS WASTE GENERATION FOR VAFB HOST BASE AND TENANTS, 1981 - 1990

EPA HUMBER ORGANIZATION U16.1 HUST BASE TOTAL - VAFB & TENANTS	1861	1982	£ 0.6	700	1			0		
U16.1 HUST BASE TOTAL - VAFB & TENANTS U185			15,55	1204	1985	1986	1987	886.1	1989	1990
TOTAL - VAFB & TENANTS	2.4	2.4	9.9	2.4	6.0	6.0	6.0	6.0	6.0	6.1
0185	9.4	2.4	2.4	2.4	6.9	6.9	6.0	6.0	6.0	6.0
HUST BASE TOTAL - VAFB & TENANTS	180.0	180.0	180.0 180.0	130.0 180.0	180.0	180.0	180.0	180.0	180.0	180,0
UZII HOST BOSE	12.0	12,0	12.0	12.0	30,0	30.0	30.0	30.0	30.0	30.0
TOTAL - VAFB & TENAHTS	12.0	12.0	12.0	12.0	30.0	30.0	30.0	30.0	30.0	30.0
<u>U220</u> HOST BASE	3.0	3.0	3,0.	3.0	3.0	3.0	3.0	3.0	3.0	3.0
TOTAL - VAFB & TEMANTS	3.0	3,0	3.0	3.0	3.0	3,0	3.0	3.0	3.0	3.0
Not Listed SPACE DIVISION - STS	0.6	0.0000	0.	0.00000	117300.0	351900.0	821100.0	0.0006711	1173000.0	1173000.0
HOST BASE	8236.0	8236.0	8236.0	8236.0	12695.0	12695.0	12695.0	12695.0	12695.0	12695.0
BMO - MX TEST FACS.	0.	0.	24.8	24.8	24.8	43.4	74.4	74.4	74.4	37.5
TOTAL - VAFB & TENANTS	8236.0	88236,0	208260.8	88560.8	290019.8	364638.4	833869.4	1185769.4	1183769.4	1185732.2

TABLE 19. SUMMARY BY EPA NUMBER OF BASELINE SOLID HAZARDOUS WASTE GEHERATION FOR VAFB HÖST BASE AND TEHANTS, 1981 - 1990

Part						POUNDS	POUNDS PER YEAR				
FIGHTS 226.5	ORGANIZATION	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
STATE   STAT					•						
FIGURES 12169-5 12269-5 1237-1 12101-3 51569-7 73671-0 72671-0	HUSI BASE TOTAL - VAFB & TEMANIS	226.5		226.5	226.5	226.5	226.5	226.5	226.5	226.5	
- SIS - TAC					1	2	2.012	2,032	246.3	526.3	
- STS	SPACE DIVISION	c	٠	•	•		;	į			
FACS.  12169:5 12329:5 12497:5 12673:8 1704.4 13451.7 13900:1 14737.2 14935.6 14937.6 12680:1 14681.0 13769.0 1769.1 14737.2 14937.6 12680:1 14661.0 1706.4 13451.0 17760.4 13451.0 17760.1 17760.4 13451.0 17760.1 17760.4 13451.0 17760.1 17760.4 13451.0 17760.1 17760.4 13451.0 17760.1 17760.4 13451.0 17760.1 17760.4 1462.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17760.0 17740.0 177	1	9.6		0.3500	0.00	7367.1	22101.3	51569.7	73671.0	•	73671.0
FIGURES: 12169.5 13285.1 18054.1 1719.4 28608.1 3340.2 6 69386.5 91951.0 92375.6 18081.1 18054.1 1719.4 28608.1 3340.2 6 69386.5 91951.0 92375.6 18081.1 18054.1 1719.4 28608.1 3340.2 6 69386.5 91951.0 92375.6 18081.1 18054.1 1719.4 28608.1 3340.2 6 69386.5 91951.0 92375.6 18081.1 19054.1 1719.4 28608.1 18052.6 18058.0 18059.		12169.5	_	12497.5	10672	13044 4	233.6	17000	8.71.		0.
FIRMITS 12169.5 13285.1 18054.1 17150.4 25608.1 33402.6 69356.5 91951.0 92375.5 EMANTS 0 0 0 54.0 162.0 378.6 59356.5 91951.0 92375.5 EMANTS 0 0 0 54.0 162.0 378.0 540.0 540.0 540.0 0 0 0 54.0 162.0 378.0 540.0 540.0 540.0 0 0 0 54.0 162.0 378.0 540.0 540.0 540.0 0 0 0 54.0 162.0 378.0 540.0 540.0 540.0 0 0 0 54.0 1862.0 1988.0 540.0 540.0 540.0 0 0 0 186.0 186.0 1988.0 540.0 540.0 540.0 0 0 0 0 186.0 186.0 18676.0	BMO - MK TEST FACS.	9	•	3521.0	3521.0	3521.0	3614.0	3769.0	3769.2		10032.1
- STS	TOTAL - VAFB & TEHANTS	12169.5	13285	18024,1	17150.4		39402.6	9356	91951.0		92766.1
- STS 0											
- STS	DIVISION -	0.	0	0.	•.		162.0	_	540.0	540.0	540.0
- STS	IDIAL - VAFB & JENANIS	<b>o</b> .	0.	0	°.		162.0	_	540.0	540.0	540.0
- STS - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -											
STATE   STAT	- NOISI	0.		0.	0.	284.0	852.0				2840.0
- STS 0 0 0 0 0 0 0	TOTAL - VAFR & TEMONIA	334,0	334.0	334.0	334,0	334.0	334.0				334.0
HANTS   18676.0   18676.		0.400	334.0	334.0	334.0	618.0	1186.0	-		-	3174.0
- STS - 0											
18676.0   19676.0   1967	SPACE DIVISION - STS	•	0.	0.	0.	ស	15.0		50.0	50.0	50.0
HANTS   18676.0   18676.		•	₽.	÷.		o.	15.0		56.0	50.0	50.0
HANTS   18676.0   17676.0   17676.	<u>6000</u>										
- STS - 0		18676.0	18676.0	18676.0	18676.0	18676.0	13676.0	18676.0	13676.0	18676.0	18676.0
- STS		18676.0	18676.0	18676.0	18676.0		18676.0	18676.0	18676.0		18676.0
- STS	:										
- STS	ISION -	0	9	Θ.	0.	90.06	270,0				900.0
- STS - 0 - 0 - 0 - 10.0 - 30.0 - 70.0 - 100.0	HOST BHSE	٠. د		5.			<del>ا</del> .5	_:	. t		
- STS	TOTHE - VHFB & LENHINS	c		٠. ت	-		271.5		5	•	901.5
- STS - 0											
- STS .0 .0 .0 .0 .0 .0 .0 .00 .00 .00 .00 .	- NOISIAIG	0.	0.	G.	0.	10.0	30.0	0	100.0	100.0	100.0
- STS		<b>.</b>	0.	e.	0.	10.0	30.0	Ö.	100.0	100.0	100.0
- STS .0 .0 .0 .0 63.0 189.0 441.0 630.0 630.0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	F017										
MANIS .0 .0 .0 .0 63.0 189.0 441.0 630.0	- NOISINI	0.	o.	0.		63.0		441.0	630.0	630.0	630.0
- STS 0 .0 .0 .0 .0 1304.5 3913.5 9131.5 13045.0 13045.0 13045.1 13045.1 13045.1 13045.1 13045.1 13045.1 13045.1 13045.1 13045.1 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 13007.0 16416.0 21634.0 25547.5 25547.5 25547.	TOTAL - VAPE & LENGHIS	0.	ο.	0.		63.0		441.0	630.0	630.0	630.0
- STS .0 .0 .0 .0 .0 1304.5 3913.5 9131.5 13045.0 13045.0 13045 13045.1 13045.0 13045.1 13045.1 13045.1 13045.1 13045.1 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 12502.5 13807.0 16416.0 21634.0 25547.5 25547.											
12502.5 12502.5 12502.5 12502.5 13807.0 16416.0 21634.0 25547.5 25547.5 25547.5 25547.5	1	0. 0.0000	0.	Q	0.	1304.5	3913.5	9131.5	13045.0	13045.0	13045,0
74007 0:24007 0:24007 0:40017 0:4100 0:1000 0:4007	TOTAL - VAFB & TEMANTS	12502.5	12502.5	100000	12502.3	12502.5	12502:5	12502.5	12502.5	12502.5	12502.5
			-		0.300.7	130001	0.0	N + 1 0 1 7	N004C.0	25547.5	25547.5

PCB-contaminated wastes are specially regulated under Code of Federal Regulations 40 CFR 761. They are not listed in RCRA.

Ê

(

SUNMARY OF BASELINE LIQUID WASTE GENERATION FOR VAFB HOST BASE AND TENANTS BY WASTE CATEGORY FOR 1981 - 1990 1ABLE 20.

					CALLONS	GALLONS PER YEAR				
WASTE CATEGORY ORGANIZATION	1981	1982	1933	1984	1985	1986	1987	1938	1989	1990
AB - ACETIC ACID HOST BASE . TOTAL - VAFB & TENANTS	ā.ĕ.	જં.સં			 ຄ.ບ.	 8.0	- <del>-</del> & :	- <del>-</del> -	 5.5.	1,5 6,1
<u>AC - ACETONE</u> HOST BASE TOTAL - VAFB & TENANTS	87.0 87.0	87.0 87.0	87.0 87.0	87.0 87.0	183.0 183.0	183.0 183.0	183.0 183.0	183.0 183.0	183.0 183.0	183.0 183.0
AJ - AEROZINE 50 HOST BASE TOTAL - VAFB & TENANTS	51.0 51.0	51.0 51.0	51.0 51.0	51.0	87.0 87.0	87.0 87.0	87.0 87.0	87.0 87.0	87.0 87.0	87.0 87.0
AM - ALCOHOLS, UNSPECIFIED HOST BASE TOTAL - VAFB & TENANTS	0.1	0	0.1	0.0	1.0	0.0	1.0 1.0	0.1	1.0	1.0
AP - ALGACIDES, UNSPECIFIED HOST BASE TOTAL - VAFB & TENAUTS	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0	120.0 120.0	120.0
AU - AUMONIA SPACE DIVISION - STS HOST BASE TOTAL - VAFB & TEMANIS	0	• <del></del>	9.7.7	°	0.01	30.0 .1 30.1	70.0 .1 70.1	100.0	100.0	100.0
8G - BATTERY WASTES HOST BASE TOTAL - VAFB & TENANTS	1213.0 1213.0	1213.0	1213.0	1213.0	1213.0	1213.0	1213.0	1213.0	1213.0	1213.0
BJ - BENZENE HOST BASE TOTAL - VAFB & TENANTS	77	7.7	7.7	7.7.	બંબં	а́ы́	બંબ	oi cá	બંબં	ળંબં
BR - BIOCIDES, UNSPECIFIED HOST BASE TOTAL - VAFB & TENANTS	2340.0 2340.0	2340.0 2340.0	2340.0 2340.0	2340.0 2340.0	2340.0 2340.0	2340.0 2340.0	2340.0 2340.0	2340.0 2340.0	2340.0 2340.0	2340,0 2340,0
CD - CARBON TETRACHLORIDE HOST BASE TOTAL - VAFB & TEMANTS	12.0	12.0	12.0	12.0	30.0 30.0	30.0 30.0	30.0 30.0	30.0	30.0 30.0	30.0 30.0
CH - CELLOSOLVE SOLVENTS SPACE DIVISION - STS TOTAL - VAFB & TEMANTS	0.0	÷.	a	0.	ବ୍ୟୁ ବ୍ୟୁ ବ୍ୟୁ	89.7 89.7	209.3	299.0 249.0	299.0	299.ŭ 299.ŭ
CK - CHLOROFORM Host Base Total - Vafb & Tenants	63.4 63.4	63.4 63.4	63.4 63.4	63.4 63.4	127.0	127.0	127.0	127.0	127.0	127.0

TABLE 20 (CONT.) SUMMARY OF BASELINE LIQUID WASTE GENERATION FOR VAFB HOST BASE AND TENANTS BY WASTE CATEGORY FOR 1981 - 1990

j

	!					V					
0661	400.0 54750.0 567.7 55717.7	28.0 12240.0 12268.0	54750.0 13.0 54763.0	420.0 420.0	10192642.0	19585.0	110.0	25.0 25.0	410.2	35700.0 35700.0	3.0
1989	400.0 54750.0 530.4 55680,4	28.0 24480.0 24508.0	54750.0 13.0 54763.0	420.0 420.0	10182642.0	19585.0	110.0	25.0 25.0	372.9 372.9	35700.0 35700.0	9.0 8.0
1988	400.0 54750.0 496.5 55646.5	28.0 24480.0 24508.0	54750.0 13.0 54763.0	420.0	10182642.0	19585.0	110.0	25.0 25.0	339.0 339.0	35700.0 35700.0	3,0 3,0
1987	280.0 54750.0 465.7 55495.7	28.0 24480.0 24508.0	34750.0 13.0 54763.0	420.0	7127850.0 1 .0 7127850.0 1	19585.0 19585.0	110.0	25.0 25.0	308,2	24990.n 24990.6	0.8 0.8
GALLONS PER YEAR	120.0 54750.0 437.6 55307.6	28.0 14280.0 14308.0	54750.0 13.0 54763.0	420.0 420.0	3054793.0 .0 3054793.0	19585.0 19585.0	110.0	25.0 25.0	280.1 280.1	10710.0	3,0 3,0
1982 1985	40.0 54750.0 .412.2 55202.2	28.0 8160.0 8188.0	54750.0 13.0 54763.0	420.0	1018264.4 160000.0	19585.0	110.0	25.0 25.0	254.7	3570.0 3570.0	0°E
1984	36500.0 384.5 36884.5	11.8 6160.0 8171.8	36500.0 13.0 36513.0	420.0	0. 80000. 800000.	10001.0	110.0	25.0 25.0	231.5	0.0	2.2.
1983	,0 36500,0 373.5 36873.5	11.8 8160.0 8171.8	36500.0 13.0 36513.0	420.0	.0 200000.0 200000.0	10001.0	110.0	25.0 25.0	220.5 220.5	0.0	<u></u>
1982	36500,0 363,0 36863,0	2	36500,0 13.0 36513.0	420.0 420.0	0. 0.00008 0.00008	10001.0	110.0	25.0 25.0	210.0	0.0	
1981	36500.0 353.0 36853.0	ECIFIED 11.8 .0	36500.0 13.0 36513.0	420.0	0.0.0	10001.0	110.0	25.0 25.0	200.0	00	
WASTE CATEGORY ORGANIZATION	CH - CHRONIUM WASTEWATERS SPACE DIVISION - STS X SPACE DIVISION - TAC HOST BASE TOTAL - VAFB & TENANTS	CV - CORROSIYE LIQUIDS, UNSPECIFIED HOST BASE 11 BHO - MX TEST FACS. TOTAL - VAFB & TEMANTS 11	CN - CYANIDE WASTEWATERS  K SPACE DIVISION - TAC HOST BASE TOTAL - VAFB & TENANTS	UB - 2,4-D HOST BASE TOTAL - VAFB & TEMANTS	DE - DELUGE WATER SPACE DIVISION - STS SPACE DIVISION - TAC LOTAL - VAFB & TENANTS	<u>pi - Developer, Photographic</u> Host rase Total - Vafb & Tenants	ON - DICHLOROMETHANE HOST BASE TOTAL - VAFB & TEMANTS	DV - DRY CLEANING SOLVENT HOST BASE TOTAL - VAFB & TENANTS	DY - DYNA-BRITE WASTES HOST BASE TOTAL - VAFB & TEMANTS	EC - EEW&S WASTEWATERS SPACE DIVISION - STS TOTAL - VAFB & TEMANIS	EH - ETHABOL HOST BASE TOTAL - VAFB & TENANTS

(

(

€,

118

TABLE 20 (CONT.) SUMMARY OF BASELINE LIQUID WASTE GENERATION FOR VAFB HOST BASE AND TENANTS BY WASTE CATEGORY FOR 1991 - 1990

						CALLONS	IS PER YEAR	~			
	WASTE CATEGORY ORGANIZATION	1991	1982	1983	1984	1985	1986	2661	1938	1989	1990
	EQ - ETHYLENEDIAMINE HOST BASE TOTAL - VAFB & TENANTS	48.0 43.0	48.0 48.0	48.0 48.0	48.0 43.0	96.0 96.0	96.0	96.0 96.0	96.0 96.0	96.0 96.0	96.0 96.0
	FJ - FORMALDEHYDE HOST BASE TOTAL - VAFB & TENANTS	<del>7. 4.</del>	4.4	यं यं	4.4.	₹.	4.4.	<del>प</del> य	. 4.	4. 4.	<del>प</del> गं
	FR - FREOM SOLVENTS SPACE DIVISION - STS HOST BASE MASA TOTAL - VAFB & TEMANTS	.0 388.0 .0 388.0	388.0 200.0 588.0	388.0 388.0 388.0	388.0 388.0 388.0	460.0	1200.3 460.0 .0	2800.7 460.0 .0 3260.7	4001.0 460.0 .0 4461.0	460.0 460.0 .0 4461.0	460.0 466.0 .0 4461.0
	FW - FUEL, AVIALION HOST BASE TOTAL - VAFB & TENANTS	126.0 126.0	126.0 126.0	126.0 126.0	126.0	315,0 315,0	315.0	315.0	315.0 315.0	315.0 315.0	315.0 315.0
	EX - FUEL, DIESEL HOST BASE TOTAL - VAFB & TENANTS	6.0	6.0	6.0 6.0	6.0 6.0	15.0	15.0	15.0	15.0	15.0 45.0	15.0 0.0
	<u>GC – GASOLINE</u> HOST BASE TOTAL – VAFB & TENANTS	9.9 4.4	01 01 4.4	01 01 4.4	4.4 4.4	6.0	6.0 6.0	6.0 6.0	0.9	6.0 6.0	6.0 6.0
	HC - HEPTANE SPACE DIVISION - STS TOTAL - VAFB & TENANTS	9.9	0.0	0.0	00	29,9 29,9	89.7 89.7	209.3 209.3	299.0 299.0	299,0 299.0	299.0 299.0
	HE - HERBICIDES, UNSPECIFIED HOST BASE TOTAL - VAFB & TENANTS	1200.0 1200.0	1200.0	1200.0 1200.0	1200.0 1200.0	1200.0 1200.0	1200.0 1206.0	1200.0	1200.0 1260.0	1200.0	1200.0 1200.0
1	HI - HYDRAULIC FLUID SPACE DIVISION - STS BNO - MX TEST FACS, TOTAL - VAFB & TENANTS	000	0.00	0. 0.0902 7060.0	.0 7060.0 7060.0	102,5 7060.0 7162,5	307.5 7060.0 7367.5	717.5 7060.0 7777.5	1025.0 7060.0 8085.0	1025.0 7060.0 8085.0	1025.0 7060.0 8085.0
(	HM - HYDRAZINE SPACE DIVISION - STS SPACE DIVISION - TAC HOST BASE TOTAL - VAFB & TEMANTS	4 4 0	2.0 49.0 51.0	. 6 . 6 . 6 . 6 . 6	2.0 49.0 51.0	121.0 232.6	322.8 .0 121.0 443.8	753.2 .0 121.0 874.2	1076.0 121.0 1197.0	1076.0 .0 .121.0 1197.0	1076.0 .0 121.0 1197.0
	HO - HYDRAZINE SCRUBBER LIGUOR SPACE DIVISION - STS SPACE DIVISION - TAC TOTAL - VAFB & TEMANTS	0.0.0	202.0 202.0 202.0	352,0 352,0	.0 202.0 202.0	1060.0 302.0 1362.0	3180,0 102,0 3282,0	7420.0 51.0 7421.0	10600,0 51.0 10651.0	10600.0 .0 10600.0	10600,0 ,0 10600,0

TABLE 20 (CONT.) SUMMARY OF BASELINE LIQUID WASTE GENERATION FOR VAFB HOST BASE AND TENANTS BY WASTE CATEGORY FOR 1981 - 1990

Moste Calego				***************************************	CALL	CALLONS PER YEAR	AR			
ORGANIZATION	1981	1982	1933	1984	1985	1986	1987	1983	1989	1990
HO - HYDRAZINE/WATER WASTES SPACE DIVISION - STS	o.	=		e	9 0011	0722	0.707		1	1
t	0	400.0	1000	400.	800.0			0.00211	0.206.0	11200.0
HOST BASE	2193.0	2193.0	2193	2193.0	2193.0	2193	2193.0	2193.0	2193.0	2193.0
TOTAL - VAFB & TENANTS	2193.0	7648.0			4168.0	56.08.	10088.0	0.56551	0.2393.0	0.
HW - HYDROCHLORIC ACID HOST BASE	9.9	9.9	9.9							
TOTAL - VAFB & TENANTS	9.9	9.9	9.9	9.9	9	16.5	16.5	16.0	16.5	16.5
HX - HYDROFLUGRIC ACID HOST BASE TOTAL - VAFB & TEMANTS	200.0	210.0	220,5	231.5	254.7	280.1	308.2	339.0	372.9	410.2
			7.0.2	7	2.4.5	780.1	3.808		3/2.9	-0
10 - IGNITABLE WASTES, UNSPECIFIED HOST BASE TOTAL - VAFB & TENANTS	1.0 1.0	0.0	00.			0.0	1.0	0 1 1	0. 0.	- <del>-</del>
IK - INSULATION WASTES, LIGUID SPACE DIVISION - STS TOTAL - VAFB & TENANTS	<b>0</b>	<b>.</b> .	00.	••	50.0	150.0	350.0 350.0	500,0 500.0	500.0 500.0	500.0 500.0
IN - INSULATION WASTEWATERS SPACE DIVISION - STS TOTAL - VAFB & TEMANTS	0.0.	0.0.	0.0		48960.0	146880.0 146880.0	342720.0 342720.0	489600.0 489600.0	489600.0	489600.0
1V - ISOPROPANOL	•									
HOST RASE	0.100	904.0	2010.0	804.0			- (		0.	•
KnsA	0.	255.0	55.0	55.0	10 .0 10 .0	55.0	272.0		272,0	272.0
TOTAL ~ VAFB & TENANTS	241.4	1300.4	2306.4	1100.4		327.0	327.0	272.0	272.0	272.0
	433.5	433.5	433,5	433,5	487.5	487.5	487.5	487,5		4 7 7
1010 - NX TEST FACS.	0.1	0.	96.0	86.0	86.0	88	86.0	86.		96.0
-		G . 9 9 ¢	0.6	0.610	573.5	573.5		573.5	573.5	573.5
MF - MERCURY Total - Vafb & Tenants	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
NH - NETHANOL SPACE DIVISION - TAC	0.	672.0	1630.0	672.0	1344.0	0.	0 -	•	0.	
HOST BASE TOTAL - VAFB & TENANTS	122.0	122.0 794.0	122.0 1802.0	122,0	140.0	140.0	140.0	140.0	140.0	140.0
MO - METHYLENE CHLORIDE SPACE DIVISION - STS	5	c		c	e F	r iii				
	6.0	6.0	9.9	6.9	13.0	15.0	15.0	0.0105 0.001 0.001	3510.0	3514.0
TOTAL - VAFB & TENANTS	6.0		6.0	6.0	366.0	1068.0	2472.0	3525.0		3525.0

TABLE 20 (COHT.) SUMMARY OF BASELINE LIQUID WASTE GENERATION FOR VAFB HOST BASE AND TEMANTS BY WASTE CATEGORY FOR 1981 - 1990

					CALLO	GALLONS PER YEAR	2			
WASTE CATEGORY ORGANIZATION	1981	1982	1983	1984	1985	1986	1987	1988	1939	1990
MS - METHYL ETHYL KETONE CHEK?		. '	•	. '						
SPACE DIVISION - SIS	9.5	. 4	. 4	9.9	2,4	0 . 4 0 . 4	203.0	0.062	0.06%	0.062
HOST BASE	247.0	247.0	247.0		247.0	247.0		247.0	247.0	247.0
TOTAL - VAFB & TENANTS	247.0	251.0	251.0	251.0	230.0	338.0	452.0	539.0	537.0	537.0
MU - METHYL ISOBUTYL KETONE (MIBK) HIGT BASE	CMIBK) 67.4	67.4			71.0	71.0			71.0	71.0
TOTAL - VAFB & TENANTS	67.4	67.4	67.4	67.4	71.0	71.0	71.0	21.0	71.0	71.0
NX - MM (MONOMETHYL HYDRAZINE)	NE >	C	9	5	4 - 4	6.404	# 686	1414.0	1414.0	1414.0
HOST BASE	? e.	-		. 5.	3.0	3.0	3.0		٠.	
TOTAL - WAFB & TEMANTS	2.	1.2	1.2	1.2	•	427.2	992.8		1417.0	1417.0
ME - NITRIC ACID HOST BASE TOTAL - VAFB & TENANTS	2046.0 2046.0	2046.0 2046.0	2046.0 2046.0	2046.0 2046.0	2082.0 2082.0	2082.0 2082.0	2082.0 2082.0	2082.0 2082.0	2082.0 2082.0	2082.0 2082.0
HK - NITROGEN TETROXIDE SPACE DIVISION - STS	0.	•	0.		79.3	. 237.9	555.1	793.0	793.0	793.0
SPACE DIVISION - TAC HOST BASE	39.0	39.6	39.6	39.0	75.0	25.0	75.0			75.0
TOTAL - VAFB & TENANTS	39.0	43.6	50.5	m.	163.5	312.9	630.1	. 868.0	868.0	868.0
OD - OIL/WATER WASTES HOST BASE	6,000,0	6000.0	6000.0	600000	6.000.0	6000.0	600000	6,000.0	6.000.0	6000.0
TOTAL - VAFB & LENANIS	6.000.0	6,000	0.000	0.0004	6000.0	0.000	0.0004	6 J J J J J	0.000	
OG - OILS, USED SPACE DIVISION - STS	0.	9.4		. 4	11. 9.4	33.6	78.4	112.0	112.0	112.0
SPHCE DIVISION - INC HOST BASE	11009.0	11015.5	11022.3		11044.5	11061.1	11079.3	11099.3	11121.4	111145.6
BNO - NX TEST FACS. TOTAL - VAFB & TEMANTS	11009.0	11019.5	437.4	437.4	437.4	437.4	437.4	437.4	437.4 11670.8	437.4
OH - OILY WASTES, GENERAL	G		0.000	0.000	0.000	200.0	200.0	0,	0.	a
TOTAL - VAFB & TENANTS		200.0	200.0	200.0	200.0		200.0	0.	. ÷	0.
OX - OXIDIZER/WATER WASTES  SPACE DIVISION - STS	0.	0.	0.	0.	340.0	1020.0	2380.0	3460.0	3400.0	3400.0
HASA Total - Vafb & Temants	9.0		<u></u>	e e .	340.0	1020.0	2380.0	34(0.0	3400.0	3400.0
PC - PAINT STRIPPERS HOST BASE TOTAL - VAFB & TENANTS	60.0 60.0	60.0 60.0	60.0 60.0	60.0 60.0	60.0 60.0	60.0 60.0	60.0	60.09	60.0	60.0 60.0

TABLE 20 (CONT.) SUMMARY OF BASELINE LIQUID WASTE GENERATION FOR VAFB HOST BASE AND TEMANTS BY WASTE CATEGORY FOR 1981 - 1990

	į																									F		
1990		0 4.0		659.6		137.0	130.0	37.2	304.2	ū	3451.0	ı	65.0	15780.0	0.00	23.0		6000.0	- 0			150.0	,	0.			40000.0	
1989	ł	6.07.1	60.0	669.1			130.0	74,4		ī			65.0	15780.0		23.0		6000.0	-		0.081	150.0	•	o. «	? e.		40000.0	
1983		588.4	6	0,		137.0	130.0	4.4	÷ .	_	3451.0	U	65.0	15780.0		23.0 23.0		6000.0		. <del>.</del> . 6	e : 0:51			220.0	220.0		40006.0 40006.0	
985 1936 1987	•	127.13	60.0	632,9			130.0	4.4.4	•	4 10	2415.7	t	65.0	15780.0		16.1		6000.0	<del>-</del>	9.1		150.0	6	0.022	220.0		28000.0 28000.0	
1986		556.1	35.0	2,165		41.1	130.0	4.4	) - V	1035.3	1035,3	u	65.0	15780.0		6.9		6000.0 6000.0	1.6	9.1	150.0	150.0		0 · 0 · 0	440.0		12000.0	
1985	c	542.1	20.0	562.3		13.7	130.0	24.8	2	345	345.1		65.0	15780.0		2,3		6000.0 6000.0	9.1	9.1	Ġ.	150.0		) · O	440.0		4000.0	
1984	c	529.3	20.0	549.3		0.	130.0	10.4 10.4 10.4 10.4		0,	•		29.0	7980.0	:	0.0.		3000.0		3.7	60.0	0	6	)	440,0		. ·	
1983	c	523.3	20.0	543.3		0.	130.0	24 m 25 0 20 0	2	0.			29.0	7980.0		9.9.	•	3000.0		5.	ċ	60.0	9		440.0		. <del>.</del>	
1982	c	517.3		517.5		•	130.0	0.021	;	0,	0		29.0	7980.0		0.9.		3000.0	5.8	3.7		60.0	0 0 7 7	0.0	450.0		? ?	
1861		512.0	0.	512.0		0.	130.0	0.051	) )	0.	0.	6	29.0	MISC. 7980.0 7980.0		0.0		3000.0		G. 7	60.0	60.0	c	•	0.		. d	
WASTE CATEGORY ORGANIZATION	PE - PAINT INIMMERS SPACE DIVISION - STS		BMO - MX TEST FACS.	TOTAL - VAFB & TENANTS	PG - PAINT WASTES, LIQUID	SPACE DIVISION - STS	HOST BASE	TOTAL - COER & TENANTS		SPACE DIVISION - STS	TOTAL - VAFB & TENANTS	PP - PETROLEUM ETHER HOST BASE	TOTAL - VAFB & TENANTS	PR - PHOTOGRAPHIC CHEMICALS. HOST BASE TOTAL - VAFB & TEMANTS	PS - POIOSSIUM HYDROXIDE	SPACE DIVISION - STS TOTAL - VAFB & TENANTS	PU – PREНARDENER, PHOTOGRAPHIC	HOST BASE Total - Vafb & Tenants	RI - REACTIVE MASTES, UNSPECIFIED HOST BASE	TOTAL - VAFB & TENANTS	RS - RP-1 HOST BASE	TUTAL - YAFB & TENANTS	RT - RP-1 SLUDGES SPACE DIVISION - TAC		TOTAL - VAFB & TENANTS	SC - SEAWATER, CONTAMINATED	JOTAL - VAFB & TENANTS	

Ċ

TABLE 20 (CONT.) SUMMARY OF BASELINE LIQUID WASTE GENERATION FOR VAFB HOST BASE AND TEMANTS BY WASTE CATEGORY FOR 1981 - 1990

					CALL	GALLONS PER YEAR	36			
WASTE CATEGORY ORGANIZATION	1961	1982	1983	1984	1985	1986	1987	1988	1989	1990
SL - SODIUM HYDROXIDE WASTEWATERS	16TERS 365000.0	365000.0	365000.0	365000.0	547500.0	547500.0	547500.0	547500.0	•	
HOST BASE	9.6	9.6	9.6	9.6	24.0	24.0	24.0	24.0 0.400 0.400	24.0	24.0 547524.0
TOTAL - VAFB & TENANTS	365009.6	365009.6	365009.6	365009.6	•	+	0.520.40			•
SS - SOLVENIZMATER WASTES	c	•	<b>-</b>	•			2898.0	40.	4140.0	Ċ
SPACE DIVISION - SIS TOTAL - VAFB & TENANTS	9.9.				414.0	242	2898.0	4140.0	4140.0	4140.0
SU - SOLVENTS, MIXED OR UNSPEC	EC.					1	; ;			
		0.	0.	0.	111.0	933,3	2177.7	3111.0	3111.0	5111.0 5557.0
HOST BASE	2527.0	2527.0	434.0	434.0	434.0	494.0	594.0		594.0	
NASA TOTAL - VAFB & TENANTS	2527.0	6.0	6.0 2967.0	6.0 2967,0	6.0 3278.1	6,0 3960,3	6.0 5304.7	, 0 6232, 0	6232.0	6112.0
	- 1									
Sy - SRB INITIAL RINSE WATER SPACE DIVISION - STS TOTAL - VAFB & TEMANTS	. O . O .	• • •	0.0	0.0	54740.0 54740.0	164220.0	383180.0	547400.0	547400.0	547400.0 547400.0
SW - SRB WASH WATER		0.	0	0.	9600.0		67200.0	96000.0	96000.0	96000.0
TOTAL - VAFB & TENANTS	Ö.		9.	0,	9600.0	28800.0	67200.0	96000.0	96000.0	96006.0
SZ - SULFURIC ACID		١.	١	١ -	, g	0.9°.0	o.			59.0
HUST BHSE TOTAL - VAFB & TENANTS	4.0.0	4.0	7	4.0	59.0	59.0	59.0	59.6	59.0	59.0
TE - TETPACHIOROFTHYLENE										
HOST BASE	60.0	60.0	60.09	60.0	60.0	60.0	9.09	60.0	60.0	60.0 60.0
TOTAL - VAFB & TENANTS	60.0	•	Ö		<u>.</u>	0 . n	Ė		•	;
TJ - TOLUENE	~	M					3.0	3. Ü	3.0	3.0
TOTAL - VAFB & TENANTS	. D	3.0	3.0	3.0	3.0	3.0			•	-
	•	•	•	c	14	7	112.7	161.0	161.0	161.0
SPACE DIVISION - SIS	0.052	0.055	330.	336,	490.0	4	495.6	495.0	495.0	495.0
SPACE DIVISION - THE	160.0	160.0			· M	2.05	205.0	205.0	205.0	
BEN - MX TEST FACS.	0.	0		30.0			30.0	30.0	30.0	30.0
TOTAL - VAFB & TENANTS	490.0	490.	520.0	520.0	74	778.3	842.7	931.0	a. 168	_
血	•	•	1010	1210	10101	1210.0		605.0	0.	0.
SFACE DIVISION - THE HOST BASE	32.2	-	32.	32.2		75.0	79.0	0.62	79.0	0.62
NASA Tatal - VAER & TENANTS	32.28	-	1242.2	1242.2	1289.	0.8831	634.0	684.0	79.0	0.62
	1									

TABLE 20 (CONT.) SUMMARY OF BASELINE LIQUID WASTE GENERATION FOR VAFB HOST BASE AND TEMANTS BY WASTE CATEGORY FOR 1981 - 1990

	ا و	ריז מין	000	Q Q 00000
	1990	V. V.	<u>2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 </u>	11441387.8 657495.0 76401.9 20401.9 12195731.2 <b>8</b> // <b>350</b>
	1989	7. K	31.0	11441387.8 11441387.8 11441387.8 658375.0 657495.0 762495.0 762495.0 76446.5 32829.1 20401.9 12208739.4 12208001.8 12195731.2 8% or 65%
	1938	7 7 .3	31.0 31.0	658375.0 76147.3 76147.0 32829.1 12208739.4 658,000
CALLONS PER YEAR	1987	7.7 w.w.	31.0 31.0	132416.3 8008971.4 559255.0 658375.0 76900.4 76018.1 22473.1 32829.1 316.0 316.0 190360.9 8776509.6 25,500 \$\$\sqrt{200}\$
	1986	7.3 7.3	31.0	3432416.3 559255.0 75900.4 22473.1 4190360.9 25530
	1985	7 .3	24.4 31.0 55.4	2084.8 823244.6 659255.0 4209.0 75793.4 55900.4 6259.5 16259.5 22473.1 316.0 316.0 2869.3 2059752.4 4190360.9 92,368 442,679 663,670 653,770
	1934		13.0	522084.8 54209.0 16259.5 316.0 592869.3
	1933	7 7.3	13.0 13.0 43.5	645077.0 54162.7 16259.5 316.0 715815.2
	1982	0.0	12.2 13.0 25.2	522084.8 54118.6 5956.0 582159.4
	1981	₩ • • •	RAZINE) .0 13.0	STS 438330.0 54076.6 18. 0 10 115 492406.6 5TS 438,000
	WASTE CATEGORY ORGANIZATION	IR - TRICHLOBOTRIFLUGROETHANE BMO - MX TEST FACS, TOTAL - VAFB & TENANTS	UD - UDWH CUNSYM PIMETHYLHYDRAZINE SPACE DIVISION - TAC HOST BASE TOTAL - VAFB & TENANTS	GRAND TOTALS SPACE DIVISION - STS SPACE DIVISION - TAC HOST BASE BNO - NX TEST FACS. NASA TOTAL - VAFB & TENANTS  STS

SUMMARY OF BASELINE SOLID WASTE GENEPATION FOR VAFB HOST BASE AND TEHANTS BY WASTE CATEGORY FOR 1981 - 1990 TABLE 21.

					POUNDS	PER YEAR				
WASTE CATEGORY ORGANIZATION	1961	1982	1983	1984	1985	1986	1987	1988	1989	1990
AH - ADHESIVE MASTES SPACE DIVISION - STS TOTAL - VAFB & TEMANTS	•••	• •	0.0	0.	63.5 63.5	190.5	4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	635.0	635.0 635.0	635.0 635.0
BG BATTERY MASIES SEGUL STORES	0	0.	9	0.	72/44.0	432.0	1008.0	_	1440.0	
1 =	26356.0	26356.0 26356.0	26356.0 26356.0	26356.0 26356.0	56.	26356.0 26788.0	26356.0 27364.0	26356.0 27796.0	26356.0 27796.0	26356.0 27796.0
CT - CONTAINERS SPACE DIVISION - STS	0.	٥.	0.	•	6174.5	·		_	4. 5.	
HOST BASE TOTAL - VAFB & TEMANTS	356,5	356.5	356.5	356.5	356.5 6531.0	356.5 18880.0	356.5 43578.0	356.5	356.5	356.5
(IL) - INSULATION WASTES, SOLID SPACE DIVISION - STS TOTAL - VAFR & TENANTS	• •	0.0	9.9.	9.0	1610 2542.6 2542.6	7627.8 7627.8	17798.2	25426.0 25426.0	25426.0 25426.0	25426.0 25426.0
PH - PAINT WASTES, SOLID SPACE DIVISION - STS TOTAL - VAFB & TENANTS	• •	<b>e</b> . e.	0,	9.9.	48.0 48.0	144.0	336.0 336.0	480.0	480.0	480.0 480.0
PJ - PARTS, CONTAMINATED SPACE DIVISION - STS BNO - MX TEST FACS, TOTAL - YAFB & TEMANTS		000	0.96 0.96 0.96	96.0 96.0	120.0 96.0 216.0	360.0 144.0 504.0	840.0 224.0 1054.0	1200.0 224.0 1424.0	1200.0 224.0 1424.0	1200.0 128.0 1328.0
PM - PCB SOLID WASTES HOST BASE TOTAL - VAFB & TEMANTS	226.5 226.5	226.5 226.5	226.5 226.5	226.5	226.5	226.5	226.5 226.5	226.5	226.5 226.5	226.5
RC - RAGS, CHRONATE SPACE DIVISION - STS TOTAL - VAFB & TENANTS	0.0.	9.9.	0. n	0.0	5.0 5.0	15.0	35.0 35.0	50.0 50.0	50.0 50.0	50.0 50.0
RE - RAGS, SOLVENT/OILY SPACE DIVISION - STS SPACE DIVISION - TAC HOST BASE BMO - MX TEST FACS, TOTAL - VAFB & TENANTS	12169,5 12169,5 12169,5	955.6 12329.5 13285.1	2035.6 12497.5 3425.0 17958.1	955.6 12673.8 3425.0	30.0 1675,6 13044,4 3425,0 18225,0	248.0 235.6 13451.7 3470.0	560.0 117.8 13900.1 3545.0	800.0 117.8 14393.2 3845.0	900.0 14935.6 3545.0	800.0 15532.1 3455.0 19787.1
<u>sg = silyer salts</u> Host base Total - vafb & tenants	 	 	 	 	- <del>-</del>	 	— — D. D.	 v.v.	 N N	 n. n.
SY - SULFAMIC ACID HOST BASE TOTAL - VAFB & TENANTS	4800.0	4800.0 4800.0	4800.0 4800.0	4800,0	4800.0 4800.0	4800.0 4800.0	4800.0 4800.0	4800.0 4300.0	4300,0 4800,0	4800.0 4800.0

TABLE 21 (CONT.) SUNMARY OF BASELINE SOLID WASTE GENERATION FOR VAFB HOST BASE AND TEMANTS BY WASTE CATEGORY FOR 1981 - 1990

AASTE CATEGURY ORGANIZATION 1981									
	1982	1983	1984	1985	1986	1987	1933	1989	1990
GRAND TOTALS				8	25,000	52,70	7C.770	70.00	200
٥.	٥.	0.	0.	9477.6	27532,8	64243.2	91776.0	91776.0	977.6
0.	922.6	2035.6	922.6	1675.6	235.6	117.8	8.211	9.	9.
43910.0	4070.0	44238.0	44414.3	44784.9	45192.2	45640.6	46133.7	46676.1	47272.6
0.	0.	3521.0	3521.0	3521.0	3614.0	3769.0	3769.0	3769.0	3583,0
9.	0.	0.	0.	0.	0.	0.	Ò.	0	0
TOTAL - VAFB & TEMANTS 43910.0 45	5025,6	49794.6	48890.9	59159.1	76574.7	113770.6	141796.5	142221.1	142631.6

(

Ć

#### SECTION 8

# SUMMARY OF HAZARDOUS WASTE GENERATION FOR COMBINED VAFB HOST BASE AND TENANTS

## 1. INTRODUCTION

The purpose of this section is to evaluate the hazardous waste generated by combined host base and tenant organizations at VAFB during the years 1981 through 1990. This time period provides a point of reference from which to compare the quantities of hazardous waste projected after the start of STS launches and the M-X test program with those amounts being generated by the existing programs at VAFB. Information is provided for:

- Baseline quantities of liquid and solid wastes generated monthly and annually for the years 1981 through 1990.
- Contributions of the host base and each tenant to liquid and solid waste generation.
- Major categories of liquid and solid waste generated.
- Hazardous and acutely hazardous waste quantities.
- Contributions of the host base and each tenant to acutely hazardous waste generation.

### 2. SOURCES OF WASTE

A summary of liquid hazardous waste generation by the VAFB host base and tenants for 1981 through 1990 is given in Tables 22 and 23. Table 22 shows volumes of waste liquids generated per month, while Table 23 lists quantities on an annual basis and for the total 10-year time span. Annual baseline liquid waste generation is depicted in Figure 35.

As shown in Table 23, the VAFB host base and tenants combined are expected to generate 204.5 million liters (54.0 million gallons) of liquid hazardous waste during the period from 1981 through 1990, as follows:

- 1981 1.9 million liters (0.5 million gallons).
- 1982 2.2 million liters (0.6 million gallons).
- 1983 2.7 million liters (0.7 million gallons).
- 1984 2.2 million liters (0.6 million gallons).
- 1985 7.8 million liters (2.1 million gallons).

TABLE 22. BASELINE HAZARDOUS WASTE LIQUIDS GENERATED PER MONTH BY HOST BASE AND TENANTS AT VAFB, 1981-1990

			iters/Month (	Gallons/Mon	ith)	
Year	SD-STS	SD-TAC	Host Base	<u>BMO</u>	NASA	Monthly Total
1981	0	138,300	17,100	0	0	155,300
	(0)	(36,500)	(4,500)	(0)	(0)	(41,000)
1982	0(0)	164,700 (43,500)	17,100 (4,500)	0 (0)	1,900 (500)	183,600 (48,500)
1983	0(0)	203,500 (53,800)	17,100 (4,500)	5,100 (1,400)	100 (30)	225,800 (59,700)
1984	0(0)	164,700 (43,500)	17,100 (4,500)	5,100 (1,400)	100 (30)	187,000 (49,400)
1985	360,900	259,700	23,900	5,100	100	649,700
	(95,300)	(68,600)	(6,300)	(1,400)	(30)	(171,600)
1986	1,082,600	207,900	23,900	7,100	100	1,321,700
	(286,000)	(54,900)	(6,300)	(1,900)	(30)	(349,200)
1987	2,526,200	207,700	24,000	10,400	100	2,768,300
	(667,400)	(54,900)	(6,300)	(2,700)	(30)	(731,400)
1988	3,608,800	207,700	24,000	10,400	0	3,850,800
	(953,400)	(54,900)	(6,300)	(2,700)	(0)	(1,017,400)
1989	3,608,800	207,400	24,100	10,400	0	3,850,600
	(953,400)	(54,800)	(6,400)	(2,700)	(0)	(1,017,300)
1990	3,608,800	207,400	24,100	6,400	0	3,846,700
	(953,400)	(54,800)	(6,400)	(1,700)	(0)	(1,016,300)

BASELINE HAZARDOUS WASTE LIQUIDS GENERATED ANNUALLY BY HOST BASE AND TENANTS AT VAFB, 1981-1990 TABLE 23.

	Total, Host Base and Tenants	1,863,800 (492,400)	2,203,500 (582,200)	2,709,400 (715,800)	2,244,000 (592,900)	7,796,200 (2,059,800)	15,860,500 (4,190,400)	33,219,100 (8,776,500)	46,210,100 (12,208,700)	46,207,300 (12,208,000)	46,160,800 (12,195,700)	204,474,600 (54,022,300)
	NASA	0)	22,500 (6,000)	1,200	1,200 (300)	1,200 (300)	1,200 (300)	1,200 (300)	0)	0)	0)	28,500 (7,500)
(Gallons/Year)	BMO	0)	0)	61,500 (16,300)	61,500. (16,300)	61,500 (16,300)	85,100 (22,500)	124,300 (32,800)	124,300 (32,800)	124,300 (32,800)	77,200 (20,400)	719,700 (190,100)
Liters/Year (	Host Base	204,700 (54,100)	204,800 (54,100)	205,000 (54,200)	205,200 (54,200)	286,900 (75,800)	287,300 (75,900)	287,700 (76,000)	288,200 (76,100)	288,800 (76,300)	289,400 (76,400)	2,547,900 (673,200)
	SD-TAC	1,659,100 (438,300)	1,976,100 (522,100)	2,441,600 (645,100)	1,976,100 (522,100)	3,116,000 (823,200)	2,495,300 (659,300)	2,491,900 (658,400)	2,491,900 (658,400)	2,488,600 (657,500)	2,488,600 (657,500)	23,625,300 (6,241,800)
	<u>SD-STS</u>	(0) 0	0)	0 (0)	(0) 0	4,330,600 (1,144,100)	12,991,700 (3,432,400)	30,314,000 (8,009,000)	43,305,700 (11,441,400)	43,305,700 (11,441,400)	43,305,700 (11,441,400)	177,553,200 (46,909,700)
	Year	1981	1982	1983	1984	1985.	1986	1987	1988	1989	1990	10-Year Total




Figure 35. Baseline quantities of liquid hazardous waste generated by host base and each tenant at VAFB for the years 1981 through 1990.

```
1986 - 15.9 million liters (4.2 million gallons).
1987 - 33.2 million liters (8.8 million gallons).
1988 - 46.2 million liters (12.2 million gallons).
1989 - 46.2 million liters (12.2 million gallons).
1990 - 46.2 million liters (12.2 million gallons).
```

The only generators of liquid waste in 1981 were SD-TAC and the host base, which generated 1.66 million liters (0.44 million gallons) and 0.2 million liters (0.05 million gallons), respectively (Table 23). In 1982, liquid wastes are expected to be generated by SD-TAC (1.98 million liters; 0.5 million gallons), host base (0.2 million liters; 0.05 million gallons), and NASA (0.02 million liters; 0.006 million gallons).

During 1983 and 1984, liquid wastes are also expected to be generated by the BMO M-X test program. SD-TAC is expected to generate 2.44 million liters (0.65 million gallons) in 1983, and 1.98 million liters (0.52 million gallons) in 1984. The host base, BMO, and NASA are expected to generate yearly quantities of 0.2 million liters (0.05 million gallons), 0.06 million liters (0.02 million gallons), and 1,200 liters (300 gallons), respectively.

During the period from 1985 through 1990, the SD-STS program will generate the highest quantities of liquid waste, ranging from 4.3 million liters (1.1 million gallons) to 177.6 million liters (46.9 million gallons) (see Table 23). Over the same time period, SD-TAC is expected to generate from 3.1 million liters (0.8 million gallons) to 23.6 million liters (6.2 million gallons); host base, from 0.3 million liters (0.08 million gallons) to 2.5 million liters (0.7 million gallons); and BMO, from 0.06 million liters (0.02 million gallons) to 0.7 million liters (0.2 million gallons).

From 1985 through 1987, NASA is expected to generate only 1,200 liters (300 gallons) of liquid waste each year; no liquid waste generation by NASA is anticipated for the years 1988, 1989, and 1990.

Solid hazardous waste generation for the host base and tenants is summarized in Tables 24 and 25 for the period 1981 through 1990. Table 24 presents monthly weights of solid waste generated; Table 25 shows annual quantities and 10-year totals. Figure 36 presents histograms of annual solid waste generation for 1981 through 1990.

As presented in Table 25, the VAFB host base and tenants combined are expected to generate a total of 384,000 kg (864,000 lb) of hazardous solid waste for 1981 through 1990. Projections for annual solid waste generation are as follows:

- 1981 20,000 kg (44,000 lb).
- 1982 20,000 kg (45,000 lb).
- 1983 22,000 kg (50,000 lb).

TABLE 24. BASELINE HAZARDOUS WASTE SOLIDS GENERATED PER MONTH BY HOST BASE AND TENANTS AT VAFB, 1981-1990

			Kilograms/Mon	th (Pounds	/Month)	
<u>Year</u>	SD-STS	SD-TAC	<u>Host Base</u>	<u>BMO</u>	NASA	Monthly Total
1981	0	0	1,630	0	0	1,630
	(0)	(0)	(3,660)	(0)	(0)	3,660
1982	0 (0)	40 (80)	1,630 (3,670)	0(0)	0 (0)	1,670 (3,750)
1983	0	80	1,640	130	0	1,840
	(0)	(170)	(3,690)	(290)	(0)	(4,150)
1984	0	40	1,650	130	0	1,820
	(0)	(80)	(3,700)	(290)	(0)	(4,070)
1985	340	60	1,660	130	0	2,190
	(760)	(140)	(3,730)	(290)	(0)	(4,930)
1986	1,020	10	1,670	130	0	2,840
	(2,290)	(20)	(3,770)	(300)	(0)	(6,380)
1987	2,380	5	1,690	140	0	4,220
	(5,350)	(10)	(3,800)	(310)	(0)	(9,480)
1988	3,400	5	1,710	140	0	5,250
	(7,650)	(10)	(3,840)	(310)	(0)	(11,820)
1989	3,400	0	1,730	140	0	5,270
	(7,650)	(0)	(3,890)	(310)	(0)	(11,850)
1990	3,400 (7,650)	0 (0)	1,750 (3,940)	130 (300)	0(0)	5,280 (11,890)

TABLE 25. BASELINE HAZARDOUS WASTE SOLIDS GENERATED ANNUALLY BY HOST BASE AND TENANTS AT VAFB, 1981-1990

			Kilograms/	Year (Pounds	/Year)	
Year	SD-STS	SD-TAC	Host Base	<u>BMO</u>	NASA	Total, Host Base and Tenants
1981	0 (0)	0 (0)	19,500 (43,900)	0 (0)	0 (0)	19,500 (43,900)
1982	0 (0)	400 (1,000)	19,600 (44,100)	0 (0)	0 (0)	20,000 (45,000)
1983	0	900	19,700	1,600	0	22,100
	(0)	(2,000)	(44,200)	(3,500)	(0)	(49,800)
1984	0	400	19,700	1,600	0	21,700
	(0)	(1,000)	(44,400)	(3,500)	(0)	(48,900)
1985	4,100	700	19,900	1,600	0	26,300
	(9,200)	(1,700)	(44,800)	(3,500)	(0)	(59,200)
1986	12,200	100	20,100	1,600	0	34,000
	(27,500)	(200)	(45,200)	(3,600)	(0)	(76,600)
1987	28,600	50	20,300	1,700	0	50,600
	(64,200)	(100)	(45,600)	(3,800)	(0)	(113,800)
1988	40,800	50	20,500	1,700	0	63,000
	(91,800)	(100)	(46,100)	(3,800)	(0)	(141,800)
1989	40,800 (91,800)	(0)	20,800 (46,700)	1,700 (3,800)	. 0	63,200 (142,200)
1990	40,800	0	21,000	1,600	0	63,400
	(91,800)	(0)	(47,300)	(3,600)	(0)	(142,600)
10-Year	167,300	2,700	201,100	12,900	0(0)	384,000
Total	(376,300)	(6,100)	(452,300)	(29,100)		(863,800)




Figure 36. Baseline quantities of solid hazardous waste generated by host base and each tenant at VAFB for the years 1981 through 1990.

```
1984 - 22,000 kg (49,000 lb).
1985 - 26,000 kg (59,000 lb).
1986 - 34,000 kg (77,000 lb).
1987 - 51,000 kg (114,000 lb).
1988 - 63,000 kg (142,000 lb).
1989 - 63,000 kg (142,000 lb).
1990 - 63,000 kg (143,000 lb).
```


In 1981, solid waste was generated by the host base only, for a total of 19,500 kg (43,900 lb) (Table 25). During 1982, the host base and SD-TAC are expected to generate 19,600 kg (44,100 lb) and 400 kg (1,000 lb) of solid waste, respectively. During the years 1983 and 1984, the primary source of hazardous solids will be the host base, with annual quantities of 19,700 kg (44,200 to 44,400 lb). SD-TAC will generate 900 kg (2,000 lb) in 1983 and 400 kg (1,000 lb) in 1984, while BMO will produce 1,600 kg (3,500 lb) during each of these years.

During the period from 1985 through 1990, SD-STS will contribute the highest quantities of hazardous solids, producing 4,100 kg (9,200 lb) in 1985, 12,200 kg (27,500 lb) in 1986, 28,600 kg (64,200 lb) in 1987, and 40,800 kg (91,800 lb) annually from 1988 through 1990. Solids generated by the host base will increase slightly from 19,900 kg (44,800 lb) in 1985 to 21,000 kg (47,300 lb) in 1990, whereas BMO quantities will fluctuate between 1,600 and 1,700 kg (3,500 and 3,800 lb) from 1985 through 1990. SD-TAC will generate 700 kg (1,700 lb) in 1985, 100 kg (200 lb) in 1986, and 50 kg (100 lb) annually in 1987 and 1988. No solid wastes are anticipated from SD-TAC during 1989 and 1990, or from NASA during the entire period from 1981 to 1990.

The relative contributions of the host base and each tenant to total hazardous waste generation at VAFB are depicted in Figures 37 and 38 for liquids and solids, respectively. The percentage of hazardous waste expected from each organization is shown for the years 1981 through 1990.

As shown in Figure 37, for the period 1981 through 1984, SD-TAC is the largest generator of liquid hazardous waste, contributing 88 to 90 percent by volume. The host base will also produce a substantial portion during this period, with percentages ranging from 8 to 11 percent. NASA will generate 1 percent in 1982, and 0.04 to 0.05 percent in both 1983 and 1984, while BMO will produce 2 to 3 percent of the liquid waste annually during the period from 1983 to 1984.

Beginning in 1985, the percent contributions of other organizations to the total volumes of liquid hazardous waste will decline substantially, due to the large quantities of hazardous liquids generated by STS launches. SD-STS is expected to generate 56 percent in 1985, 82 percent in 1986, and 91 to 94 percent annually from 1987 through 1990 (Figure 37). The percentage of liquid waste generation by SD-TAC is expected to be 40 percent in




generated by VAFB host base and tenants for the years 1981 through 1990. Percent (by volume) of baseline liquid hazardous Figure 37.

(

(

Ê



1

Percent (by weight) of baseline solid hazardous waste generated by VAFB host base and each tenant for the years 1981 through 1990. Figure 38.

1985, 16 percent in 1986, 8 percent in 1987, and 5 percent annually from 1988 through 1990. Percentages contributed by the host base will decrease to 4 percent in 1985, 2 percent in 1986, and less than 1 percent annually from 1987 through 1990. Percentages for BMO range between 0.2 and 0.8 percent from 1985 through 1990, while NASA's contribution will decrease from 0.02 percent in 1985 to 0.004 percent in 1987.

As shown in Figure 38, the major generator of solid hazardous waste for the period 1981 through 1984 is the host base, producing 89 to 100 percent by weight of the total solids. BMO generates 7 percent annually during the years 1983 and 1984, while SD-TAC contributes 2 to 4 percent annually from 1982 through 1984.

Again, beginning in 1985, STS launches will produce substantial quantities of solid waste, thus reducing the percent contributions of the other organizations. SD-STS will generate 16 percent of the hazardous solids in 1985, 36 percent in 1986, 57 percent in 1987, and 64 to 65 percent annually from 1988 through 1990 (Figure 38). This reduces the host base's percentages to 76 percent in 1985, 59 percent in 1986, 40 percent in 1987, and 33 percent annually from 1988 through 1990. BMO's contribution is reduced from 6 percent in 1985 to 3 percent annually during the period from 1987 through 1990, while SD-TAC generates 3 percent in 1985, and then decreases to 0.1 to 0.3 percent annually from 1986 through 1988.

### TYPES OF WASTE

Tables 26 and 27 show hazardous waste generation by waste category for the major categories of liquid and solid waste, respectively. Yearly quantities for each major waste category are presented, along with totals for the 10-year time span. Liquid amounts are given by volume, while solids are quantified on a mass basis.

As shown in Table 26, deluge water constitutes the largest liquid waste category over the 10-year time span, with a total generation of 160.0 million liters (42.3 million gallons). Other large liquid waste categories are the sodium hydroxide wastewaters (18.0 million liters; 4.7 million gallons), the SRB initial rinse water (8.5 million liters; 2.2 million gallons), and the insulation wastewaters (7.6 million liters; 2.0 million gallons). The chromium and cyanide wastewater categories each total 1.8 million liters (0.5 million gallons). Totals for all other liquid waste categories are under 0.6 million liters (0.2 million gallons) for the 10-year period.


Figure 39 graphically depicts the composition by waste category of the liquid waste generated by the VAFB host base and its tenants. Percentages (by volume) are given for each major waste category for the years 1981 through 1990.

TABLE 26. MAJOR CATEGORIES OF LIQUID HAZARDOUS WASTE GENERATED BY VAFB HOST BASE AND TENANTS, 1981-1990

					Liters/Year	Liters/Year (Gallons/Year)					
Liquid Waste Category	1961	1982	1983	1984	1985	1986	1987	1988	1989	1990	10-Year Total
Deluge Water	o (e)	302,8 <sup>0</sup> 0 (80,000)	757,000 (200,000)	302,800 (80,000)	4,459,700 (1,178,300)	11,562,400 (3,054,800)	26,978,900 (7,127,900)	38,541,300 (10,182,600)	38,541,300 (10,182,600)	38,541,300 (10,182,600)	159,987,500 (42,268,800)
Sadium Hydroxide Hastewaters	1,381,600 (365,000)	1,381,600 (365,000)	1,381,600 (365,000)	1,381,600 (365,000)	2,072,400 (547,500)	2,072,400 (547,500)	2,072,400 (547,500)	2,072,400 (547,500)	2,072,400 (547,500)	2,072,400 (547,500)	17,960,800 (4,745,000)
SRB Initial Rinse Water	0)	° ©	0 (E)	• <u>(</u>	207,200 (54,700)	621,600 (164,200)	1,450,300 (383,200)	2,071,900 (547,400)	2,071,900 (547,400)	2,071,900 (547,400)	8,494,800 (2,244,300)
Insulation Wastewaters	00)	o (C)	0 (6)	• <u>©</u>	185,300	555,900 (146,900)	1,297,200 (342,700)	1,853,100 (489,600)	1,853,100 (489,600)	1,853,100 (489,600)	7,597,700 (2,007,400)
Chromlum Wastewaters	139,500	139,500	139,600	139,600 (36,900)	208,900 (55,200)	209,300 (55,300)	210,100 (55,500)	210,600 (55,600)	210,800 (55,700)	210,900 (55,700)	1,818,800 (480,600)
Cyanide Wastewaters	138,200	138,200 (36,500)	138,200 (36,500)	138,200 (36,500)	207,300 (54,800)	207,300 (54,800)	207,300 (54,800)	207,300 (54,800)	207,300 (54,800)	207,300 (54,800)	1,796,600 (474,800)
Used Oils	41,700	41,700 (11,000)	43,400 (11,500)	43,400	43,500 (11,500)	43,700 (11,500)	43,900 (11,600)	44,100 (11,700)	44,200 (11,700)	44,300 (11,700)	433,900 (114,700)
Photographic Developer	37,900 (10,000)	37,900	37,900	37,900 (10,000)	74,100 (19,600)	74,100	74,100 (19,600)	74,100 (19,600)	74,100 (19,600)	74,100 (19,600)	596,200 (157,600)
Corrosive Liquids	40 (10)	40 (10)	30,900 (8,200)	30,900 (8,200)	31,000 (8,200)	54,200 (14,300)	92,800 (24,500)	92,800 (24,500)	92,800 (24,500)	46,400 (12,300)	471,900 (124,700)
Photographic Chewicals	30,290	30,200 (8,000)	30,200 (8,000)	30,200	59,700 (15,800)	59,700 (15,800)	59,700 (15,800)	59,700 (15,800)	59,700 (15,800)	59,700 (15,800)	479,000 (126,800)
Hydraulic Fluid	o <u>©</u>	o (E)	26,700 (7,100)	26,700	27,100	27,900 (7,400)	29,400	30,600 (8,100)	30,600 (8,100)	30,600 (8,100)	229,600 (60,900)
Oil/Water Wastes	22,700 (6,000)	22,700 (6,000)	22,700 (6,000)	22,700 (6,000)	22,700 (6,000)	22,700 (6,000)	22,700 (6,000)	22,700 (6,000)	22,700 (6,000)	22,700 (6,000)	227,000 (60,000)
Hydrazine/Water Wastes	8,300	28,900 (7,600)	12,300	10,000 (2,600)	15,800 (4,200)	21,200 (5,600)	38,200 (10,100)	50,700 (13,400)	50,700 (13,400)	50,700 (13,400)	286,800 (75,700)

TABLE 27. MAJOR CATEGORIES OF SOLID HAZARDOUS WASTE GENERATED BY VAFB HOST BASE AND TENANTS, 1981-1990

				Kilo	Kilograms/Year (Pounds/Year)	(Pounds/Y	ear)				
Solid Waste Category	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	10-Year Total
Containers	200 (400)	200 (400)	200 (400)	200 (400)	2,900 (6,500)	8,400 (18,900)	19,400 (43,600)	27,600 (62,100)	27,600 (62,100)	27,600 (62,100)	114,300 (256,900)
Battery Wastes	11,700 (26,400)	11,700 (26,400)	11,700 (26,400)	11,700 (26,400)	11,800 (26,500)	11,900 (26,800)	12,200 (27,400)	12,400 (27,800)	12,400 (27,800)	12,400 (27,800)	119,900 (269,700)
Solid Insulation Wastes	0 (0)	00	(O)	00)	1,100 (2,500)	3,400 (7,600)	7,900 (17,800)	11,300 (25,400)	11,300 (25,400)	11,300 (25,400)	46,300 (104,100)
Solvent/Oily Rags	5,400 (12,200)	5,900 (13,300)	8,000 (18,000)	7,600 (17,100)	8,100 (18,200)	7,700 (17,400)	8,100 (18,100)	8,400 (18,900)	8,600 (19,300)	8,800 (19,800)	76,600 (172,300)
Sulfamic Acid	2,100 (4,800)	2,100 (4,800)	2,100 (4,800)	2,100 (4,800)	2,100 (4,800)	2,100 (4,800)	2,100 (4,800)	2,100 (4,800)	2,100 (4,800)	2,100 (4,800)	21,000 (48,000)
Contaminated Parts	o (O)	0 (0)	40 (100)	40 (100)	100 (200)	200 (500)	500 (1,100)	600 (1,400)	600 (1,400)	.600 (1,300)	2,700 (6,100)
Adhesive Wastes	00	00)	00)	00)	30 (60)	80 (200)	200 (400)	300 (600)	300 (009)	300 (600)	1,200 (2,500)
Paint Wastes	0)	000	0 (0)	0 (0)	20 (50)	60 (100)	, 100 (300)	200 (500)	200 (500)	200 (500)	800 (2,000)
PCB Solid Wastes	100 (200)	100 (200)	100 (200)	100 (200)	100 (200)	100 (200)	100 (200)	100 (200)	100	100 (200)	1,000 (2,000)
						- Indiana					



for the years 1981 through of liquid hazardous waste Percent (by volume) of major categories base and tenants generated by VAFB host 39. Figure

Prior to 1985, sodium hydroxide wastewaters constitute the largest liquid waste category, generating 51 to 74 percent of the total hazardous liquid waste (Figure 39). Deluge water, which shows no quantities for 1981, comprises 14 to 28 percent annually from 1982 through 1984. Chromium and cyanide wastewaters each generate 5 to 7 percent annually prior to 1985.

Smaller waste categories producing 1 to 2 percent of the hazardous liquids annually from 1981 through 1984 are the used oils, photographic developer, photographic chemicals, and oil/water wastes. Hydrazine/water wastes contribute 1 percent in 1982, while corrosive liquids and hydraulic fluids each generate 1 percent annually in 1983 and 1984.

With the start of STS launches at VAFB in 1985, the liquid wastes generated from STS operations will add substantially to the volume of hazardous liquids. Deluge water will become the major liquid waste category, constituting 57 percent in 1985, 73 percent in 1986, 81 percent in 1987, and 83 to 84 percent annually from 1988 through 1990 (Figure 39). Sodium hydroxide wastewaters decrease to 27 percent in 1985, 13 percent in 1986, 6 percent in 1987, and less than 5 percent per year from 1988 through 1990.

During the period from 1985 through 1990, two STS-specific waste categories, the SRB initial rinse water and the insulation wastewaters, each show percentages of between 2 and 5 percent (Figure 39). Chromium and cyanide wastewaters each decrease from 3 percent in 1985 to 1 percent in 1986, and contribute less than 1 percent in subsequent years. Similarly, percentages for each of the other waste categories considered to be major during the period prior to 1985 fall below 1 percent starting in 1985.


Major solid waste categories generated by the VAFB host base and tenants are quantified in Table 27. Yearly generation by weight is given for 1981 through 1990, along with totals by waste category for the 10-year period.

 $\zeta$ 

Battery wastes and containers constitute the two major categories of baseline solid hazardous waste. For the 10-year period, battery wastes total 120,000~kg (270,000~lb), and containers total 114,000~kg (257,000~lb). Solvent/oily rags generate 77,000~kg (172,000~lb), while solid insulation wastes constitute 46,000~kg (104,000~lb), and sulfamic acid yields 21,000~kg (48,000~lb). Each of the other solid waste categories has a 10-year total of 3,000~kg (6,000~lb) or less.

Figure 40 depicts each major solid waste category contributing to hazardous waste generation. Percentages (by weight) for each solid waste category that produces substantial quantities are shown for the years 1981 through 1990.

Prior to the start of STS launches in 1985, battery wastes constitute the largest solid waste category, comprising 53 to 60



generated hazardous waste through 1990. (by weight) of major categories of solid by VAFB host base and tenants for the years 1981 Percent Figure 40.

percent of all hazardous solids (Figure 40). Solvent/oily rags are also a large waste category, with percentages ranging between 28 and 35 percent prior to 1985. Among the other major categories, sulfamic acid constitutes 10 to 11 percent of the total, while containers contribute between 0.7 and 0.8 percent.

In 1985 and subsequent years, containers contribute a substantial portion of the total solid waste, constituting 11 percent in 1985, 25 percent in 1986, 38 percent in 1987, and 44 percent annually from 1988 through 1990 (Figure 40). Battery wastes total 45 percent in 1985, 35 percent in 1986, 24 percent in 1987, and 20 percent annually from 1988 through 1990. The STS-specific waste category of solid insulation wastes comprises 4.3 percent in 1985, and increases to 10 percent in 1986, 16 percent in 1987, and 18 percent annually from 1988 through 1990.

The relative percentage of sulfamic acid decreases from 1985 on, although its yearly quantity remains constant. Its wastes constitute 8 percent in 1985, 6 percent in 1986, 4 percent in 1987, and 3 percent annually from 1988 through 1990. Contaminated parts comprise the only other substantial solid waste category, contributing 0.7 to 1.0 percent annually from 1986 through 1990.

### 4. HAZARDOUS AND ACUTELY HAZARDOUS WASTES

Analysis of the VAFB host base and tenant waste inventory shows that all acutely hazardous wastes expected are liquids. As shown in Table 28, acutely hazardous wastes constitute a small portion of the total liquid wastes; percentages vary between 0.2 and 0.4 percent between 1981 and 1990. Quantities of acutely hazardous waste escalate from a low of 3,400 liters (900 gallons) in 1981 to almost 200,000 liters (53,000 gallons) annually during the period from 1988 through 1990.

Table 29 presents acutely hazardous waste generation by the host base and each tenant for the years 1981 through 1990. In terms of total quantities generated for the 10-year period, SD-STS generates the largest portion, totalling 790,000 liters (208,700 gallons). The host base is the other substantial generator, with quantities of 54,500 liters (14,400 gallons).

Among the small generators of acutely hazardous waste, SD-TAC contributes a 10-year total of 4,900 liters (1,300 gallons). NASA is expected to generate acutely hazardous liquids in 1982 only, for a total of just over 500 liters (100 gallons). BMO is not projected to produce any acutely hazardous waste.

Figure 41 depicts the percentages (by volume) of acutely hazardous waste generated by the host base and each tenant. Total annual volumes of acutely hazardous waste are also shown.

TABLE 28. SUMMARY OF BASELINE HAZARDOUS AND ACUTELY HAZARDOUS LIQUID WASTE GENERATED BY VAFB HOST BASE AND TENANTS FOR THE YEARS 1981 THROUGH 1990

					Liters/Y	Liters/Year (Gallons/Year)	Year)			
	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990
Hazardous Liquid Waste	1,860,340 (491,510)	2,198,740 (580,910)	2,704,560 (714,560)	2,239,810 (591,760)	2,239,810 7,768,910 (591,760) (2,052,560)	15,795,530 (4,173,190)	33,077,220 (8,739,030)	46,010,410 (12,155,980)	46,007,810 (12,155,290)	45,961,360 (12,143,020)
Acutely Hazardous Liquid Waste	3,420 (900)	<b>4,7</b> 30 (1,250)	<b>4,</b> 800 (1,260)	4,200 (1,110)	27,250 (7,200)	64,990 17,170)	141,870 (37,480)	199,670 (52,760)	199,480 (52,710)	199,480 (52,710)
Total Liquid Waste	1,863,760 (492,410)	2,203,470 (582,160)	2,709,360 (715,820)	2,244,010 (592,870)	2,244,010 7,796,160 (592,870) (2,059,760)	15,860,520 (4,190,360)	33,219,090 (8,776,510)	46,210,080 (12,208,740)	46,207,290 (12,208,000)	46,160,840 (12,195,730)
% of Liquid Waste Acutely Hazardous	0.18	0.21	0.18	0.19	0.35	0.41	0.43	0.43	0.43	0.43

\* No solid wastes were identified as acutely hazardous.


TABLE 29. SUMMARY OF BASELINE ACUTELY HAZARDOUS WASTE GENERATED BY VAFB HOST BASE AND TENANTS FOR THE YEARS 1981 THROUGH 1990

						Liters/Year (Gallons/Year)	Gallons/Yea	. (.			
-	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	10-Year Total
Space Division - STS	0 (0)	0)	0 (0)	0 (0)	19,270 (5,090)	57,800 (15,270)	134,880 (35,630)	192,680 (50,910)	192,680 (50,910)	192,680 (50,910)	789,990 (208,720)
Space Division ~ TAC	0 (0)	780 (210)	1,380 (360)	780 (210)	1,180 (310)	390 (100)	190 (50)	190 (50)	0 (0)	0 (0)	<b>4,890</b> (1,290)
Host Base	3,420 (900)	3,420 (900)	3,420 (900)	3,420 (900)	6,800 (1,800)	6,800 (1,800)	6,800 (1,800)	6,800 (1,800)	6,800 (1,800)	6,800 (1,800)	54,480 (14,400)
BMO - M-X Test Facilities	° ©	00	0	0)	0)	0)	00)	0 (0)	0 (0)	0 (0)	0 (0)
NASA	0 (0)	530 (140)	0)	0 (0)	0 0	(0) 0	00)	0 (0)	0 (0)	0 (0)	530 (140)
[ota]	3,420 (900)	4,730 (1,250)	4,800 (1,260)	4,200 (1,110)	27,250 (7,200)	64,990 (17,170)	141,870 (37,480)	199,670 (52,760)	199,480 (52,710)	199,480 (52,710)	849,890 (224,550)

\* No solid wastes were identified as acutely hazardous.

C

(



Percent (by volume) of baseline acutely hazardous waste generated by VAFB host base and each tenant for the years 1981 through 1990. Percent (by volume) Figure 41.

The host base is the major generator of acutely hazardous liquids prior to 1985. For the period 1981 through 1984, it contributes between 71 and 100 percent, while SD-TAC generates 16 to 29 percent annually from 1982 through 1984 (Figure 41). NASA is expected to produce acutely hazardous waste in 1982 only, with quantities totalling 12 percent.

Beginning in 1985, SD-STS becomes the primary generator of acutely hazardous waste, contributing 71 percent in 1985, 89 percent in 1986, 95 percent in 1987, and 97 percent annually from 1988 through 1990 (Figure 41). Although host base quantities double in 1985, its percentages drop to 25 percent in that same year. These percentages decline to 10 percent in 1986, 5 percent in 1987, and 3 percent annually from 1988 through 1990. Acutely hazardous waste from SD-TAC totals 4 percent in 1985, 1 percent in 1986, and 0.1 percent annually in 1987 and 1988.

#### REFERENCES

- 1. SCS Engineers. Hazardous Waste Inventory and Disposal Assessment for the Space Shuttle Project: Volume I. Hazardous Waste Inventory. SD-TR-81-32, March 1981.
- 2. SCS Engineers. Hazardous Waste Inventory and Disposal Assessment for the Space Shuttle Project: Volume II. Treatment and Disposal Alternatives; Volume III. Appendices. SD-TR-81-32, July 1981.
- 3. SCS Engineers. Hazardous Waste Inventory for SD Operations at Vandenberg AFB: Volume I. Hazardous Waste Inventory. Final Report, February 1982.
- 4. SCS Engineers. Hazardous Waste Inventory for SD Operations at Vandenberg AFB: Volume II. Hazardous Waste Disposal Assessment. Draft Final Report, January 1982.
- 5. SCS Engineers. Hazardous Waste Inventory for M-X Operations at Vandenberg AFB. Draft Final Report, April 1982.

## APPENDIX A

HAZARDOUS WASTE GENERATION BY VAFB HOST BASE (GROUP I), LISTED BY EPA HAZARDOUS WASTE NUMBER

### APPENDIX A

HAZARDOUS WASTE GENERATION BY VAFB HOST BASE (GROUP I),
LISTED BY EPA HAZARDOUS WASTE NUMBER

Table A-1 was compiled to assist VAFB personnel in completing all pertinent EPA notification and application forms. All of the tables are organized by EPA hazardous waste number, in much the same fashion as required by the Hazardous Waste Permit Application Form 3510-3. Estimated annual hazardous waste quantities are presented for each waste. These quantities are based on the baseline numerical data. Those hazardous waste numbers described as "included with above" are components of the preceding waste number; as components, they do not need to be separately quantified if the total mixed waste is quantified.

Table A-1 presents the hazardous waste numbers and annual quantities for each VAFB host base facility for 1981 and 1990.

TABLE A-1. EPA DESCRIPTION OF HAZARDOUS WASTE, BY HOST BASE ORGANIZATION

	•	Estimated Annual	Quantity (kg)
Organization	EDA Usasandous		<u> </u>
	EPA Hazardous	1001	
(and Bldg. Nos.)	Waste No.	<u>1981</u>	1990
Fuels Lab & Det 41	D001	816	2,040
AFLC/MA (7422,	D002	234	584
9320, 11248)	D007	2	6
,,	F001	172	431
	F002	408	
	P068		1,021
		4	10
	P078	132	329
	U002	72	181
	U019	0.4	1
	U032	9	· 23
	U044	13	34
	U080	30	75
	U <b>09</b> 8	36	89
•	U133	264	659
	U098 included	with above	
	U154	36	90
	PO75 included		
	U161	7	18
	U211	72	180
		•	
Lockheed (8310)	D001	2,109	2,109
	D002	7,608	7,608
	F002	1,481	1,481
	F005	670	670
	U080	593	593
	U098	3,632	3,632
	U133	3,651	3,651
	U154	329	329
		0.25	023
Federal Electric - ITT	D001	2,269	4,653
(9320)	0002	757	1,552
	U134 included	with above	
	D007	757	1,552
	U134	757	1,552
	F005	Quantity unknown	•
	U002	Quantity unknown	
Boeing (6523)	0001	705	305
DOG 1119 (0023)	D001	725	725
	D002	84	84
	D003	4	4
	D008	307	307
	P030	49	49
	U159	45	45
	PCB's	100	100

TABLE A-1 (continued)

		Estimated Annual	Quantity (kg)
Organization (and Bldg. Nos.)	EPA Hazardous Waste No.	1981	1990
4392 TRNSS/LGTM (7501, 10700, 10711, 10721, 10726 A&B)	D001 D002 D008 K051	39,570 7,763 8,165 22,710	39,570 7,763 8,165 22,710
394 ICBMTMS (6601, Launch Facility)	D001 D002 D003 D007 F001 U002 U159 U220 PCB's	1,087 32 147 567 6 9 36 10 3	1,087 32 147 567 6 9 36 10
1369 AVS/DOC (8314)	D002 D011 P053 U002 U044 U122 U154 inc	16,361 Quantity unknown 3,190 181 334 40,856 Cluded with above Quantity unknown	32,722 6,379 361 669 81,712
USAF Hospital (13850)	D001 D003 D011 U044 U122 U151	4 0.4 1 6 2 2	4 0.4 1 6 2 2

APPENDIX B
EPA FORMS 8700-13 AND 8700-13A

GSA No. 12345-XX Form Approved OMB No. 158 ROOXX

SEPA_	U.S. ENVIR	ONMENT	AL PROTE	CTION	AGENCY	I. TY	PE OF H	AZARD	OUS WA	STE	REPOR			All Park Street
	HAZ	ARDOUS	S WASTE	REPO	RT								AL REPO	الملدا
							THI						REPOR	
						-								
P	LEASE PLACE	LABEL IN	4 THIS SP	ACE			:		_				NG DEC.	
						-	THI	REPOR	T 15 FC	RAW	ASTE		-11	-19
							4 45 :		46: 10 1		designa	ed 108	ce ebove-	eft. If any of the
NSTRUCTIONS. Information on the correct, leave Section azardous waste is the information required.	label is incorrections II, III, and generated, treati	t, graw a t IV below ed, stored,	blank, If or dispose the law (Sect	you did ed of. Pla trop 3002	not receive ease refer to 2/3004 of the	a preprint the special contract the special contrac	nted label cific insti ce Conse	comple uctions reation a	te all se for gene nd Reco	ctions retors very A	, "Insta or facil i <i>ct)</i> ,	illation ities be	" means a store comp	single site where
I. INSTALLATION	'S EPA I.D. NU	MBER	erick Co			100	and the second	****	A 3000		CCU	<b>3.32</b>		
F			1											
III. NAME OF INS	TALLATION &	Page 1	25.50 Pc		the Trace of		17.00					e Garage		
							$\perp \perp$		للل					
IV. INSTALLATIO	N MAILING AC	ORESS			e de la companya de l	ار در در سمنور در در در سمنور					(1) Mar. 1	100		
		STR	EET OF F	0. BOX		TTT			┨				÷	
3 1 1 1			_لِـلـــ						-	,				•
		CITY OR	TOWN	1 1		1 1 1	8T.	ZIFC	11					
4			لللل			بلبل		12	Щ.				Zaha	
V. LOCATION OF	INSTALLATIO				taring the same			is:			A Section		12.050	
<del></del>		STREET		TE NUM	111	TIT	11		1					
5			<u> </u>							1				
		CITY OF	TOWN	1 1 1		<del></del>	ST.	ZIFC	77					
6					444				11.					
VI. INSTALLATIO	N CONTACT				Contract of the second		er distribution	The state of the		ONE	10. (47	ea code	& no.)	
<del></del>		T 7 7 7	€ (last and	1 77711)	$\Box$	$\top$			1	F	TT	1-1		•
2									1 04	Separate Land	al Securit	My ext TES		ويتشعرون المتعب ومات
VII. TRANSPORT	ATION SERVIC	ers for the	(for Part A	reports	only)	were used	during t	he report	ing year	repres	ented t	y this	report.	
Elit tile eli in term										•				
VIII. COST ESTIM	ATES FOR FAC	CILITIÉS (	(for Part B	reports (	only)	i oparin i inches								MENG AND
	ATES FOR FAC					i i i i i i i i i i i i i i i i i i i					047 CI	0548		DRING AND
	OST ESTIMAT					ig spaces die e					047 CI	0548	E MONITO	DRING AND
Α. (	\$	I FOR FA	ACILITY C	LOSUA	•	e Paret Pine e	<b>s</b> . co		S I	II.	OST CL (diepo	0548	E MONITO	DRING AND
	SOST ESTIMAT	E FOR FA	personelly	LOSURI	ed and am f	emiliar w	s. co	ST ESTI	\$ submit	ANCE	this and	osu R	E MONITO	uments, and the
IX. CERTIFICA  I certify under p based on my ing and complete. I a	TION  enalty of law thuiry of those in mawers that th	TE FOR FA	personally immediatel nificant per	LOSURI	ed and am f	emiliar w	9. CO	ormetion letion, I	S submit	ANCE	this and	osu R	E MONITO	uments, and the
IX. CERTIFICA  I certify under p based on my ing and complete. I a	SOST ESTIMAT	TE FOR FA	personally immediatel nificant per	LOSURI	ed and am f	miliar w	9. CO	ST ESTI	S submit	ANCE	this and	osu R	E MONITO	uments, and the is true, accurate

Please print or type with ELITE type /12 charact			Form	Approved QMB No 158	ROOXX
<del>SEP</del> A	FACILITY F	REPORT - PARTS B sutherly of Section 2004 of	HCY & C		· · · · · · · ·
POR OFFICIAL 19	XVI. TYPE OF REPORT (ent	The section of the se		TY'S EPA I.D. NO.	
(Throng 2 & 2)		□PART C			7/A C
XVIII, GENERATOR'S EPA I.D. NO.		ATOR ADDRESS (etreet or F	O. box, elty,	state, & sip codes	
XIX. GENERATOR NAME (specify)					
XXI. WASTE IDENTIFICATION	terroconerii ileks kantesteri noon oo oo oo oo	1988 s contrata estado selectual que	San Augusta Cabines	and the second of the transport of the second	
5	• •	B. EPA HAZARDOUS	C. HAND		€.
A. DESCRIPTION C	PF WASTE	WASTE NUMBER (see instructions)	LING METHOD (enter code)	D. AMOUNT OF WASTE	MEASURE renfer ende)
1	,	26 11 23 13	1		
		16 - 30 44 - 43	4 - 4 0		
2			1		
3					
4					
5					
6		<del> </del>			+
7					+
8					
9					
10					
11					
12		10 10 11 11			
XXII. COMMENTS (enter information by line num	iber - see Instructional	and the second section of the second	halle from the fire of		7. Y.
	·				
•					
					j
PA Ferm \$700-138 (5-80)					

Environment Reporter

[Appendix II]

•

# APPENDIX C

HAZARDOUS WASTE INVENTORY OF ADDITIONAL HOST BASE FACILITIES (GROUP II)

TABLE C-1. HAZARDOUS CHARACTERISTICS OF UNSTES GENERATED BY ADDITIONAL VAFB HOST BASE ORGANIZATIONS

ORGANIZATION (& BLDG, NOS,)		101	30F		наz. ия	IE NU. 3)	HAZ.PR	OPERTY	<u>НАZ. MASIE NO. НАZ. PROPERIY<sup>(4)</sup>CALIFORNIA COMPATIBILITY</u>
WASTE MATERIAL	CA1(I)	CAT(1) CAT(2) LIQ	7,18	OPERATION	EPA	CAL.	ЕРА	CAL.	CLASS(5)
AYCO SYSTEMS DIVISION (1555)									
RAGS, SOLVENT/OILY ISOPROPANOL	R H	n .	ω	CLEANING OF MATERIALS/COMP	D 0 0 1	N(6)			<b>6</b> B
RAGS, SOLVEHT/OILY ACETGHE	A E	13	S	CLEANING OF MATERIALS/COMP	D001 F003	≢			<b>6</b> B
RAGS, SOLVEHT/OILY MEK	RE	£ 1	σ	CLEANING OF MATERIALS/COMP	6001 F005	붚	·#		<b>8</b> 9
MARTIN MARIETTA AEROSPACE									
ALCOHOLS	Æ	n	٠.	SCAPE SUIT REPAIR, BLDG 9325	F003	۲(۲)		u.	<b>4</b> A
1,1,1-TRICHLORDETHANE	ž	n	-4	DECREASING, BLDG 9325	F002	Ή	<b>-</b>		44
STEARHS ROGER, INC. (1792)	-								
OILS, USED	90	m	_	OIL CHANGES	D001	_	<b>-</b> =1	LL.	68
LACQUER THINNER	9 FI	m	_	BLDG 1785	F003	ı.	-	115	4
RCA CORPORATION, ASTRO (1768)									
DEVELOPER, PHOTOGRAPHIC	10	0 1	_	PHOTOGRAPHIC PROCESSING	D002	불	ပ		19,38
FIXER AND WASH WATER SILVER	œ œ	œ	4	PHOTOGRAPHIC PROCESSING	D011	<b>653</b>	ш	<b>-</b>	e.
AGENA TANK FARM (1180)									
AEROZINE 50 Hydrazine Udmh	£.	N	<u>ـ</u>	WASTE FUELS	U133 U133 U098	376 376 285	RT	11F	4 T
IRFNA	뿔	0.1	ı	WASTE OXIDIZER	D003	540	၁	TCF	64
IRFNA	묒	10	Ļ	OUT-OF-SPEC OXIDIZER	D002	540	ပ	TCF	64
HITROGEN TETROXIDE	¥	1.0	ب	WASTE OXIDIZER	P 078	548	Ξ	16	6А

TABLE C-1 (COHT.) HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY ADDITIONAL VAFB HOST BASE ORGANIZATIONS

ORGANIZATION SE BLDG. HOS. )		;	SOL			H	AZ, UAS	TE NO.(3)	нас, Рв	OPERIY <sup>44</sup>	HAZ.WASTE_NO(3) HAZ.PROPERIY <sup>(4)</sup> CALIFORNIA
WASTE MATERIAL	CAT(1) CAT(2) L 10	S E	) (1	<b>OPERATION</b>	ION		ЕРА	CAL,	ЕРА	CAL	COMPATIBILITY CLASS(6)
ELECTRICAL SECTION/DEM											
BATTERY CARCASS	BG	4	ψ	EXHAUS	EXHAUSTED BATTERIES	IES	NL <sup>(6)</sup>	(4)	<b>-</b>	-	
PCB's	7	ស	٦	DRAINE	D FROM ELE	DRAINED FROM ELEC, EQUIPNENT	(8)	909	-	1.1	4 A
TRANSFORMERS (5) PCB's	Æ	4	တ	OBSOLE	TE ELECTRI	OBSOLETE ELECTRICAL EQUIPMENT	ê <sub>*</sub>	606 606	-	11	
CAPACITORS (4) PCB's	ē.	<del>7</del>	σ	OBSOLE	TE ELECTRI	OBSOLETE ELECTRICAL EQUIPMENT	<b>(</b> 8)	606 606	· -	11	
SULFURIC ACID	82	ω	_	DRAINE	DRAINED FROM BATTERIES	TERIES	D002 D008	705 406	CE	2.	ā
SANITATION SECTION/DEM											
MISCELLANEOUS BIOCIDES DIAZINON BAYGON RONNEL	B	ū	٦	<b>SPRAY</b>	SPRAY TANK RINSE WATER	WATER	프로 로 로	보그 분분	<b> </b>	<del>-</del>	3.6
PAYEMENTS AND GROUNDS/DEM											
TERRACLORE FUNCICIDE	æ	ū	۰	SPRAY TANK	TANK RINSE	RINSE WATER	U185	불	<b>-</b>		ЭÐ
ACTIDONE FUNGICIDE	BR	5	_	SPRAY TANK	TANK RINSE	WATER	片	242		-	ЗА .
MISCELLANEOUS INSECTICIDES PROXOL SEVIN DIAZINON	8	<u>.</u>	ب	SPRAY TANK	TANK RINSE	WATER	투독독	그북북분		<b>-</b>	3й
MISCELLANEOUS FUNGICIDES FROTURF DACINIL DYRENE	B	ស	ب	SPRAY	SPRAY TAHK RINSE WATER	WATER	돌로로로	돌로로로			æ E
2,4-D	94	15	د	SPRAY	SPRAY TANK RINSE WATER	WATER	0016	263	ш	=	30
MISCELLANEOUS HERBICIDES KARNEX BETASAN ROUNOUP DIURON SIDURON SIMAZINE~PRINCEP	H H	ñ	_	SPRAY TANK	FANK RINSE	UNTER	<sup>포</sup> 즉 즉 즉 즉 즉 즉	투독독독			30

Ę

Ċ

TABLE C-1 (CONT.) HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY ADDITIONAL VAFB HOST BASE ORGANIZATIONS

ORGANIZATION ( BLDG, NUS.)		1	SOL		HAZ, WAS	TE 40.3	, ня 2, Р	OPERIY	HAZ WASTE NO(3) HAZ PROPERTY CALLFORNIA
WASTE MATERIAL	CAT(1) CAT(2)LIG	CAT(2	70K	OPERATION	EPA	CAL,	ЕРА	CAL.	CLASS(5)
NECHANICAL SECTION/DEM									
ALGACIDES	ЯВ	ŭ	ب	COOLING TOWER	HL (6)	Ħ	-		30
HALOCARBON LUBE 01L	F.	ß	ب	DRAINED FROM RECHARGER UNITS	F002	#	-		44
MOTOR OIL	90	ю	_	LEAKS IN AIR COMPRESSOR	D 0 0 1	r <sub>(3</sub>		īr	69
REFRIGERANT OIL	90	m	ب	LEAKS IN AC SYSTEM	F002	≝	-		44
HYDROCARBON SLUDGE	90	m	_	TANK CLEANING	0001	_		L.	89
SULFAMIC ACID	Α8	4	Ø	BOILER CLEANING	Ħ	붚	CT		<b>6</b> B
<b>TETRACHLOROETHYLENE</b>	Ħ	ĸ	_	RESIDUAL FROM PARTS CLEANING	F002	576	<b></b>	1	4
STRUCTURES SECTION/DEM									
CUTTING OIL	50	n	_	CUTTING AND THREADING PIPE	0001	1	<b>~</b>	-	68
CUTTING OIL	90	m	ب	NACHINE USE	000	ب		_	89
PAINT REMOVER METHYLENE CHLORIDE	PC	ß	_	PAINT REMOVAL	F002 F002	262 2 262	-	=	44
PAINT THIMNERS	PE	ស	ب	CLEANING PAINTING EQUIPMENT	0001	_	· <b>#</b> 1	TIF	<b>6</b> B
394 - CORROSION CONTROL FACILITY (1930)	FACILITY < 19302		٠						
METAL BRIGHTENER	cv	0	ب	CORROSION REMOVAL	D002		ပ	CI	81
METHYL ETHYL KETONE	Đ.	រេ	ئب	METAL CLEANING	F005	499	Ιi	#	4 Œ
SYNTHETIC ENAMEL	PG	n	ب	PAINT WASTE	0001	Ļ	<b>.</b>	#	89
RAGS, SOLVENTZOILY Mek	RE	Ē.	w ·	METAL CLEANING	D001 F005	L 5 499		Ŧ	<b>6</b> B

(1) See list of Waste Category Codes for definitions of abbreviations.

(2) For discussion of treatment categories, see Reference (2) or (4).

(3) EPA numbers are given in 45 FR 33084-33133 (40 CFR 261); California numbers. are presented in CAC, Title 22, Division 4, Chapter 30, Article 9.

(4) See Glossary for definitions of hazardous property abbreviations.

(5) California Compatibility Classes are listed in 45 FR 33257-33258.

(6) NL = Not listed.

(7) L = Listed, but not assigned a specific number.

(8) "\*" indicates it is regulated under Code of Federal Regulations 40 CFR 761.

TABLE C-2. BASELINE AND CONTINGENCY WASTE GENERATION FOR ADDITIONAL VAFE HOST BASE ORGANIZATIONS

			QUANTITY PER YEAR	ER YEAR	ſ	CONTIN	сеису виян	CONTINCENCY QUANTITY PER EVENT	H
ORGANIZATION ( BLDG, NOS.)	SOL	MASS		VOI.UME		MASS		YOL UME	
CAT WASTE MATERIAL	LIB	KILOGRAMS	POUMPS	LITERS (	GAL OR CF	KILOGRAMS	POUNDS	LITERS GAL	L OR CF
AVCO SYSTEMS DIVISION (1555)									
RE RAGS, SOLVENT/OILY ISOPROPANOL	ဟ	۲.	 	2.8	-	0.	<b>e</b> .	0.	0.
RE RAGS, SOLVEHT/OILY ACETONE	S	۲.	- .5	2.8	<del>-</del> .	0.	<b>0</b>	0.	0.
RE RAGS, SOLVENT/OILY Nek	ဟ	۲.	- :	2.8	-	0.	0.	•	0.
TOTALS FOR AVCO SYSTEMS DIVISION (1555) SOLIDS Liguids Total	ON < 1555	9 9 9	4 4 5	ສ ເກັ <b>ວ</b>					
MARTIN, MARIETTA AEROSPACE									
AM ALCOHOLS	_	3.2	7.0	3.8	1.0	0.	0.	0.	0.
TH 1,1,1-TRICHLOROETHANE	1	376.0	829.0	283,9	75.0	٥.	0.	0.	ij.
TOTALS FOR MARTIN MARIETTA AEROSPACE SOLIDS Liguids Total	OSPACE	379.2 379.5 5.64£	835.0 836.0	287.7	<b>1</b> 92		·		
STEARNS ROGER, INC. (1792)							•		
0G OILS, USED	ı	1143.0	2520.0	1135.5	300.0	0.	0.	0.	0.
PE LACQUER THINNER	_	816.3	1800.0	9.08.4	240.0	0.	0.	ē.	0.
TOTALS FOR STEARNS ROGER, INC. SOLIDS LIGUTOS TOTAL	(1792)	1959.5 1959.5	4320.0 4320.0	2043.9	540.8				
RCA CORPORATION, ASTRO (1763)									
DI DEVELOPER, PHOTOGRAPHIC	ند	453.6	1000.0	454.2	120.0	0.	• ·	0.	0.
PR FIXER AND WASH WATER SILVER	ب	630.8	1501.0	681,3	180,0	0	0.	0.	<del>.</del>
TOTALS FOR RCA CORPORATION, ASTRO (1768) SOLIDS LIGUIDS TOTAL	TRO (1768	1134.4 1134.4	2501.0	1135.5	300.0				

Ç

TABLE C-2 (COMT.) BASELINE AND CONTINGENCY WASTE GENERATION FOR ADDITIONAL VAFB HOST BASE ORGANIZATIONS

			QUANTITY PER YEAR	R YEAR	ſ	TINOS	CONTINGENCY QUANTITY PER EVENT	LITY PER EVI	INI
ORGANIZATION (& BLDG, NOS.)	SOL	MASS		YÜLÜME		MASS		YOLUME	
UST CAT WASTE MATERIAL	0R L.19	KILOGRAMS	POUNDS	LITERS	GAL OR CF	KILOGRAMS	POUNDS	LITERS	GAL OR CF
AGENA TANK FARM (1180)			,						
AJ AEROZIHE 50 HYDRAZINE . UDNH	<b>-</b>	91.2	201.0	102.2	27.0	°.	0.	e.	°.
HE IRFHA .	_	113.4	250.0	75.7	20.0	0.	0.	0.	•
NE IRFNA	ı	0.	0.	ġ,	ō.	11793,3	26000.0	7846.3	2073.0
HK NITROGEN TETROXIDE	٦	82.6	182.0	56.8	15.0	0.	0.	0.	Ð.
TOTALS FOR AGENA TANK FARM (1180) SOLIDS LIQUIDS TOTAL	180>	.0 287.1 287.1	633.0	.0	62.0				
ELECTRICAL SECTIONZDEM									
BG BATTERY CARCASS	œ	3483,6	7680.0	1359,2	48.0	0.	0.	•.	0.
PL PCB's	_	0.	θ.	9.	<b>a</b> .	6843.8	15088.0	4568.5	1207.0
PM TRANSFORMERS (5) PCB's	ഗ	• .	<b>e</b> .	<b>9</b> .	e.	4876.1	10750.0	29448.6	1040.0
FM CAPACITORS (4) PCB's	on	o.	0	÷.	9.	25.4	56.0	113.3	ų. <del>4</del>
SZ SULFURIC ACID	-4	166.9	368.0	96.8	24.0	0.	<b>o</b> .	e.	0.
TOTALS FOR ELECTRICAL SECTION/DEN SOLIDS LIGUIDS TOTAL	1.7DEM	3483.6 166.9 3650.5	2680.0 368.0 8648.0	1359.2 90.8	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				
SANITATION SECTIONZDEM									
BR MISCELLANEOUS BIOCIDES DIAZINON BAYGON RONNEL		4539,5	10003.0	4542,0	1200.0	·	<b>o</b> .	· .	<b>o</b> .
TOTALS FOR SANITATION SECTION/DEN SOLIDS Liquids Tütal	1.0EM	4539,0 4539,5 8,0	10008.0 10008.0	4542. û	0.16457	4			

TABLE C-2 (CONT.) BASELINE AND CONTINGENCY WASTE GEMERATION FOR ADDITIONAL VAFB HOST BASE DRGAHIZATIONS

			ì	QUANTITY PER YEAR	PER YEAR	1	CONTIN	CONTINGENCY QUANTITY PER EVENT	ITY PER EVEN	-
ORGA	ORGANIZATION (& BLDG, NOS.)	SOL	MASS	8	YOLUME	ME	NASS		VOL UME	
CAI	UASTE MOTERIAL	L 10	KILOGRAMS	POUMDS	LITERS	GAL OR CF	KILOGRAMS	POUNDS	LITERS GAL	L OR CF
PAVE	PAYEMENTS AND GROUNDS/DEM								j	
86	TERRACLORE FUNGICIDE	-1	630.8	1501.0	681.3	180.0	0.	0.	0.	0.
98	ACTIDONE FUNGICIDE	ب	680.8	1501.0	681.3	180,0	9.	ė.	0.	ō.
푽	MISCELLAHEOUS INSECTICIDES PROXUL SEVIN DIAZINON	_	1361.7	3002.0	1362,6	360.0	Đ.	0	<b>o</b> .	ä.
<u>8</u>	NISCELLAHEOUS FUNGICIDES PROTURF DACINIL DYRENE	ب	1588.9	3503.0	1589.7	420.0	<b>.</b>	<b>o</b> .	<b>o</b> .	<b>o</b> .
90	2,4-D	<b>.</b>	1588.9	3503.0	1589.7	420.0	9.	0.	•	0.
뷮	MISCELLANEOUS HERBICIDES KARNEX BETASAN ROUNDUP DIURON SIDURON SIMAZINE/PRINCEP	٦	4 w v	10008.0	4342.0	1200.0	· .	ę	•	0.
Ē	TOTALS FOR PAVEMENTS AND GROUNDS/DEM SOLIDS LIQUIDS TOTAL	/DEM	.0 10440.7 10440.7	23018.0	10446.6	2760.0				
NECH	<u>MECHANICAL SECTION/DEM</u>									
ą.	ALGAC IDES	نـ	454.0	1001.0	454.2	120.0	<b>e</b> .	•	0.	9.
F.R	HALOCARBON LUBE OIL	_	644,6	1421.0	454,2	120.0	ŷ.	Θ.	<b>o</b> .	0.
50	MOTOR OIL	ي.	40.8	90.0	45.4	12.0	0.	0.	0.	0.
90	REFRIGERANT OIL	-1	64.4	142.0	4. 4.	12.0	•	0.	0.	0.
90	HYDROCARBON SLUDGE	ب	9412:0	20750.0	9462.5	2500.0	0.	0.	0.	o.
88	SULFAMIC ACID	S	2177.2	4800.0	1036.4	36.6	e.	0.	0.	0.
1	TETRACHLOROETHYLENE	_	366.3	807.6	227.1	60.09	Û.	· 0.	0.	0.
1	TOTALS FOR NECHANICAL SECTION/DEM SOLIDS LIGUIDS TOTAL		2177.2 10982.1 13159.4	242H1.6 29011.6	10536,4 10538,8	2824				

(

TABLE C-2 (COHT.) BASELINE AND CONTINGENCY WASTE GENERATION FOR ADDITIONAL VAFB HOST BASE DRGANIZATIONS

			1	QUANTITY PER YEAR	ER YEAR	ı	CONTIN	IGENCY QUANT	CONTINGENCY QUANTITY PER EVENT	H
ORGA	ORGANIZATION ( BLDG. NOS.)	SOL	MASS		YOLUME	121	MASS		YOUNME	
CAT	WASTE MATERIAL	L 10	KILOGRAMS	POUNDS	LITERS	GAL OR CF	KILOGRAMS	POUNDS	LITERS GAL	L OR CF
STRU	STRUCTURES SECTIONZDEM									
90	CUTTING OIL	_	81.6	180.0	9.06	24.0	0.	0.	0.	0.
90	CUTTING OIL	ب	122.5	270.0	136.3	36.0	0.	0.	0.	o.
ş	PAINT RENOVER METHYLENE CHLORIDE	_	299.4	660.0	227.1	66.0	<b>o</b> .	•	0.	•. ·
PE	PAINT THINNERS	ب.	367.7	810.6	613.2	162.0	0.	o.	0.	0.
F	TOTALS FOR STRUCTURES SECTION/DEN SOLIDS LIQUIDS TOTAL	<b>Σ</b>	871.2 871.2	1920.6	1667.4	282.0				
394	- CORROSION CONTROL FACILITY (1930)	(1930)								
C	METAL BRIGHTENER	ك	æ.	8.3	æ.	1.0	0.	•	0.	0.
₹	METHYL ETHYL KETONE	ب	197.8	436.0	246.0	65.0	0.	0.	•	o.
PG	SYNTHETIC ENAMEL	ب	498.9	1100.0	492.0	130.0	0.	0.	0.	θ.
e: Ei	RAGS, SOLVEHT/OILY Nek	ø	3116.2	6870.0	12968.7	459.0	0.	9.	0.	ů.
-	TOTALS FOR 394 - CORROSION CONTROL SOLIDS LIQUIDS TOTAL		FACILITY (1930) 3116.2 700.5 3816.6	6870.0 1544.3 8414.3	12968.7	458 -136.0				
GR	GRAND TOTAL, ADDITIONAL HOST VAFB ORGANIZATIONS 877 SOLIDS 3146 Liguids 3146 Total	ORGANI	ZATIONS 8779.0 31461.2 40240.2	19354.5 69360.5 88715.0	15372.8	542.9	_			

TABLE C-3. AHRUAL BASELINE WASTE GENERATION FOR ADDITIONAL YAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY

ASTE CATECORY	705 80	BASELINE MASS PER YEAR	S PER YEAR	BASELINE VO	BASELINE VOLUME PER YEAR
ORGANIZATION (AND BUILDING NUMBER)	110	KILOGRAMS	Pauros	LITERS	GAL OR CF
<u>rd = rerozine 50</u> agena tank farm <1180>		\$.16	201.0	102.2	27.0
TOTAL AJ FOR ADDITIONAL ORGANIZATIONS		91.2	201.0	102.2	27. ü
AN - ALCOHOLS, UNSPECIFIED MARTIN MARIETTA AEROSPACE	ب.	3,2	7.0	W.	1.0
TOTAL AM FÖR ADDITIONAL ORGANIZATIONS		3.2	9.2	3.8	1.0
AP - ALGACIDES, UMSPECIFIED MECHANICAL SECTION/DEN	w	454.0	1001.0	454.2	120.0
TOTAL AP FÜR ADDITIONAL ORGANIZATIONS		454.0	1001.0	454.2	120.0
<u>BG - BATTEKY WASTES</u> ELECTRICAL SECTION/DEM		3483.6	7680.0	1359.2	48.0
TOTAL BG FOR ADDITIONAL ORGANIZATIONS		3483.6	7680.0	1359.2	48.0
BR - B10CIDES, UNSPECIFIED SANITATION SECTION/DEN PAVEMENTS AND GROUNDS/DEM	_	4539.5 4312.3	10008.0	4542.0 4314.9	1200.0
TOTAL BR FOR ADDITIONAL ORGANIZATIONS		8851.8	19515.0	8856.9	2340.0
CV - CORROSIVE LIQUIDS, UNSPECIFIED 394 - CORROSION CONTROL FACILITY (1930)	' نــ	æ, 'n	<u>ب</u> 8	æ K	1.0
TOTAL CY FOR APDITIONAL ORGANIZATIONS		3.8	в. З	3.8	0.1
<u>DB - 2.4-D</u> PAYEMENTS AND GROUNDS/DEM	_	1588,9	3503.0	1589.7	420.0
TOTAL DB FOR AGDITIONAL ORGANIZATIONS		1588.9	3503.0	1589.7	. 420.0
<u>DI - DEVELOPER, PHOTOGRAFHIC</u> RCA CORPORATION, ASTRO (1768)		453.6	1000.0	454,2	120.0
TOTAL DI FOR ADDITIONAL ORGANIZATIONS		453.6	1900.0	454.2	120.0

TABLE C-3 (CONT.) ANHUAL BASELINE WASTE GENERATION FOR ADDITIONAL VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY

•	SOL	BASELINE NASS PER YEAR	PER YEAR	BASEL IME VO	BASELINE YOLUME PER YEAR
UNSTE CATEGORY ORGANIZATION (AND RUILDING NUMBER)	۳ و د يو	KILOGRAMS	POUNDS	LITERS	GAL OR CF
FR - FREON SOLVENTS	ب			:	
MECHANICAL SECTION/DEM		644.6	1421.0	454.2	120.0
TOTAL FR FOR ADDITIONAL ORGANIZATIONS		6,44.6	1421.0	454.2	120.0
Approximation of the state of t	-				
HE TEKRICIVES, UNSTELLTIED PAVENENTS AND GROUNDS/DEM	1	4539.5	10008.0	4542.0	1200.0
TOTAL HE FOR ADDITIONAL ORGANIZATIONS		4539.5	10008.0	4542.0	1200.0
NU - NETHYL ISOBUTYL KETGNE (MIBK) 394¢h - CORROSION CONTROL FACILITY (1930)	۰	8.761	436.0	246.0	65.0
TOTAL NU FOR ADDITIONAL ORGANIZATIONS		197.8	436.0	246.0	65.0
<u>ME - HITRIC ACID</u> Agena tank Farn (1180)	_	113,4	250.0	75.7	20.0
TOTAL HE FOR ADDITIONAL ORGANIZATIONS		113.4	250.0	75.7	20.0
NK - NITROGEN TETROXIDE AGEHA TANK FARM (1180)	٠,	82.6	182.0	56.8	15.0
TOTAL IIK FOR ADDITIONAL ORGANIZATIONS		82.6	182.0	56.8	15.0
0G - 01LS, USED STEARNS ROGER, INC. (1792) MECHANICAL SECTION/DEN STRUCTURES SECTION/DEN		1143.0 9517.2 204.1	2520.0 20982.0 450.0	1135.5 9553.3 227.1	300.0 2524.0 60.0
TOTAL OG FOR ADDITIONAL ORGANIZATIONS		10864.4	23952.0	.6.81601	2684.0
PC - PAINT STRIPPERS STRUCTURES SECTION/DEN	د .	299.4	660.0	227.1	6.03
TOTAL PC FOR ADDITIONAL ORGANIZATIONS		299,4	660.0	227.1	60.0
PE - PAINT THINNERS STEARHS ROGER, INC. (1792) STRUCTURES SECTION/DEN	<b>-</b> -	816.5 367.7	1800,0	908.4 613.2	240.0 162.0
TOTAL PE FOR ADDITIONAL ORGANIZATIONS		1184.1	2610.6	1521.6	402.0

TABLE C-3 (CONT.) ANHUAL BASELINE WASTE GENERATION FOR ADDITIONAL VAFB HOST BASE ORGANIZATIONS BY WASTE CATEGORY

Vancation Broom	SOL	BASELINE MASS PER YEAR	PER YEAR	BASELINE VO	BASELINE YOLUME PER YEAR
ORGANIZATION (AND RUILDING NUMBER)	F 2	KILOGRAMS	POUNDS	LITERS	GAL OR CF
PG - PAINI WASTES 394 - CORROSION CONTROL FACILITY (1930)	٦	. 498.9	1100.0	492.0	130.0
TOTAL PG FOR ADDITIONAL ORGANIZATIONS		498.9	1100.0	492.0	130.0
PL - PCB LIQUID WASTES	Ø				
TOTAL PL FOR ADDITIONAL ORGANIZATIONS		<b>0</b> ·	0.	0.	0.
PM - PCB SOLID WASTES	_				
TOTAL PN FOR ADDITIONAL ORGANIZATIONS		0.	Θ.	0.	0.
<u>PR - PHOTOGRAPHIC CHENICALS, MISC.</u> RCA CORPORATION, ASTRO (1768)	w	680.8	1501.0	681.3	180.0
TOTAL PR FOR ADDITIONAL ORGANIZATIONS		680.8	1501.0	681.3	180.0
RE - RAGS, SOLVENTZOILY AVCO SYSTEMS DIVISION (1555) 394 - CORROSION CONTROL FACILITY (1930)	ഗ	2.0 3116.2	4.5	8.5	458.0
TOTAL RE FOR ADDITIONAL ORGANIZATIONS		3118.2	6874.5	12977.2	458,3
<u>SY - SULFAMIC ACID</u> MECHANICAL SECTION/DEM	١	2177.2	4800.0	1036.4	36.6
TOTAL SY FOR ADDITIONAL ORGANIZATIONS		2177.2	4800.0	1036.4	36.6
SZ - SULFURIC ACID ELECTRICAL SECTION/DEM	٦	166.9	368.0	8'06	24.0
TOTAL SZ FOR ABDITIONAL ORGANIZATIONS		166,9	368.0	8.0.6	24.0
<u>IE – TETRACHLOROETHYLENE</u> MECHANICAL SECTION/DEM	ب	366.3	9.208	1,755	60.0
TOTAL TE FOR ADDITIONAL ORGANIZATIONS	•	366,3	9,708	227.1	60.0
<u>IN - TRICHLOROETHANE</u> MARTIN MARIETTA AEROSPACE	٠.	.376.0	329.0	283.9	75.0
TOTAL TH FOR ADDITIONAL ORGANIZATIONS		376.0	329,0	203.9	75.0

€.

# APPENDIX D HAZARDOUS WASTE INVENTORY OF NASA PROGRAMS

TABLE D-1. HAZARDOUS CHARACTERISTICS OF WASTES GENERATED BY THE NASA PROGRAM AT VAFB.

j

CALIFORNIA	CLASS(5)	89	89	68	3A, 6A	40	4ñ	6.8	<b>6</b> B	4A,6B	4A, 6B
HAZ. WASIE NO. HAZ. PROPERTY COMPATIBILE	CAL. CI	66 TF	11F 6	TF 61 TIF	TF 3	4	TF 4	TIF 6	1F 6	7F 4 F TF	1F 4
HAZ.PROF	ЕРА (	_ =	RT	i RT	<u> </u>	_	Ţ	RT	r R	— — — — — — — — — — — — — — — — — — —	
(E NO.3)	CAL.	(6) NL 548	376	396 376	548	Ħ,	744	376	396 376	NL NL 499 738	F = = =
HAZ.WAS	ЕРА	F002 P080	0133	6001 U133	P 080	D 0 0 1	F002	0133	D001	6001 F017 U159 U220	D001 D001 F017 D001
	OPERATION	PROPEL, TRANSFER - 240 STAGE	PROPEL. TRANSFER - 2ND STAGE	PROPEĽ. TRAMSFER - 2ND STAGE	PROPEL. TRANSFER - 240 STAGE	DEWATERING OF FUEL	FIRST STAGE ENGINE FLUSH	PROPELLANT LOADING	PROPELLANT LOADING	PAINTING,CLEANING,DEGREASING	MAINTENANCE ACTIVITIES
SOL	2), 10	Ļ	_	_	-	ب	نـ	ب	٦	_	_
TRT	CAT	-	N	N	10	m	ស	a	~	lo.	m
FISOR	CAT(1) CAT(2)L10	ŭ.	ВΉ	2	ŏ	F.	4	Ä	7.	กร	Н0
	FACILITY WASTE MATERIAL	FREON 113 N204 (TRACE AMOUNTS)	HYDRAZINE WASTEWATER	ISOPROPYL ALCOHOL HYDRAZINE (TRACE ANOUNTS)	SLC2W DELTA NITROGEN TETROXIDE WASTEWATER	RP-1 FUEL/WATER MIXTURE	TRICHLOROETHYLENE	HYDRAZINE WASTEWATER	ISOPROPYL ALCOHOL HYDRAZINE (TRACE AMOUNIS)	SOLVENTZPAINT MIXTURE PAINT, LEAD-BASED METHYL ETHYL KETONE TOLUENE	OIL/PAINT/THINNER MIXTURE MOTOR OIL PAINT, LEAD-BASED PAINT THINNERS
	FACILITY	SLC2W DELTA FREDH 113 N204 (TR	SLC2W DELTA	SLC2W DELTA	SLC2W DELTA	SLC2W DELTA	SLC2W DELTA	SLC2W HOAA	SLC2W NOAA	SLC2E	BLDG. 831

(1) See list of Waste Category Codes for definitions of abbreviations.

(2) For discussion of treatment categories, see Reference (2) or (4).

(3) EPA numbers are given in 45 FR 33084-33133 (40 CFR 261); California numbers are presented in CAC, Title 22, Division 4, Chapter 30, Article 9.

See Glossary for definitions of hazardous property abbreviations.

(5) California Compatibility Classes are listed in 45 FR 33257-33258.

(6) NL = Not listed.

7) L = Listed, but not assigned a specific number.

TABLE D-2. UNIT GEHERATION OF HAZARDOUS WASTES FROM THE DELTA AND TIROS/NOAA LAUNCHES UNDER THE NASA PROGRAM AT VAFB

				QUANTITY PER LAUNCH BASELINE	Y PER LAUNCH BASELINE			QUANTITY PER EVENT CONTINGENCY	ER EVENT IGENCY	
		SOL	MA	MASS	YOLUME	UME	SHM	'n	THE LOS	LI E
FACILITY	WASTE MATERIAL	L Ja	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
SLC2W DELTA	FREON 113 N204 (TRACE AMOUNTS)	,	530.7	1170.0	378.5	100.0	0.	0.	0.	0
SLC2W DELTA	HYDRAZINE WASTEWATER	ب	9462.3	20861.0	9462.5	2500.0	٥.	0.	0.	0.
SLC2W DELTA	ISOPROPYL ALCOHOL HYDRAZINE (TRACE AMOUNTS)	ب	530.7	1170.0	378.5	100.0	0.	•	9.	0.
SLC2W DELTA	NITROGEN TETROXIDE UASTEUATER	-4	264.9	534.0	265.0	20.0	0.	0.	0.	0.
SLC2W DELTA	RP-1 FUEL/WATER MIXTURE	٦	19.1	42.0	18.9	5.0	ē.	0.	٠.	
SLC2W DELTA	TRICHLOROETHYLENE		238.6	526.0	170.3	45.0	0.	•	0	9.
TOTAL FOR DELTA AT SLC2W SOLIDS LIGUIDS TOTAL	A AT SLC2W		.0 11046.3 11046.3	24353.0 24353.0	10673.7	2820.0				
SLC2W HOAA	HYDRAZINE WASTEWATER	ب	208.2	459.0	208.2	55.0	Θ.	0.		=
SLC2W NOAA	ISOPROPYL ALCOHOL HYDRAZINE (TRACE AMOUNTS)	<u>۔</u>	291.7	643.0	208.2	55.0	0.	<b>o</b> .		0.
TOTAL FOR TIRO SOLIDS Liguids Total	TOTAL FOR TIROS/NOAA AT SLC2W SOLIDS Liguids Total		499.9	102.0	416.3	0.00				

Ć

TABLE D-3. UNIT GEWERATION OF HAZARDOUS WASTES FROM THE PAINT AND SHOP FACILITIES UNDER THE HASA PROGRAM AT VAFB

				QUANTITY PER YEAR BASELINE	R YEAR Ine			OUANTITY PER EYENT CONTINGENCY	ER EYENT GENCY	
		SOL	MASS	S	уоция	Æ	MASS	s,	YOLUME	Æ
FACILITY	WASTE MATERIAL	OR LIG	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF	KILOGRAMS	POUNDS	LITERS	GALLONS OR CF
SLCZE	SOLVENTZPAINT MIXTURE PAINT, LEAD-BASED METHYL ETHYL KETONE TOLUENE	۔	31.8	70.0	22.7	6.0	٠.	0	0.	<b>o</b> .
OTAL FOR PAIN SOLIDS LIGUIDS TOTAL	TOTAL FOR PAINT FACILITY AT SLCZE SOLIDS Liguids Total		31.8		.0	40.0	<b>~</b>			
BLDG. 831	OIL/PAINT/THINMER MIXTURE NOTOR OIL PAINT, LEAD-BASED PAINT THINNERS		1061.4	2340.0	757.0	200.0	÷.	•.	0.	e .
OTAL FOR SHOP SOLIDS LIQUIDS TOTAL	TOTAL FOR SHOP FAC. AT BLDG. 831 SGLIDS LIQUIDS TOTAL		1061.4	2340.0	.0	200.0	0			

TABLE D-4. BASELINE UNIT WASTE GENERATION FOR THE HASA PROGRAM AT VAFB BY WASTE CATEGORY

	SOL	BASE	BASELINE QUANTITY FER UNIT LIME	Y PER UNIT I	IME
FACILITY - LOCATION	LIG	KILUGRAMS	POUNDS	LITERS	GAL OR CF
TOTALS FOR FR - FREON SOLVENTS	١				
TIROS/NOAM LAUNCHES - SLC2W (PER LAUNCH)		530.7	1170.0	378.5	100.0
SHOP FACILITY - BLDG, 831 (PER YEAR)		0.	9.	9.	0.
=/WATE	ų			:	
		9462.3	20861.0	9462.5	2500.0
PAINT FACTURES - SECRETORES - S		208.2	459.0	208.2	55.0
831			9.0.	0.0	0.0
10101 c 505 11 - 11000000001	•				
DELTA LAUNCHES - SLC2W (PER LAUNCH)		2 025	0 001	i c	000
SLC2W		291.7	643.0	208.2	0.00.0 55.0
(PER		0.	0.	9.	0.
SHUP FACILITY - BLDG, 831 (PER YEAR)		0.	0.	0.	0.
TOTALS FOR OH - OILY WASTES, GENERAL	-4				
		0.	0.	0.	0.
TIMOS/MONH LHONCHES - SLCZW (PER LAUNCH) PAINT FACTITY - CLOSE		• ·	• ·	o.	0.
121		0.1	0.010	0	e .
		1.001	2340.0	0.757	200,0
/WATER					
DELTA LAUNCHES - SLC2W (PER LAUNCH)		264.9	584.0	265.0	20.0
PAINT FACILITY - SLOZE (PER YEAR)			<b>.</b>	<u>ه</u>	٥.
331			? ?.		. o.
TOTALS FOR RT - RP-1 SLUDGES	_				
	į	19.1	42.0	Ø.	in
SLC2W <		0.	0.	0'	0.
SHOP FACILITY - BLOG AZI (PER YEAR)		0.	0.	0	0.
		D.	<b>.</b>	0.	<b>9.</b>
. MIXE					
DELTA LAUNCHES - SLOSU (PER LAUNCH) TIBOSZUJOS LAUNCHES - GLOSU ZREG LAUNCHZ	ě	0.	0.	0.	0.
		, t	9 (	0.	0.
631		o : .	<b>3</b>	7.22	9.9
TOTALS FOR TP - TRICHLORDETHYLENE	_			•	) -
DELTA LAUNCHES - SLC2W (PER LAUNCH)	١.	238.6	526.0	170.3	45.0
TIROS/NOGA LAUNCHES - SLC2W (PER LAUNCH) PAINT FACHTIY - SLC2E		••	0.	a ·	0
331		₽. €	÷.	ē. °	٥.
		·	-	-	?

€.

BASELINE WASTE GEHERATION FOR EACH NASA FACILITY AT VAFB BY WASTE CATEGORY FOR 1982 - 1987 TABLE 0-5.

1

10	OR CF		0.	Ö.	0	9.	9.	ō.		55.6	55.0		6.0		200.0
198	POUNDS		0.	9.	0.	<b>e</b> .	<b>o</b> .	۰.		459.0	643.0		70.0		2340.0
	OR CF	•	0.	0.	0.	9.	9.	<b>o</b> .		55.0	55.0		6.0		200.0
1986 Gr	Pountos		0.	0.	<b>o</b> .	0.	0.	0.		459.0	643.0		20.0		2340.0
1.7	OR CF		0.	0.	0.	0.	0.	•·		55.0	55.0		6.0		200.0
1982	FOUNDS		0.	0.	0.	0.	Ö.	0.		459.0	643.0		70.0		2340.0
	OR CF		0.	0.	•.	•	0.	0.		55.0	55.0		6.0		200.0
1984 Cr	POUNDS		0.	0.	0.	0.	0.	٥.		459.0	643.0		0.02		2340.0
	.0R CF		9.	0.	0.	0.	0.	0.		55.0	55.0		6.0		200.0
1983	POUNDS		o.	9.	0.	9.	0.	0.	,	459.0	643.0		70.0	1	2340.0
CALLONS	OR CF	rcsn	200.0	5000.0	200.0	140.0	10.0	90.0	AT SLC2W	55.0	55.0	CZE	6.9	.06, 831	200.0
1982	POUNDS	DELTA LAUNCHES AT SLC2W	2340.0	41722.0	2340.0	1168.0	84.0	1052.0	TIROS/HOAA LAUNCHES AT SLC2W	459.0	643.0	PAINT FACILITY AT SLCZE	70.0	SHOP FACILITY AT BLDG, 831	2340.0
WASTE	CATEGORY*	DELTA LAL	Ä	HÖ	14	×o	RI	16	11R0S/NO	Н	1	PAINT FA	ns	SHOP FAC	HO

\* KEY TO WASTE CATEGORY ABBREVIATIONS:

FR - FREON SOLVENTS

HQ - HYDRAZINE/WATER WASTES

TY - ISOPROPANOL

1V - ISOPROPANOL

OH - OILY WASTES, GENERAL

TO - TRICHLOROETHYLENE

BASELINE WASTE GENERATION FOR COMBINED HASA FACILITIES AT VAFB BY WASTE CATEGORY FOR 1982 - 1987 TABLE D-6.

	,								
1987	GALLONS OR CF	0.	55.0	55.0	200.0	Ö.	0.	.0.9	0.
13	POUNDS	•	459.0	643.0	2340.0	0.	0.	70.0	0.
1986	GALLONS OR CF	0.	55.0	55.0	200.0	0.	0.	6.0	0.
19	POUNDS	0.	459.0	643.0	2340.0	9.	0.	70.0	0.
1985	GALLONS OR CF	0.	55,0	55.0	200.0	0.	÷	6.0	0.
192	POUNDS	0.	459.0	643.0	2340,0	•	ō.	70.0	0.
1984	GALLONS OR CE	•	53.0	55.0	200.0	9.	0.	6.0	0.
61	POUNDS	•	459.0	643.0	2340.0	ů.	0.	70.0	0.
<b>œ</b> l	GALLONS OR CF	٥.	83.0	55.0	200.0	0.	0.	6.0	
15	POUNDS	0.	459.0	643.0	2340.0	0.	9.	20.0	0.
1982	GALLONS OR CF	200.0	5055.0	255.0	200.0	140.0	10.0	6.0	90.0
19	WASTE CATEGORY* POUNDS	2340.0	42181.0	2983.0	2340.0	1168.0	84.0	70.0	1052.0
L G	WASTE CATEGORY*	R St	н	۸1	НО	×o	RT	Sn	TP

\* KEY TO WASTE CATEGORY ABBREYIATIONS:

FR - FREDN SOLVENTS HG - HYDRAZINE/WATER WASTES IV - ISOPROPANOL OH - OILY WASTES, GENERAL

OX - OXIDIZER/WATER WASTES RT - RP-1 SLUDGES SU - SOLVENTS, MIXED OR UNSPEC. TP - TRICHLOROETHYLENE

(

{

### APPENDIX E

SUMMARIES BY WASTE CATEGORY OF UNIT QUANTITIES OF LIQUID AND SOLID HAZARDOUS WASTES FOR VAFB HOST BASE AND TENANTS

#### APPENDIX E

SUMMARIES BY WASTE CATEGORY OF UNIT QUANTITIES OF LIQUID AND SOLID HAZARDOUS WASTES FOR VAFB HOST BASE AND TENANTS

Tables E-1 and E-2 were compiled to assist VAFB personnel in distinguishing between those host base and tenant programs that generate hazardous wastes as a function of launch schedule and those that generate wastes at a constant rate regardless of launch schedule. VAFB host base and tenant organizations are separated in these tables according to the projected variations in waste generation rates, with a separate entry for each of the following groups:

- SD-STS.
- SD-TAC.

1

- Host VAFB Fuels Lab & Det 41.
- Host VAFB Federal Electric.
- Host VAFB 1369 AVS/DOC.
- Host VAFB Other organizations (combined).
- BMO M-X test pad and part of MMF (launch-dependent).
- BMO Other M-X test facilities (launch-independent).
- NASA Delta.
- NASA TIROS/NOAA.
- NASA Shop and paint facilities.

Among the host base organizations, Fuels Lab & Det 41 and 1369 AVS/DOC are expected to undergo an increase in waste generation when the STS program becomes operational. Federal Electric expects its waste generation to increase annually, with different rates of increase prior to and during the STS program. All other host base organizations are projected to have constant waste generation rates regardless of year.

Table E-1 presents information on liquid waste generation, and Table E-2 provides data on solid waste generation. These tables will also assist VAFB host base and tenant personnel in recalculating waste generation in case of any changes in projected waste generation, so that facilities can be sized for management of these wastes.

TABLE E-1. SUMMARY BY WASTE CATEGORY OF QUANTITIES PER UNIT TIME OF BASELINE LIQUID WASTE GENERATED BY VAFB HOST BASE AND TENANTS

,

WASTE CATEGORY		BASELINE MASS/UNIT TIME	JUNIT TIME	BASELINE VOLUNE/UNIT TIME	IEZUNIT TIME
ORGANIZATION	UNIT TIME	KILOGRAMS	POUNDS	LITERS	CALLONS
<u>AB - ACETIC ACID</u> HOST VAFB - FUELS LAB/DET 41	PER YEAR, 1982-84	<i>α</i> .	ы 0.	2.3	9.
AC - ACETONE HOST VAFB - FUELS LABZDET 41 HOST VAFB - 1369 AVSZDOC HOST VAFB - 07HER ORGANIZATIONS	PER YEAR, 1982-84 PER YEAR, 1982-84. FER YEAR	70.9 1.771 8.8	159.4 398.4 19.9	90.8 227.1	24.0 60.0
AJ - AEROZINE 50 HOST VAFB - FUELS LAB/DET 41 HOST VAFB - OTHER ORGANIZATIONS	PER YEAR, 1982-84 PER YEAR	79.6 89.4	179.0	90.8 102.2	24.0
AM - ALCOHOLS, UNSPECIFIED HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	3.1	7.0	8. 8.	
AP - ALGACIDES, UNSPECIFIED HOST VAFB'- OTHER ORGANIZATIONS	PER YEAR	445.0	1001.0	4 55 45 8.	120.0
AU - ANNONIA SPACE DIVISION - STS HOST VAFB - OTHER GRGANIZATIONS	PER STS LAUNCH PER YEAR	8. 8.	0.08	37.8	10.0 1.
<u>RG - BATTERY WASTES</u> HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	7694.1	17306.0	4591.2	1213.0
BJ - BENZENE HOST VAFB - FUELS LAB/DET 41	PER YEAR, 1982-84	<del>4</del> .	6.	4.	-
<u>BR - BIOCIDES, UNSPECIFIED</u> HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	8676.2	19515.0	8856.9	2340.0
<u>CD - CARBON TETRACHLORIDE</u> HOST VAFB - FUELS LAB/DET 41	PER YEAR, 1982-84	70.5	158.6	4 12 4	12.0
CH - CELLOSOLYE SOLVENTS SPACE DIVISION - STS	PER STS LAUNCH	104.9	236.0	113.2	29.9
CK - CHLOROFORM HOST VAFB - FUELS LABZDET 41 HOST VAFB - 1369 AVSZDOC HOST VAFB - OTHER ORGANIZATIONS	PER YEAR, 1982-84 PER YEAR, 1982-84 PER YEAR	13.1	29.5	22.7 1.72.5 3.8	6.03 4.00 0.0
CM - CHROMIUM WASTEWATERS SPACE DIVISION - STS SPACE DIVISION - COMP CLN FAC HOST VAFB - FUELS LARZOET 41 HOST VAFB - FEDERAL ELECTRIC HOST VAFB - OTHER ORGANIZATIONS	PER STS LAUNCH PER YEAR, 1982-84 PER YEAR, 1982-84 PER YEAR, 1982 PER YEAR	148.5 135410.7 11.2 741.6 556.2	334.0 304574.3 25.1 1668.0	138152.5 138152.5 11.4 757.0	40.0 36500.0 3.0 200.0 150.0

(

(

TABLE E-1 (COUT.) SUMMARY BY WASTE CATEGORY OF QUANTITIES FER UNIT TIME OF BASELINE LIQUID WASTE GENERATED BY VAFB HOST BASE AND TENANTS

WASTE CATEGORY		BASELINE NASS/UNIT TIME	SZUNIT TIME	BASELINE VOLUME/UNIT TIME	E.JUNIT TIME
ORGHNIZATIOH	UHIT TIME	KILOGRAMS	POUNDS	LITERS	CALLOHS
CV - CORROSIVE LIQUIDS, UNSPECIFIED HOST VAFB - FUELS LAB/PET 41 HOST VAFB - OTHER ORGANIZATIONS BNO - MX TP & PART OF MNF	PER YEAR, 1982-84 PER YEAR PER MX TEST LAUNCH	40.1 3.7 7568.3	90,2 8.3 17023.0	40,9 3.8 7721.4	10.8 1.0 2040.0
CU - CYANIDE WASTEVATERS SPACE DIVISION - COMP CLN FAC HOST VAFB - OTHER ORGANIZATIONS	PER YEAR, 1982-84 PER YEAR	135410,7	304574.3	138152.5	36500.0
<u>DB - 2,4-D</u> HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	1557.4	3503,0	1589.7	420.0
DE - DELUGE WATER SPACE DIVISION - STS SPACE DIVISION - TITAN	PER STS LAUNCH PER TITAN LAUNCH	3777640.0 148493.1	8496908.0 334000.0	3854130,5 151400.0	1013264.4
DI - DEYELOPER, PHOTOGRAPHIC HOST VAFB - FUELS LAB/DET 41 HOST VAFB - 1369 AVS/DOC HOST VAFB - OTHER ORGANIZATIONS	PER YEAR, 1982-84 PER YEAR, 1982-84 PER YEAR ·	22,3 35502,7 1557,0	50.1 79855.0 3502.0	22.7 36241.4 1589.7	6,0 9575.0 420.0
<u>DN - DICHLOROMETHANE</u> HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	580,9	1306.7	416.3	110.0
<u>DY - DRY CLEANING SOLVENT</u> HOST VAFB - OTHER ORGANIZATIOHS	PER YEAR	83.4	187.5	94.6	25.0
<u>DY - DYNA-BRITE WASTES</u> HOST VAFB - FEDERAL ELECTRIC	PER YEAR, 1982	741.6	1668.0	757.0	200.0
EC - EEUAS WASTEWATERS SPACE DIVISION - STS	PER STS LAUNCH	13245,0	29791.4	13512.4	3570.0
EH - ETHANOL HOST VAFB - FUELS LAB/DET 41	PER YEAR, 1982-84	3,6	8.2	, <del>Δ</del>	1.2
EO - ETHYLEMEDIANINE HOST VAFB - 1369 AVS/DOC	PER YEAR, 1982-84	160.1	360.0	181.7	48.0
<u>FJ - FORMALDEHYDE</u> HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	9:	3.6	ю -	4
FR - FREON SOLVENIS SPACE DIVISION - STS HOST VAFB - FUELS LABZDET 41 HOST VAFB - OTHER ORGANIZATIONS NASA - DELTA	PER STS LAUNCH PER YEAR, 1982-84 PER YEAP PER DELTA LAUNCH	2330,4 252,9 1789,9 520,2	5241.6 568.8 4026.0 1170.0	4.481 5.481 6.3851 6.3875	400.1 48.0 340.0

TABLE E-1 (CONT.) SUMMARY BY WASTE CATEGORY OF QUANTITIES PER UNIT TIME OF BASELINE LIQUID WASTE GENERALED BY VAFB HOST BASE AND TEMANTS

VOCTE CATECODY		BASELINE MASS/UNIT TIME	HIT TIME	BASELINE YOLUMEZUNII	SZUNIT TIME
ORGANIZATIOH	UNIT TIME	KILOGRAMS	POUNDS	LITERS	GALLONS
FW - FUEL, AVIATION HOST VAFB - FUELS LABZDET 41	PER YEAR, 1982-84	332,2	747.1	476.9	126.0
EX - FUEL, DIESEL HOST VAFB - FUELS LAB/DET 41	PER. YEAR, 1982-84	20.3	45.7	7.22.7	0.9
GC - GASOLINE HOST VAFB - FUELS LAB/DET 41	PER YEAR, 1982-84	9.9	<u>4</u> 8	9.1	01 4
HC - HEPTANE SPACE DIVISION - STS	PER STS LAUNCH	73.6	165.5	113.2	29.9
<u>HE - HERBICIDES, UNSPECIFIED</u> HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	4449.5	10008.0	4542,0	1200.0
HI - HYDRAULIC FLUID SPACE DIVISION - STS BNO - OTHER MX TEST FACILITIES	PER STS LAUNCH PER YEAR	390,1 23572.8	877.5 53021.5	388.0 26722.1	102.5
IM - HYDRAZINE SPACE DIVISION - STS SPACE DIVISION - TITAN HOST VAFB - FUELS LAB/DET 41 HOST VAFB - OTHER ORGANIZATIONS	PER STS LAUNCH PER TITAN LAUNCH PER YEAR, 1982-84 PER YEAR	4 8 2 8 4 7 8 7 7 5	940 40.8 8.0 8.0	4.07.7 8.8. 9.8. 7.181. 8.8	107.6 1.0 48.0 1.0
HO - HYDRAZINE SCRUBBER LIQUOR SPACE DIVISION - STS SPACE DIVISION - ATLAS SPACE DIVISION - TITAN	PER STS LAUNCH PER ATLAS LAUNCH PER TITAN LAUNCH	3802.1 189.1 184.5	8552.0 425.3 415.0	4012.1 193.0 189.3	1060.0 51.0 50.0
HG - HYDRAZINE/WATER WASTES SPACE DIVISION - STS SPACE DIVISION - TITAN HOST VAFR - GTHER ORGANIZATIONS HASA - DELTA HASA - DELTA	PER ST3 LAUNCH PER TITAN LAUNCH PER YEAR PER DELLTA LAUNCH PER NOAA LAUNCH	4083.6 741.6 7131.1 9274.6 204.1	9185.0 1668.0 16039.8 20861.0 459.0	4239.2 757.0 8300.5 9462.5	1120.0 200.0 2193.0 2500.0 55.0
HW - HYDROCHLORIC ACID HOST VAFR - FUELS LAB/DET 41	PER YEAR, 1982-84	24.5	55.1	25.0	9. V
<u>HX - HYDROFLUORIC ACID</u> HOST VAFB - FEDERAL ELECTRIC	PER YEAR, 1982	741.6	1668:0	757.0	200.0
ID - IGNITABLE WASTES, UNSPECIFIED HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	3.6	8	æ. ĸ	1.0
IK - INSULATION WASTES, LIQUID SPACE DIVISION - STS	FER STS LAUNCH	22 35, 38	53.0	189.2	50.0

(

(

C

•

ζ.

TABLE E-1 (COHT.) SURNARY BY WASTE CATEGORY OF QUARTITIES PER UNIT TIME OF BASELINE LIQUID WASTE GENERALE END LANGE AND TEMANTS

		BASELINE MASS/UNIT TIME	JUNIT TIME	BASELINE VOLUMEZUNII	EZUNIT TIME
ORGANIZATION	UNIT TIME	KILOGRAMS	POUNDS	LITERS	CALLONS
111 - INSULATION WASTEWATERS SPACE DIVISION - STS	PER STS LAUNCH	181615.0	408500.0	185313.6	48960.0
1V - ISOPROFANOL SPACE DIVISION - TITAN HOST VAFE - FUELS LAB/DET 41 HOST VAFE - OTHER ORGANIZATIONS	PER TITAN LAUNCH PER YEAR, 1982-84 PER YEAR	1167.9 59.5 644.3	2627.0 133.8 1449.3	1521.6 77.2 836.5	402.0 20.4 221.0
NASA - DELTA NASA - TIROS/NOAA	PER DELTA LAUNCH PER NOAA LAUNCH	520.2 285.9	1170,0	378.5 208.2	100.0 55.0
LI - LUBE CILS HOST VAFR - FUELS LAB/DET 41 HOST VAFE - OTHER ORGANIZATIONS BMO - OTHER MX TEST FACILITIES	PER YEAR, 1932-84 PER YEAR PER YEAR	121.9 1327.3 287.8	274.1 2985.5 647.3	136,3 1504.5 325,5	36.0 337.5 86.0
<u>NF – MERCURY</u> HOST VAFB – OTHER ORGANIZATIONS	PER YEAR	æ: -	4.0	0.	o.
MN - METHANOL SPACE DIVISION - TITAN HOST VAFB - FUELS LAB/DET 41 HOST VAFB - OTHER ORGANIZATIONS	PER TITAN LAUNCH PER YEAR, 1982-84 PER YEAR	984,3 35,1 322,3	2214.0 79.0 724.9	. 1271 8. 4. 14. 14. 15. 15. 15. 14. 16. 14. 15. 14. 15. 14. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15	336.0 12.0 110.0
MO - METHYLENE CHLORIDE SPACE DIVISION - STS HOST VAFB - FUELS LAB/DET 41	PER STS LAUNCH PER YEAR, 1982-84	1726.3 29.5	3883.0 66.4	1328.5	351.0
MS - METHYL ETHYL KETONE (MEK) SPACE DIVISION - STS SPACE DIVISION - ATLAS HOST VAFB - OTHER ORGANIZATIONS	PER 9TS LAUNCH PER ATLAS LAUNCH PER YEAR	86.7 6.0 736.4	194.9 13.4 1656.3	109.8 7.6 934.9	29.0 2.0 247.0
MU - NETHYL ISOBUTYL KETONE (MIBK) HOST VAFB - FUELS LAB/DET 41 HOST VAFB - OTHER ORGANIZATIONS	PER YEAR, 1982-84 PER YEAR	7.1	16.0 436.0	9.1	2.4
MX - MNH (MOHONETHYL HYDRAZINE) SPACE DIVISION - SIS HOST VAFR - FUELS LAB/DET 41	PER STS LAUNCH PER YEAR, 1982-84	458.4	1031.0 8.8	535, 2 4, 5	4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
<u>NE - NITRIC ACID</u> HOST VAFB - FUELS LAB/DET 41 HOST VAFB - OTHER ORGANIZATIONS	PER YEAR, 1982-84°	44.5	100.2	90.8 7653.3	24.0
MK - NIIROGEN IETROXIDE SPACE DIVISION - STS SPACE DIVISION - TITAN HOST VAFB - FUELS LAB/DET 41 HOST VAFB - OTHER ORGANIZATIONS	PER STS LAUNCH PER TITAN LAUNCH PER YEAR, 1982-84 PER YEAR	428.1 12.7 129.1 80.9	962.9 28.6 290.3 182.0	800.2 800.2 7.000.0 8.000.0	79.3 24.0 15.0

TABLE E-1 (CONT.) SUMMARY BY WASTE CATECORY OF QUANTITIES PER UNIT TIME OF BASELINE LIQUID WASTE GENERALED BY VAPE HOST BASE AND TENANTS

BASELIHE VOLUMEZUNIT TIME	LITERS GALLONS	22710.0 6000.0	42.4 11.2 7.6 2.0 492.0 130.0 10879.0 1685.6 437.4	757.0 200.0	1286.9 340.0 265.0 70.0	227.1 60.0	.8 .110.0 1521.6 402.0 18.9 5.0	51.9 13.7 492.0 130.0 23.5 6.2	1306.2 345.1	90.8 24.0 18.9 5.0	29523.0 7800.0 681.3 180.0	8.7 2.3	0 0002
ı		c	4	0	4 ≎							OI.	0 11355.0
BASELINE MASS/UNII IIME	POUNDS	50067.	94.0 16.8 975.8 84094.0	2340,	2717.4	660.0	1.8 825.7 2610.6 37.6	133.0 1100.0 55.8	4696.4	120.2	65052,0 1501.0	19.2	25020.0
BASELINE MA	KILOGRAMS	22259,3	41,8 7,5 433,8 37387,1	1040.3	1208.1 259.6	293.4	367.1 1.60.6 7.31	59.1 489.0 24.8	2088.0	53,4	28921.5	8.5	11123.6
	UNIT TINE	PER YEAR	FER STS LAUNCH PER ATLAS LAUNCH PER YEAR, 1982 PER YEAR PER YEAR	PER YEAR	PER STS LAUNCH PER DELTA LAUNCH	PER YEAR	PER STS LAUNCH FER YEAR, 1982 PER YEAR PER MX TEST LAUNCH	PER STS LAUNCH PER YEAR PER MX TEST LAUNCH	PER STS LAUNCH	PER YEAR, 1932-84 PER YEAR .	PER YEAR, 1982-84 PER YEAR	PER STS LAUNCH	PER YEAR, 1982-84
WASTE CATECORY	ORGANIZATION	<u>OD - OIL/WATER WASTES</u> HOST VAFB - OTHER ORGANIZATIONS	0G - 01LS, USED SPACE DIVISION - STS SPACE DIVISION - ATLAS HOST VAFB - FEDERAL ELECTRIC HOST VAFB - OTHER ORGANIZATIONS BNO - OTHER MX TEST FACILITIES	OH - OILY WASTES, GENERAL HASA - SHOF & PAINT FACILITIES	<u>OX - OXIDIZER/WATER WASTES</u> SPACE DIVISION - STS HASA - DELTA	<u>PC - PAINI STRIPPERS</u> HOST VAFB - OTHER ORGANIZATIONS	PE - PAINT THINNERS SPACE DIVISION - STS HOST VAFB - FEDERAL ELECTRIC HOST VAFB - OTHER ORGANIZATIONS BMO - MX TP & PART OF MNF	PG - PAINT WASTES, LIOUID SPACE DIVISION - STS HOST VAFB - OTHER ORGANIZATIONS BNO - NX TP & PART OF NMF	<u>PO – PERCHLOROETHYLENE</u> SPACE DIVISION – 81S	PP - PETROLEUM ETHER HOST VAFB - FUELS LAB/DET 41 HOST VAFB - OTHER ORGANIZATIONS	PR - PHOIOGRAPHIC CHEMICALS, MISC. HOST VAFE - 1369 AVS/DOC HOST VAFE - OTHER ORGANIZATIONS	PS - FOTASSIUM HYDROXIDE SPACE DIVISION - STS	PU - PREHARDENER, PHOTOGRAPHIC HOST VAFE - 1369 AVS/POC

•

C

TABLE E-1 (CONT.) SUMMARY BY WASTE CATEGORY OF QUANTITIES FER UNIT TIME OF BASELINE LIQUID WASTE Generated by Yafb Host Base and Tenants

		BASELINE MASS/UNIT TIME	JUNIT TIME	BASELINE VOLUMEZUNII	EZUNIT TIME
WASTE CATEGURY ORGANIZATION	UNIT TIME	KILOGRAMS	POUNDS	LITERS	CALLONS
RI - REACTIVE WASTES, UNSPECIFIED HOST VAFE - FUELS LAB/DET 41 HOST VAFE - OTHER ORGANIZATIONS	PER YEAR, 1982-84 PER YEAR	4.6 4.	43.6 8.	. 13.6	3.6
R <u>s - RP-1</u> HüsT VAFB - FUELS LAB/DET 41	PER YEAR, 1982-84	182.7	411.0	227.1	60.0
RT - RP-1 SLUDGES SPACE DIVISION - ATLAS HASA - DELTA	PER ATLAS LAUNCH PER DELTA LAUNCH	822.5	1850.0	832.7 18.9	220.0
SC - SEAUATER, CONTANINATED SPACE DIVISION - SIS	PER STS LAUNCH	14226.9	32000.0	15140.0	4000.0
SL - SODIUM HYDROXIDE WASTEWATERS SPACE DIVISION - COMP CLM FAC HOST VAFB - FUELS LAB/DET 41	PER YEAR, 1982-84 PER YEAR, 1982-84	1354106.5 35.6	3045742,5	1381525.0	365000.0 9.6
SS - SOLVENT/WATER WASTES SPACE DIVISION - STS	PER STS LAUNCH	1498.0	3369.5	1567.0	414.0
SU - SOLVENTS, MIXED OR UNSPEC. SPACE DIVISION - SIS HOST VAFB - OTHER ORGANIZATIONS BNO - NX TP & PARI OF MMF BNO - OTHER MX TEST FACILITIES HASA - SHOP & PAINT FACILITIES	PER STS LAUNCH PER YEAR PER MX TEST LAUNCH PER YEAR PER YEAR	1606.8 12892.7 104.0 1832.6	3614.1 28939.0 234.0 4122.0 70.0	1177.5 9564.7 75.7 1339.9 22.7	311.1 2527.0 20.0 354.0
SY - SRB INITIAL RINSE WATER SPACE DIVISION - STS	PER STS LAUNCH	194694.8	437920.0	207190.9	54740.0
SW - SRB WASH WATER SPACE DIVISION - STS	PER STS LAUNCH	34144,5	76800.0	36336.0	0.0036
SZ <u>SULFURIC ACID</u> HOST VAFB - FUELS LAB/DET 41 HOST VAFB - OTHER ORGANIZATIONS	PER YEAR, 1982-84 PER YEAR	81.9	184,2 439,3	45.4 109.8	12.0 29.0
<u>IE – TETRACHLOROETHYLENE</u> HOST VAFR – OTHER ORGANIZATIONS	PER YEAR	359.1	807.6	227.1	60.0
<u>1J - TOLUENE</u> HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	9.6	21.7	<del>-</del>	3.0
IN - IRICHLORDETHANE SPACE DIVISION - STS SPACE DIVISION - COMP CLN FAC HOST VAFR - FUELS LABZDET 41 HOST VAFR - OTHER ORGANIZATIONS BNO - OTHER MX TEST FACILITIES	PER STS LAUNCH PER YEAR, 1982-84 PER YEAR, 1982-84 PER YEAR PER YEAR	86.6 147.5 147.5 662.0 149.4	181.4 3762.0 331.7 1489.0	60.9 1249.1 113.6 492.0	16.1 330.0 30.0 130.0 30.0

TABLE E-1 (COUT.) SUMMARY BY WASTE CATEGORY OF QUANTITIES PER UNIT TIME OF BASELINE LIQUID WASTE. CENERATED BY VAFB HOST BASE AND TENANTS

ì

MASTE CATEGODY		BASELINE MASS/UNIT TIME	UNIT TIME	BASELINE VOLUMEZUIIT TIME	EZUIIT TIME
ORGANIZATION	UNIT TIME	KILOGRAMS	POUNDS	LITERS	CALLOHS
IP - IRICHLOROETHYLENE SPACE DIVISION - ATLAS	PER ATLAS LAUNCH	3025.4	6805.0	9289.9	0.808
HOST VAFB - FUELS LABZDET 41	PER YEAR, 1982-84	169.0	380.1	1.8.1	31.2
HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	J. 4	12.2	3.8	0.1
HASA - DELTA	PER DELTA LAUNCH	233,9	526.0	170.3	45.0
<u>IR – TRICHLOROTRIFLUOROETHANE</u> BNO – OTHER MX TEST FACILITIES	PER YEAR	42.2	95.0	27.6	7.3
UD - UDMH (UNSYM DIMETHYLHYDRAZINE) SPACE DIVISION - TITAN	PER TITAN LAUNCH	6.71	40.2	23.1	4.5
HOST VAFB - FUELS LABZDET 41	PER YEAR, 1932-84	34.9	78.4	45.4	12.0
HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	2,9	6.5	3.8	0.1

(

TABLE E-2. SUNMARY BY WASTE CATEGORY OF QUANTITIES PER UNIT TIME OF BASELINE SOLID WASTE GENERATED BY VAFB HOST BASE AND TEMANTS

		BASELINE NASS/UNIT	MIT TIME	BASELINE VOLUMEZUNII	MEZUNII TIME
WASTE CATEGORY ORGANIZATION	UNIT TIME	KILOGRAMS	POUMDS	LITERS	CUBIC FEET
AH - ADHESIVE WASTES SPACE DIVISION - STS	PER STS LAUNCH	28.2	63.5	93.4	m m
<u>8G - BAITERY WASTES</u> SPACE DIVISION - STS HOST VAFB - OTHER ORGANIZATIONS	PER STS LAUNCH PER YEAR	64.0 11717.6	144.0 26356.0	93.4 13186.8	3.3
CT - CONTAINERS SPACE DIVISION - STS HOST VAFB - OTHER ORGANIZATIONS	PER STS LAUNCH PER YEAR	2745.1 158.5	6174.5	51917.4	1833.5
IL - INSULATION WASTES, SOLID SPACE DIVISION - STS	PER STS LAUNCH	1130.4	2542.6	26149.8	923.5
PH - PAINT WASTES, SOLID SPACE DIVISION - STS	PER STS LAUNCH	21.3	48.0	6.691	6.3
PJ - FARIS, CONTANTHATED SPACE DIVISION - STS BNO - MX TP & PART OF MMF BNO - OTHER MX TEST FACILITIES	PER STS LAUNCH PER MX TEST LAUNCH PER YEAR	53.4 7.1 14.2	120,0 16.0 32.0	3397.9 84.9 226.5	120.0 3.0 8.0
PN - FCB SOLID WASTES HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	100.7	226.5	430.4	15,2
RC - RAGS, CHROMATE SPACE DIVISION - STS	PER STS LAUNCH	2.2	S. 0	26.3	1.0
RE - RAGS, SOLVENTZOILY SPACE DIVISION - STS SPACE DIVISION - ATLAS SPACE DIVISION - ATLAS HOST VAFB - FEDERAL ELECTRIC HOST VAFB - OTHER ORGANIZATIONS BNO - MX TP & PART OF MNF BNO - OTHER MX TEST FACILITIES	PER ST3 LAUNCH PER ATLAS LAUNCH PER TITAN LAUNCH PER YEAR, 1982 PER YEAR PER NT TEST LAUNCH	35.6 52.4 160.1 1422.7 3987.7 6.7	80.0 117.8 360.0 3200.0 8969.5 15.0	538.0 68.0 209.5 6039.8 16788.6 28.3	19.0 4.2 7.4 7.4 6.0 6.0 6.0 6.0 6.0 7.2 7.2 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0
<u>SG - SILVER SALTS</u> HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	۲.	÷.5	•	0.
SY - SULFAMIC ACID HOST VAFB - OTHER ORGANIZATIONS	PER YEAR	2134.0	4800.0	1036.4	36.6
•				•	

# GLOSSARY

AFB	Air Force Base
вмо	Ballistic Missiles Organization
С	Corrosive
CAC	California Administrative Code
CAL	California
CAT	Category
CCF	Component Cleaning Facility
CDHS	California Department of Health Services
CFR	Code of Federal Regulations
DLA	Defense Logistics Agency
000	Department of Defense
DOT	Department of Transportation
DPDO	Defense Property Disposal Organization
DPDS	Defense Property Disposal Service
ε .	EP toxic
E EW&S	Emergency Eyewash and Shower
EP	Extraction Procedure
EPA	Environmental Protection Agency
F	Flammable
FR	Federal Register
FSC	Federal Stock Class
ғ Т <sup>3</sup>	Cubic Feet
GAL	Gallons
Н	EPA acutely hazardous
HAZ	Hazardous
HWP	Hazardous Waste Programs
i	Ignitable
I	Irritant
·IRFNA	Inhibited Red Fuming Nitric Acid
KG	Kilograms
1	Liters

#### GLOSSARY (continued)

7

```
L
          Listed (but no specific number)
LB
          Pounds
LIO
          Liquid
LSN
          List Stock Number
<sub>M</sub>3
          Cubic Meters
MEK
          Methyl ethyl ketone
MIBK
          Methyl isobutyl ketone
MMF
          Mechanical Maintenance Facility
HMM
          Monomethylhydrazine
MO
          Month
N204
          Nitrogen tetroxide
NASA
          National Aeronautics and Space Administration
NL
          Not Listed
NSN
          National Stock Number
NVAFB
          North Vandenberg Air Force Base
Р
          Pressure-generating
PCB
          Polychlorinated biphenyl
R
          Reactive
RCRA
          Resource Conservation and Recovery Act
S
         Strong sensitizer
SCS
         Stearns, Conrad & Schmidt Consulting Engineers, Inc.
SD
         Space Division
SOL
         Solid
STS
         Space Transportation System
SVAFB
         South Vandenberg Air Force Base
T
         Toxic
TAC
         Titan, Atlas, and Component Cleaning Facility
TRT
         Treatment
TSD
         Treatment, Storage, and Disposal
HMGU
         Unsymmetrical dimethylhydrazine
USAF
         United States Air Force
VAFB
         Vandenberg Air Force Base
WRCB
         State Water Resources Control Board
WST
         Waste
YR
         Year
```

## WASTE CATEGORY CODES

AB	Acetic Acid
AC	Acetone
АН	Adhesive Wastes
AJ	Aerozine 50
AM	Alcohols, Unspecified
AP	Algacides, Unspecified
AU	Ammonia
BG	Battery Wastes
ВЈ	Benzene
BR	Biocides, Unspecified
CD	Carbon Tetrachloride
СН	Cellosolve Solvents
CK	Chloroform
CN	Chromium Wastewaters
CT	Containers
CV	Corrosive Liquids, Unspecified
CW	Cyanide Wastewaters
DB	2,4-0
DE	Deluge Water
DI	Developer, Photographic
DN	Dichloromethane
DV	Dry-Cleaning Solvent
DY	Dyna-Brite Wastes
EC	EEW&S Wastewaters
EH	Ethanol
ΕO	Ethylenediamine
FJ	Formaldehyde
FR	Freon Solvents
FW	Fuel, Aviation
FX	Fuel, Diesel

#### WASTE CATEGORY CODES (continued)

```
GC
          Gasoline
H C
          Heptane
ΗE
          Herbicides, Unspecified
ΗI
          Hydraulic Fluid
MH
          Hydrazine
Н0
          Hydrazine Scrubber Liquor
ΗQ
          Hydrazine/Water Wastes
HW
          Hydrochloric Acid
НΧ
          Hydrofluoric Acid
II)
          Ignitable Wastes, Unspecified
ΙK
          Insulation Wastes, Liquid
IL
          Insulation Wastes, Solid
IM
          Insulation Wastewaters
I۷
          Isopropanol
LT
          Lube Oils
MF
         Mercury
MN
         Methanol
MQ
         Methylene Chloride
         Methyl Ethyl Ketone (MEK)
MS
         Methyl Isobutyl Ketone (MIBK)
MU
         Monomethyl Hydrazine
ΜX
ΝE
         Nitric Acid
NK
         Nitrogen Tetroxide
00
         Oil/Water Wastes
0 G
         Oils, Used
0 H
         Oily Wastes, General
0 X
         Oxidizer/Water Wastes
PC
         Paint Strippers
PΕ
         Paint Thinners
ΡG
         Paint Wastes, Liquid
PH
         Paint Wastes, Solid
ΡJ
         Parts, Contaminated
         PCB Solid Wastes
PM
P 0
         Perchloroethylene
```

(

## WASTE CATEGORY CODES (continued)

```
PΡ
         Petroleum Ether
         Photographic Chemicals, Miscellaneous
PR
PS
         Potassium Hydroxide
         Prehardener, Photographic
Pυ
         Rags, Chromate-Contaminated
RC
         Rags, Solvent/Oily
RΕ
         Reactive Wastes, Unspecified
RΙ
         RP-1
RS
         RP-1 Sludges
RT
SC
         Seawater, Contaminated
SG
         Silver Salts
SL
         Sodium Hydroxide Wastewaters
         Solvent/Water Wastes
SS
SU
         Solvents, Mixed or Unspecified
         SRB Initial Rinse Water
S۷
         SRB Wash Water
SW
         Sulfamic Acid
SY
SZ
         Sulfuric Acid
ΤE
         Tetrachloroethylene
TJ
         Toluene
         Trichloroethane
TN
ΤP
         Trichloroethylene
         Trichlorotrifluoroethane
TR
UD
         UDMH (Unsymmetrical Dimethylhydrazine)
```